



**CABLES /
HOUSING**



Cranksets
Cassettes
Pedals
Bottom Brackets


Chaining sets
Headsets
Stems
Handlebars

ROAD bars
Seatposts
Seatpost Clamps
Cables / Housing

Road&MTB brake calipers
Brake shoes & Pads
Disc brake systems & Mount adaptors
Quick Release Skewer

Jockey wheels & bolt
Components
Screws & Bolts
Bearings

Apparels
KCNC distributors




Titanium

stainless steel

Nano-diamond(PTFE) Teflon coating inner cables


- ◆ Advantages: Extremely low friction, long lasting performance.
Material: Slick stainless steel or Titanium
- ◆ Road/MTB brake cables: Ø 1.5mm. Length (1M+1.7M).
- ◆ Road/MTB shift cables: Ø 1.1mm. Length (1.8M+2.1M).
- ◆ Stainless steel: Dark grey / Titanium: gold color.



Wire&housing kits

- ◆ Road brake housing&wire kit
2.5m housing*1, 900mm wire*1, 1700mm wire*1
cable tip*3, housing cap*10, o-ring*6
- ◆ MTB brake housing&wire kit
2.5m housing*1, 900mm wire*1, 1700mm wire*1
cable tip*3, housing cap*10, o-ring*6
- ◆ Shifter housing&wire kit
2.2m housing*1, 1800mm wire*1, 2100mm wire*1
cable tip *3, housing cap *6, o-ring *6
- ◆ Black, Red, White color available.

CABLES / HOUSING



FEP Teflon coating inner cables

- ◆ Advantages: Low friction, long lasting performance.
Material: Slick stainless steel.
- ◆ Road/MTB brake cables: Dia. 1.5mm*1.7M / Dia. 1.5mm*3.4M(red color only)
- ◆ Road/MTB shift cables: Dia. 1.1mm*2.1M / Dia. 1.1mm*4.2M(red color only)
- ◆ 50pcs/box package available.




In-line shift cable adjuster

- ◆ Can be used on shifter cables, to set desired tension with ease, precisely.
- ◆ Material: AL6061
- ◆ Color: Black, Blue, Red, Green, Gold, Silver color.




Cable housing

- ◆ Stainless steel braided wire, carbon fiber pattern.
- ◆ Alloy&Stainless steel braided wire, carbon fiber pattern.
 - ◆ Shift cable housing(4mm)
 - ◆ Brake cable housing(5mm)
 - ◆ 30 meters package.



Ferrules

- ◆ For 4mm shift cable housing.
- ◆ For 5mm brake cable housing.
- ◆ 150pcs/bottle.



Cable Tips

- ◆ AL6061, 500pcs/bottle.



ROAD&MTB BRAKE CALIPERS

ROAD brake caliper

MTB brake caliper

Brake shoes & Pads



Cranksets
Cassettes
Pedals
Bottom Brackets

Chaining sets
Headsets
Stems
Handlebars

ROAD bars
Seatposts
Seatpost Clamps
Cables / Housing

Road&MTB brake calipers
Brake shoes & Pads
Disc brake systems & Mount adaptors
Quick Release Skewer

Jockey wheels & bolt
Components
Screws & Bolts
Bearings

Apparels
KCNK distributors



T/T brake lever-Triber

- ◆ Forged lever, sandblasted, anodized finish.
 - ◆ Material: AL6061
- ◆ Color: Black, Red, Gold, Blue, Green, Silver.



CB11 road brake caliper

- ◆ Full CNC AL6061 material.
- ◆ Swisstop GHP11 brake pads.
- ◆ Direct mount system.
- ◆ Color: Black/Blue/Red/Gold/Green/Silver.



CB12 road brake caliper

- ◆ Full CNC AL7075 material.
- ◆ Swisstop Black Prince brake pads.
- ◆ Direct mount system.
- ◆ Color: Black/ Red/Gold/ /Silver.

ROAD&MTB BRAKE CALIPERS



CB9 Road brake caliper

- ◆ Designed for road bike wide wheel rim up to 28mm, two extra brake shoe holder spacer to adjust the clearance on standard rim.
- ◆ Linkage activated brake system aimed to cope with muddy or dirt condition, equipped with SWISSSTOP BXP brake pad for alloy rim.
- ◆ Material: AL6061 brake arm&parts; SUS center mounting axle&bolts.
- ◆ Color: Black, Red, Gold, Blue, Silver, Green.



CB10 Road brake caliper

- ◆ Designed for road bike wide wheel rim up to 28mm, two extra brake shoe holder spacer to adjust the clearance on standard rim.
- ◆ Linkage activated brake system aimed to cope with muddy or dirt condition, equipped with SWISSSTOP Black Prince brake pad for carbon rim.
- ◆ Material: AL7075 brake arm&parts; Titanium center mounting axle&bolts.
- ◆ Color: Black, Red, Gold, Silver.





CB3 Road brake set-ANGLE

- ◆ Linkage activated dual pivot brake for even brake power distribution.
 - ◆ Light weight& compact with fast heat dispense.
- ◆ Increased leverage ratio with 10% more braking power than KCNC C7.
 - ◆ AL7075 brake arm body with titanium center axle bolts.
 - ◆ Original Swissstop FLASH PROII brake pad for alloy rims.



CB4 Road brake-Hill


- ◆ Linkage activated dual pivot brake for even brake power distribution.
 - ◆ Light weight& compact with fast heat dispense.
- ◆ Increased leverage ratio with 15% more braking power than KCNC C7.
 - ◆ AL6061 brake arm body with SUS center axle bolts.

ROAD&MTB BRAKE CALIPERS



Time trial TT brake lever

- ◆ AL7075 body with expander.
- ◆ Black, Red, Silver, and Gold anodized.



VB1-Levers

- ◆ Material: AL 7075
- ◆ Leverage: 92mm
- ◆ Connecting clamp and lever bolt: M8 gold anodized finish.
- ◆ Cable adjuster: Silver anodized finish.
- ◆ Brake clamp and lever: Sand blasted black anodized.
- ◆ Dual digit levers, glove friendly design.
- ◆ Fully CNC machined.



VB6-Levers

- ◆ Material: AL 6061
- ◆ Leverage: 92mm
- ◆ Connecting clamp and lever bolt: M8 gold anodized finish.
 - ◆ Cable adjuster: Silver anodized finish.
- ◆ Brake clamp and lever: Sand blasted in six anodized colors.
 - ◆ Dual digit levers, glove friendly design.
 - ◆ Fully CNC machined.



VB1-Brake arms

- ◆ Springs: Linear 6/4Ti rod.
- ◆ Mounting hardware: Hard anodized 7075AL
- ◆ Both M8& M10 frame/fork pivots provided.
- ◆ Brake arms: 97mm in sand blasted black.



Cantilever brake

- ◆ Full CNC machined AL7075/AL6061 brakes ,accessories.



VB6-Brake arms


- ◆ Springs: Linear stainless steel rod.
- ◆ Mounting hardware: Hard anodized 6061AL
- ◆ Both M8& M10 frame/fork pivots provided.
- ◆ Brake arms: 100mm in six anodized colors.
- ◆ Full CNC machined.

ROAD&MTB BRAKE CALIPERS




Direct mount AERO V-brake

- ◆ Giant Propel compatible.
- ◆ Full CNC AL7075 brake arm.
- ◆ Swisstop brake pads.
- ◆ Color: Black/Gold/Red.







Disk brake rotor-Titor

- ◆ Heat treated 6-4 Titanium rotor.
- ◆ Sizes: 140/160/180/203mm diameter.



Disk brake rotor-Razor

- ◆ Stainless steel rotor.
- ◆ Sizes: 140/160/180/203mm diameter.



Kasditor disk rotor

- ◆ Center alloy spider with unique disc engage design, the disc is set center aligned inside alloy spider arm, has advantage of less rotor deformation from heat build-up while braking.
- ◆ Material: AL7075 spider; SUS 420 disc, SUS rivets.
- ◆ Disc thickness: 1.8mm
- ◆ Size: 140/160/180/203mm
- ◆ Spider Color: Black, Red, Gold, Blue, Green anodized.

Brake shoes & Pads



C7/CB1 Brake shoes&Pads

- ◆ 54mm cartridge brake shoe set.
 - ◆ Aluminum pad holder.
 - ◆ Ti bolt and nut.
- ◆ Shimano Dura-Ace BR7800 compatible.
- ◆ Available in Swissstop flashPro GHP11/Yellow King OEM pads.



VB1/VB6 brake shoes&Pads M6 bolt

- ◆ M6 Ti bolts.
- ◆ 72mm cartridge brake shoe set.
- ◆ Angle adjustable design.
- ◆ Shimano XTR/XT/KCNC VB1 Compatible



VB1/VB6 brake shoes&Pads M7 bolt

- ◆ M7 scandium alloy bolts.
- ◆ 72mm cartridge brake shoe set.
- ◆ Angle adjustable design.
- ◆ Only compatible with KCNC VB1.

Cranksets
Cassettes
Pedals
Bottom Brackets

Chaining sets
Headsets
Stems
Handlebars

ROAD bars
Seatposts
Seatpost Clamps
Cables / Housing

Road&MTB brake calipers
Brake shoes & Pads
Disc brake systems & Mount adaptors
Quick Release Skewer

Jockey wheels & bolt
Components
Screws & Bolts
Bearings

Apparels
KCNC distributors



Road disc brake adaptor

- ◆ AL7075 CNC machining.
- ◆ Flat mount to Post mount.
- ◆ Front adaptor: 140/160mm
- ◆ Rear adaptor: 140/160mm.



Jockey wheels system

- ◆ Material: AL7075 wheel, SUS or ceramic bearing.
- ◆ Over size narrow wide jockey wheel 14+16T
- ◆ Compatible with Shimano 10/11S Dura Ace&Ultegra.



Rear derailleur adaptor

- ◆ AL7075
- ◆ For Shimano XT-M781 to upgrade cassette up to 42T cogs

DISC BRAKE SYSTEMS & MOUNT ADAPTORS



X7 Ultra light disk brake

- ◆ Hydraulic system rated to 8000 psi.
 - ◆ Reinforced Kevlar fiber/internal mesh braided hose.
 - ◆ Ceramic-metallic mix compound brake pads.
 - ◆ F+R calipers: PM/IS or PM/PM mounting at option.
 - ◆ Consistent reliable performance in all weather conditions.
 - ◆ Oil observe window design on reservoir tank.
 - ◆ 160mm stainless steel rotorsx2, Ti caliper mounting bolt*4 and washers included.
 - ◆ Low maintenance design.
- *Disc rotor bolts not provided*
- *Use hydraulic mineral oil only*

Cranksets
Cassettes
Pedals
Bottom Brackets

Chaining sets
Headsets
Stems
Handlebars

ROAD bars
Seatposts
Seatpost Clamps
Cables / Housing

Road&MTB brake calipers
Brake shoes & Pads
Disc brake systems & Mount adaptors
Quick Release Skewer

Jockey wheels & bolt
Components
Screws & Bolts
Bearings

Apparels
KCNC distributors



CNC disk brake adaptors

AL7075 CNC machined with SUS bolts, washers, designed for X7 disc brake.

- ◆ Fork IS160->PM 160 adaptor)
- ◆ Fork IS 160->PM 180 adaptor)
- ◆ Fork IS 160->PM 203 adaptor)
- ◆ Fork PM160->PM180 adaptor)
- ◆ Fork PM160->PM203 adaptor)



IS/IS adaptor

- ◆ Fork IS 160mm rotor to IS 180mm adaptor.
- ◆ Fork IS 160mm rotor to IS 203mm adaptor.



PM/IS adaptors

- ◆ Allows your IS mount disc brake to use on PM system.
- ◆ Fork PM 160mm to IS 160mm adaptor.
- ◆ Fork PM 160mm to IS 180mm adaptor.
- ◆ Fork PM 160mm to IS 203mm adaptor.

QUICK RELEASE SKEWER




Disk brake center lock

- ◆ Fully CNC machined.
- ◆ Material: AL7075 / AL6061
- ◆ Precise, safe alignment and locking.
- ◆ Standard QR12 or QR20 lock ring available.



Disk brake pad

- ◆ Compatible with KCNC DB2
- ◆ HAYES HFX-Mag/HFX-9 HYD.



X7 Disk brake pad

- ◆ Compatible with Shimano XTR / XT / KCNC X7



X7 disc brake pad-for Titor titanium rotor


- ◆ Specifically developed metallic compound to work and gain best braking performance on KCNC Titor or other titanium rotors.
- ◆ Compatible with KCNC X7 disc brake or Shimano XTR caliper.
- ◆ Not recommended for SUS rotors.

Jockey wheels/ bolts




Titanium Jockey wheels

- ◆ 6-4 TI wheel with DLC finish, full ceramic bearing.
- ◆ Improved low noise teeth profile.
- ◆ Teeth:10,11,12,13T



Jockey wheel

- ◆ AL7075 wheel cage available in SS or ceramic bearing.
- ◆ Tooth range available: 10T, 11T, 12T, 13T, 15T.
- ◆ Compatible with Shimano, Campagnolo and SRAM X-0, FORCE, RED.
- ◆ Increased lateral rigidity over plastic wheels.
- ◆ Full CNC machined.



Jockey wheel-Ultra light version

- ◆ AL7075 wheel cage available in SS bearing.
- ◆ Tooth range available: 10T, 11T, 12T, 13T.
- ◆ Compatible with Shimano, Campagnolo and SRAM X-0, FORCE, RED.
- ◆ Improved anti-dust bearing cap.
- ◆ Full CNC machined.



Jockey wheel bolts

- ◆ Material: AL 7075
- ◆ Size: 7.8x7.8x15.5mm.

QUICK RELEASE SKEWER

Quick release skewer



KQR10 Through-axle skewer

- ◆ The skewer lever can turn 180 degrees back and forth to tight and lock position.
- ◆ Spec: $\text{Ø}12 \times 142$; $\text{Ø}12 \times 148$ BOOST, Length varies compatible with Shimano/Sram/Syntace through axles.
 - ◆ Material: AL7075
 - ◆ Color: Black, Blue, Gold, Red, Green, Silver

Cranksets
Cassettes
Pedals
Bottom Brackets

Chaining sets
Headsets
Stems
Handlebars

ROAD bars
Seatposts
Seatpost Clamps
Cables / Housing

Road&MTB brake calipers
Brake shoes & Pads
Disc brake systems & Mount adaptors
Quick Release Skewer

Jockey wheels & bolt
Components
Screws & Bolts
Bearings

Apparels
KCNC distributors



Grooving-QR skewer

- ◆ Titanium skewer center axle with unique four groove cuts design.
- ◆ Durable nylon fiber shim on cam lever side brass nut.
- ◆ Material: AL 7075 lever and nuts.
- ◆ 6/4 Ti axle with stainless springs.
- ◆ ROAD set: Front-100mm, Rear-130mm.
- ◆ MTB set: Front-100mm, Rear-135mm.



KQR-skewer

- ◆ Material: AL 7075 lever and nuts, lever side with self-lubricating brass.
- ◆ 6/4 Ti axle with stainless springs coils.
- ◆ ROAD set: Front-100mm, Rear-130mm.
- ◆ MTB set: Front-100mm, Rear-135mm.
- ◆ FR set: Front-100mm, Rear-210mm.



Z6 KQR skewer

- ◆ Material: AL 6061 lever and nuts, lever side with self-lubricating brass.
- ◆ Stainless axle with spring coils.
- ◆ ROAD set: Front-100mm, Rear-130mm.
- ◆ MTB set: Front-100mm, Rear-135mm



QUICK RELEASE SKEWER

QUICK RELEASE SKEWER

Quick release skewer



QR through axle skewers-KQR06

- ◆ Quick release cam lever open/close design, hollow axle.
- ◆ Material: AL7075 axle/cam lever.
- ◆ Compatibility:
 - Ø 15mm/100mm for Shimano E-Thru (Front)
 - Ø 15mm/100mm for RockShox Maxle (Front)
 - Ø 12mm/142mm for X12 (Rear)
 - Ø 12mm/142mm for Shimano E-thru (Rear)
 - Ø 12mm/142mm for RockShox Maxle (Rear)
- ◆ Color: Black, Red, Gold, Blue, Green, Silver anodized.



through axle skewers-KQR07

- ◆ Designed for 12mm/15mm through axle hub with KCNC unique lever position setting, Quick&Easy press down RED button can release locking and allows lever's spin movement at desire position.
- ◆ Material: AL6061 axle& lever.
- ◆ Compatibility:
 - Ø 15mm axle for RockShox Maxle(Front), 15x100 mm.
 - Ø 15mm axle for Shimano E-thru/Fox racing(Front), 15x100 mm.
 - Ø 12mm axle for Syntace X-12 system (Rear), 12x142 mm.
 - Ø 12mm axle for Shimano E-Thru/Fox racing (Rear), 12x142 mm.
 - Ø 12mm axle for RockShox Maxle(Rear), 12x142 mm.
- ◆ Lever color option: Black, Blue, Green, Gold, Red, Silver.



Through axle skewer- KQR08

- ◆ AL6061 material
- ◆ Color: Black/Blue/Red/Gold/Green/Silver.
- ◆ Compatibility:
 - Ø15mmx100mm(Front) RockShox Maxle.
 - Ø15mmx100mm(Front) Shimano E-Thru/Fox racing.
 - Ø12mmx142mm(Rear) RockShox Maxle.
 - Ø12mmx142mm(Rear) Shimano E-Thru/Fox racing.
 - Ø12mmx142mm(Rear) Syntace X-12 system.
- ◆ Boost Ø12mmx148mm/Ø15x110mm



Through axle skewer- KQR09

- ◆ AL7075 material
- ◆ Color: Black/Blue/Red/Gold/Green/Silver.
- ◆ Compatibility:
 - Ø15mmx100mm(Front) RockShox Maxle.
 - Ø15mmx100mm(Front) Shimano E-Thru/Fox racing.
 - Ø12mmx142mm(Rear) RockShox Maxle.
 - Ø12mmx142mm(Rear) Shimano E-Thru/Fox racing.
 - Ø12mmx142mm(Rear) Syntace X-12 system.
- ◆ Boost Ø12mmx148mm/Ø15x110mm

Cranksets
Cassettes
Pedals
Bottom Brackets

Chaining sets
Headsets
Stems
Handlebars

ROAD bars
Seatposts
Seatpost Clamps
Cables / Housing

Road&MTB brake calipers
Brake shoes & Pads
Disc brake systems & Mount adaptors
Quick Release Skewer

Jockey wheels & bolt
Components
Screws & Bolts
Bearings

Apparels
KCNC distributors



MTB jockey wheel system for SR Eagle 12s

- ◆ AL7075 cage& jockey wheel
- ◆ Jockey wheel size set 14+16T
- ◆ Compatible with SR Eagle 12s rear derailleur.
- ◆ Optional SUS or full ceramic bearing
- ◆ Black anodized only



MTB jockey wheel system for Shimano XT

- ◆ AL7075 cage& jockey wheel
- ◆ Jockey wheel size set 14+16T
- ◆ Compatible with Shimano 11S Deore XT M8000 rear derailleur.
- ◆ Optional SUS or full ceramic bearing
- ◆ Black anodized only

COMPONENTS



MTB D-type chain guide

- ◆ Direct mount chain guide, prevents the chain dropping off from the front chainring. For 1x11 speed drive train with plastic upper guard
- ◆ Material: AL6061, SUS screw.



KOT34 chain guide

- ◆ Seat tube clamp chain guide, prevents the chain dropping off from the front chainring. For MTB 1x11 speed drive train with plastic upper guard
- ◆ For seat tube clamp size 34.9mm
- ◆ Material: AL6061, SUS screw.



Derailleur cable pulley

- ◆ Material: AL7075
- ◆ Compatibility: XX1/XX1 Eagle/X01/X01 Eagle



Asymmetric jockey wheel

- ◆ Unique design allows you to set jockey wheel position approach to rear cassette cogs, resulting in more contact surface area with cogs, brings better stability & traction. It has three optional mounting holes of 3/4/5mm offset from the center.

Titanium jockey wheel

- ◆ Ti-6AL/4V wheel
- ◆ 12/14/16T Narrow wide tooth
- ◆ Full ceramic bearing or SUS bearing(optional)
- ◆ Titanium raw color
- ◆ 11/12s compatible



Rear derailleur hanger extender

- ◆ Fits to your current derailleur hanger to extend the hanger further allowing use of much larger cassettes.
- ◆ Material: AL6061

COMPONENTS



Smart mount ECO

- ◆ Simplified & Economical design compare to KCNC KOT03 Smart mount.
- ◆ AL6061 bridges & 31.8 → 25.4 shims x 2
- ◆ Two ends comes with 25.4mm/31.8mm clamp size.
- ◆ 90mm extension
- ◆ Black anodized only



Front shifter clamp

- ◆ For sram shifter clamp
- ◆ AL 6061



Light mounting bracket for through axle

- ◆ Fits KCNC Ø12 through axle which has 6mm allen key socket at the end, you may install a flash light onto the round barrel.



Tubeless valve lock nut

- ◆ For KCNC Presta tubeless valve replacement or other brands at 5V2 spec.
 - ◆ Material: AL6061

COMPONENTS



Rear derailleur guard

- ◆ It is suggested to install it along with KCNC light mounting bracket to protect rear derailleur from impact.



CO2 cartridge inflator head-Locky


- ◆ Ergonomically designed fingers holding position, push the head downward allows CO2 to inflate tires.
- ◆ Specially selected sealing O-ring against aging due to low temperature while inflating.
- ◆ Presta valve use only
- ◆ Material: AL6061



Direct mount front derailleur cover plate

- ◆ Designed to decorate or cover the empty unused front derailleur mount seat, come along with the bottle opening function.
- ◆ Material: AL6061 body, SUS bolt.

COMPONENTS



Valve core extension driver

- ◆ We offer an ideal solution for carbon rim wheels owners who are having a pumping problem. This patent pending designed allows you to open& close a presta valve where hidden inside the rim at pumping stage.
 - ◆ Material: fiber plastic.
- ◆ Valve extension is not included in the package.



Valve core adaptor

- ◆ We offer an ideal solution for carbon rim wheels owners who are having a pumping problem. This patent pending designed allows you to remove the original presta valve core(if detachable) installed on a tire and allows you to reinstall the core on top of valve extension.
 - ◆ Material: AL6061.
- ◆ Valve extension&core are not included in the package.



Chain guide

- ◆ Chain guide for raising the chain tension in order to prevent the chain from falling down or knocking around suitable for 1-3-speed chainwheel sets.
- ◆ High quality stainless steel pulley applied ensure smooth chain running.
- ◆ Mounting: At cable guide or chain stay.
- ◆ Material: Fiber nylon, stainless pulley.



Direct mount chain guide

- ◆ For ISCG05 mounting.
- ◆ Range: 30/32/34/36/38/40/42T
 - ◆ Material: AL7075
- ◆ Color: Black/Red/Gold

COMPONENTS



Shifter clamp I-SPEC II

- ◆ Compatibility: XTR-M9000, XTM8000 shifters
- ◆ AL6061 material
- ◆ Color: Black / Red / Blue / Yellow Green



Aluminum tubeless valve

- ◆ Designed for tubeless wheel supplied with different rubber bases to fit on most rims on the market.
- ◆ AL7075 material.
- ◆ Color: Black/Blue/Red/Pink/Green/Silver.



Headset cap w/ star nut&expander

- ◆ AL6061 material
- ◆ Diameter: 28.6mm
- ◆ Length: 38mm for carbon steerer tube.
- ◆ Star nut version available.
- ◆ Color: Black/Blue/Red/Gold/Yellow Green/Silver.





Go Pro mount – for seatpost

- ◆ Allows Go-Pro camera installed on seatpost.
 - ◆ Material: AL7075
 - ◆ Clamp size: 27.2/30.9/31.8/34.9mm
 - ◆ Color: Black/Blue/Red/Gold/ Green/Silver.



Go Pro&Garmin mount- for Handlebar

- ◆ Allows Go-Pro camera installed on handlebar with Garmin mount.
 - ◆ Material: AL7075
 - ◆ Color: Black/Blue/Red/Gold/ Green/Silver.

COMPONENTS



Cycling computer holder-for Garmin

- ◆ CNC precision made holder allows free angle/reach(3.5cm) adjustment, only for Garmin meters.
 - ◆ Material: AL6061
 - ◆ Ø 31.8mm clamp dia. on handle bar.
- ◆ Anodize color option: Black, Blue, Gold, Green, Red, Silver.



Carbon fiber saddle-Streamer

- ◆ Full carbon fiber saddle for Road/TT bikes with gloss finish.
 - ◆ Material: UD carbon fiber, 3K wrapping on seat surface.
 - ◆ Oval shape rails(7°9mm)
 - ◆ L270xW132.6xH60 mm
- Please note the center art decal maybe changed from the photo displayed.



KCNC TPR Grips

- ◆ Crosshatched grids offer superior grip control yet comfortable TPR rubber on wide palm support. Plastic insert shim inside grips along with simple & secure bolt lock on design for easy installation.
- ◆ Material: TPR rubber, AL6061 barend.
- ◆ Width: 138.5 mm; 130.5mm; Barbore: 22.5mm
- ◆ Barend length: 90mm.
- ◆ Color: Black/Grey; Cork brown color.



EVA lock-on grip

- ◆ High density EVA form grip with plastic shim/insert, featuring water resistance and shock absorb advantages, optional alloy color lock rings.
- ◆ Material: EVA grip, nylon shim/insert
- ◆ Barbore diameter: Ø 22mm



KBE04-MTB TPR barend

- ◆ Ergonomically curve to fit your palm, TPR rubber with anti-slip bump offers comfort handling.
- ◆ Material: TPR rubber wrapping, plastic body, alloy lockring, SUS bolts.
- ◆ Barbore diameter: Ø 22mm

COMPONENTS



Suspension Fork/Shock pump

- ◆ Professional high pressure pumps for Shocks or suspension fork, fits Schrader valve, capable of pumping 450 or 600 PSI. Secure screw to lock on valves threads.



KCNC mini pump bracket

- ◆ Designed for KCNC mini pumps, optional purchase accessory for user to mount besides water bottle cage.
 - ◆ Material: Plastic fiber
 - ◆ Valve adaptor (presta to schrader) included.
 - ◆ Height: 12.5 mm
- ◆ Color: Bracket Black only, valve adaptor: Black, Red, Gold, Blue, Green, Silver.

Cranksets
Cassettes
Pedals
Bottom Brackets

Chaining sets
Headsets
Stems
Handlebars

ROAD bars
Seatposts
Seatpost Clamps
Cables / Housing

Road&MTB brake calipers
Brake shoes & Pads
Disc brake systems & Mount adaptors
Quick Release Skewer

Jockey wheels & bolt
Components
Screws & Bolts
Bearings

Apparels
KCNC distributors



KCNC BB wrenches

- ◆ KBB386 Designed for KCNC KBB386 BB set.
- ◆ KTL-FC32 Designed for Shimano/K-type BB set.
- ◆ Length: 20cm
- ◆ Material: AL7075



Presta valve extender spanner

- ◆ Designed for KCNC or other brands valve extension, can be used on core or barrel, installation/removal purpose.
- ◆ 4.2mm side for core, 5mm side for barrel.
- ◆ Material: SUS420
- *Presta valve extender shown only as demonstration



COMPONENTS



Presta valve extenders

- ◆ CNC precision made valve extender with 5mm user friendly tool cut.
- ◆ Anti-Air leak O-ring seals provided installed at the bottom.
- ◆ Material: AL6061 barrel, brass.
- ◆ Size: L*52/85/100mm, Ø6mm barrel, Ø5mm groove cut for tool installation.
- ◆ Anodize color option: Black, Blue, Gold, Green, Red, Silver.



Valve adaptor

- ◆ CNC precision made valve adaptor converts Presta valve to Schrader usage.
- ◆ Material: AL6061

Cranksets
Cassettes
Pedals
Bottom Brackets

Chaining sets
Headsets
Stems
Handlebars

ROAD bars
Seatposts
Seatpost Clamps
Cables / Housing

Road&MTB brake calipers
Brake shoes & Pads
Disc brake systems & Mount adaptors
Quick Release Skewer

Jockey wheels & bolt
Components
Screws & Bolts
Bearings

Apparels
KCNC distributors



Patented hex keys

- ◆ Special patent design asynchronous end tip unlike normal hex keys, this unique design is capable of solving problem when you unable to extract the bolt once the hex socket worn out.
- ◆ Ergonomically designed T grip profile for comfort handling.
- ◆ Hex key size available: 4mm, 5mm, 6mm and 8mm; 4pcs set.
- ◆ Metal part using industrial high quality hardened S2 carbon steel.
- ◆ Painted mini wall stand included.



Hex/Allen key set

- ◆ Material: Industrial high quality hardened S3 carbon steel.
- ◆ L shape hex keys with anti-rust coating with chamfered tips.
- ◆ Assortment size: 1.5mm, 2mm, 2.5mm, 3mm, 4mm, 5mm, 6mm, 8mm, 10mm; 9pcs set.



Torx key set

- ◆ Material: Industrial high quality hardened S3 carbon steel.
- ◆ L shape Torx keys with anti-rust coating.
- ◆ Assortment size: T10, T15, T20, T25, T27, T30, T40, T45, T50; 9pcs set.



Smart phone holder

- ◆ The smart phone holder is designed to secure a phone or GPS device on a handlebar while riding; four strong screwing adjustable clamping arms are guaranteed to hold your valuable devices coping with vibration during riding.
 - ◆ Device size compatibility from either 5cm~8.5cm wide; 11cm~15cm tall.
 - ◆ Handlebar size compatibility: 25.4/26mm or 31.8mm.
 - ◆ Hex keys tool required: 2.5mm / 3mm(included in the package).
 - ◆ Material: AL6061 body& protective rubber on clamping arms.
 - ◆ Color option: Black, Blue, Gold, Green, Red, Silver

COMPONENTS



Mini hand pump(KOT07)

- ◆ Simple&Compact outlook, easy to carry in a pocket, comprised if three alloy barrels which capable of pumping power 120 psi (max) on a road bike tires.
- ◆ Height: 11cm (carrying status), Ø24mm.
- ◆ Extension hose provided (20cm).
- ◆ Material: AL6061 barrels.
- ◆ Compatible with Schrader&Presta valves without changing pump head.
- ◆ Anodize color option: Black, Blue, Gold, Green, Red, Silver.



Mini hand pump(KOT08)

- ◆ Simple&Compact outlook, easy to carry in a pocket, comprised if three alloy barrels which capable of pumping power 120 psi (max) on a road bike tires.
- ◆ Height: 12.2cm (carrying status), Ø24mm.
- ◆ Extension hose provided (20cm).
- ◆ Material: AL6061 barrels.
- ◆ Compatible with Schrader&Presta valves without changing pump head.
- ◆ Anodize color option: Black, Blue, Gold, Green, Red, Silver.



Disk brake rotor lockring

- ◆ We offer color and weight saving option for Shimano disk brake lockring as spare part.
- ◆ Compatibility: Shimano BR-M975(disc brake)/SM-RT97(disc rotor)
 - ◆ Material: AL6061
 - ◆ Color: Black, Blue, Gold, Green, Red, Silver



Cable housing clips

- ◆ Alloy housing clips compatible with shifter/brake housings.
 - ◆ Material: AL6061.
- ◆ Anodize color option: Black, Blue, Gold, Green, Red, Silver.

COMPONENTS



SP6 Ti Pro Lite seatpost carbon rail support kit

- ◆ The new designed Ti Pro Lite yokes, shell with wider contact surface area with saddle rails, especially carbon rails saddles. Wider contact surface area can reduce the stress and improve the carbon rail scratching/damaging problem.

Please follow the printed arrow sign showing forward direction on two yokes when installing

- ◆ Material: AL7075
- ◆ Color: Black, Blue, Gold, Red, Silver
- ◆ Content: yokex2, shellx1.
- ◆ KIT-A support 27.2mm SP6 Ti Pro Lite seatpost
- ◆ KIT-B support 30.9/31.6/34.9mm SP6 Ti Pro Lite seatpost



Bottle cage screw

- ◆ Torx 25 slim bolt head to avoid scratch on water bottle.
 - ◆ Material: AL7075
 - ◆ Color: Black, Blue, Gold, Green, Red, Silver

Cranksets
Cassettes
Pedals
Bottom Brackets

Chaining sets
Headsets
Stems
Handlebars

ROAD bars
Seatposts
Seatpost Clamps
Cables / Housing

Road&MTB brake calipers
Brake shoes & Pads
Disc brake systems & Mount adaptors
Quick Release Skewer

Jockey wheels & bolt
Components
Screws & Bolts
Bearings

Apparels
KCNC distributors

Mini bike tool



8 pcs tool/12 pcs tool


- ◆ Durable SUJ2 cold forging steel with ED-coating surface.
- ◆ Two options of sandblasted side bracket and curved shape high polish side bracket.



Mini chain tool

- ◆ Tire lever & chain tool function.
- ◆ Can be attached to existing KCNC bike mini tool.
- ◆ Black, Red, Gold, Blue, Green

COMPONENTS



Smart mount

- ◆ Install on existing 25.4/26&31.8mm handlebar allows you to place a flash light, MP3 player, GPS navigator on the extension tube.
- ◆ Bridge extension of 60mm&90mm; Dia. 24.4/26mm & 31.8mm short tubes provided(120mm width).
- ◆ Handlebar not included, shown only as demonstration.

Chain Catchers



MTB Chain catcher

- ◆ Prevents drive chains from falling.
- ◆ Use on Shimano/KCNC external bearing system MTB cranksets.
Fits inner chainring tooth range from 20-24T, 25-27T, 28-30T.

Cranksets
Cassettes
Pedals
Bottom Brackets

Chaining sets
Headsets
Stems
Handlebars

ROAD bars
Seatposts
Seatpost Clamps
Cables / Housing

Road&MTB brake calipers
Brake shoes & Pads
Disc brake systems & Mount adaptors
Quick Release Skewer

Jockey wheels & bolt
Components
Screws & Bolts
Bearings

Apparels
KCNC distributors



ROAD chain catcher

- ◆ Prevents drive chains from falling.
- ◆ Use on Shimano/KCNC external bearing system ROAD cranksets.



Bottle cage stem support

- ◆ Allows you to install a bottle cage on top of the stem.
- ◆ Material: AL7075 body, SUS bolts.

COMPONENTS



VALVE CAP

- ◆ Available in Schrader or Presta
- ◆ Material: AL 6061

Crank bolt

- ◆ AL6061, for Shimano DuraAce, XTR, XT crankset left arm.



Bottle cage bolts

- ◆ Material: AL 7075

Valve extenders

- ◆ Material: AL 6061
- ◆ Length: 50/85/100mm





Hollow design headset spacer

- ◆ Diameter: For 1 1/8" steerer.
- ◆ Material: AL 6061
- ◆ KCNC patent hollow design.
- ◆ Lower weight than carbon fiber spacer at the same size.



Headset spacer


- ◆ Diameter: For 1 1/8" steerer.
- ◆ Material: AL 6061

Headset top cap

- ◆ Material: AL 6061
- ◆ Diameter: 28.6mm
- ◆ Length: 38mm for carbon steerer tube.
- ◆ Star-nut version is also available.



COMPONENTS




KCNC drive chain

- ◆ Features: Hollow pin, noiseless function, inner plate chamfering, bushingless construction, chromized treatment.
- ◆ Specification: 1/2"x11/128"
- ◆ Pin length: 6mm
- ◆ Pin strength: 200kgf kgf
- ◆ Tensile strength: 920kgf kgf.
- ◆ 9&10;11&12 speed.
- ◆ Color available: Gold.




KCNC chain tool

- ◆ Comprise of high quality alloy and durable SUS accessories.
- ◆ Easy handling grip
- ◆ Install/Breaking chain pivots.



Pump Connectors- For floor pump hose

- ◆ Design for Presta valve
- ◆ Chamber: AL7075
- ◆ Spindle: Stainless Steel
- ◆ Bearings: Durable stainless steel balls
- ◆ For floor pump hose without a clamp.



Pump Connectors- For air-compressor pump hose

- ◆ Design for Presta valve
- ◆ Chamber: AL7075
- ◆ Spindle: Stainless Steel
- ◆ Bearings: Durable stainless steel balls
- ◆ For air-compressor pump hose with a sus clamp
- ◆ With stainless steel clamp(adjustable)



Handlebar grips

- ◆ Material: EVA form
- ◆ KCNC pressed stamp logo
- ◆ Black, Red, Yellow, Blue, White.



Front derailleur clamp

- ◆ Material: AL6061
- ◆ Size:
 - 0°, 34.9mm only
 - 3°, 28.6(w/alloy shim)/31.8/34.9mm
- ◆ Clamp on design, bolt not included.



V brake pivot bolt

- ◆ Material: AL6061
- ◆ Size: M8 or M10
- ◆ Fits unused V brake mounting holes on a fork/frame



Light mounting bracket

- ◆ Material: AL6061
- ◆ Allows you install a flashlight on side of hub skewer.



**SCREWS &
BOLTS**





K-TYPE BB bolts

- ◆ AL 7075 hard anodized.
- ◆ M11.5 x 35mm
- ◆ M12 x 35mm
- ◆ M14 x 35mm
- ◆ M16 x 35mm
- ◆ M18 x 35mm

Straight through hollow design



Scandium bolts

- ◆ M8 x 16mm
- ◆ M8 x 18mm
- ◆ M10 x 16mm
- ◆ M10 x 22mm

Straight through hollow design



Titanium bolts

- ◆ M5 x 8mm
- ◆ M5 x 15.5mm
- ◆ M5 x 18mm
- ◆ M5 x 35mm
- ◆ M6 x 14mm
- ◆ M6 x 37mm
- ◆ M6 x 47mm
- ◆ M7 x 22mm




Jockey wheel bolt for Shimano&Sram derailleur

- ◆ Spec01: M5xP0.8x15.5mm alloy bolt. (AL05-3)
- ◆ Spec02: M5xP0.8x12mm alloy bolt. (AL05-7)
- ◆ Spec03: M5xP0.8x14mm alloy bolt. (AL05-8)

SCREWS & BOLTS

Bearings



Bearing S-689/Bearing C-689

- ◆ For KCNC jockey wheel
- ◆ Stainless steel balls.
- Ceramic balls.



Bearing S-6805/Bearing C-6805

- ◆ For K-type BB.
- ◆ Stainless steel balls.
- Ceramic balls.



Bearing S-215317/Bearing C-215317

- ◆ For ISIS BB.
- ◆ Stainless steel balls.
- Ceramic balls.



Cranksets
Cassettes
Pedals
Bottom Brackets

Chaining sets
Headsets
Stems
Handlebars

ROAD bars
Seatposts
Seatpost Clamps
Cables / Housing

Road&MTB brake calipers
Brake shoes & Pads
Disc brake systems & Mount adaptors
Quick Release Skewer

Jockey wheels & bolt
Components
Screws & Bolts
Bearings

Apparels
KCNC distributors

Apparels



Jersey&Short

- ◆ Material: High quality 100% flycool
- ◆ Color: Grey/Red
- ◆ Size: XS/S/M/L/XL



T-shirt pink



T-shirt white



T-shirt black

- ◆ High quality 100% super soft cotton T-shirt
- ◆ Color: Black/White/Pink
- ◆ Size: XS/S/M/L/XL/XXL



**KCNC
DISTRIBUTORS**



Cranksets
Cassettes
Pedals
Bottom Brackets

Chaining sets
Headsets
Stems
Handlebars

ROAD bars
Seatposts
Seatpost Clamps
Cables / Housing

Road&MTB brake calipers
Brake shoes & Pads
Disc brake systems & Mount adaptors
Quick Release Skewer

Jockey wheels & bolt
Components
Screws & Bolts
Bearings

Apparels
KCNC distributors

EUROPE

COOLsport HandelsgmbH

Feistritz 29, AT-8843 St. Peter am Kammerberg, Austria
email: kcnc@coolsport.com central@coolsport.com
Tel: +43 3536 70905



Exclusive distributor [Germany/Austria/Slovenia/Switzerland/Italy/Poland](#)

Fun Sport Express S.L.

c/ Estany de Llanos 2, 08186 Llica de Munt, BARCELONA, SPAIN
email: info@funsportexpress.com
<http://www.funsportexpress.com>
Tel: +34 93 864 4900
Fax: +34 93 864 3803



Exclusive distributor [Spain/Andorra/Portugal/France](#)

HORTEN SYKKELSPORT AS

THRANESGT 4, 3187 HORTEN, Norway
email: sykkel@sykkel.com
<http://www.sykkel.com>
Tel: +47-3304-2913
Fax: +47-3304-5911



Exclusive distributor [Norway](#)

JT-Import Co. LTD

Vassingerodvej 85 B, 3540 Lyngby, Denmark
email: jt@jtimport.dk
<http://www.jtimport.dk/>
Tel: +45 48188487
Fax: +45 48188486



Exclusive distributor [Denmark/Sweden](#)

LUDO NV. GURU-SPORT

Leuvensesteenweg 173 3070 Kortenberg, Belgium
<http://www.guru-sport.com>
Tel: 0032.2.752.17.56



Exclusive distributor [BeNeLux](#)

KCNC DISTRIBUTORS

ASIA

Gilad Import

Gilad- Import,Marketing,Distribution Hamaapilim Blvd 34 Tel Aviv 61190, ISRAEL

email:gilad_b46@hotmail.com

http://www.gbike.co.il

Tel: +972 3 6872391 Fax: +972 3 6872873

Exclusive distributor Israel



KT Cyclone SDN BHD

No 26&28, Jalan Perda Timur, Distripark, Bandar Perda, 14000 Bukit Mertajam, Penang, Malaysia.

email:gilad_b46@hotmail.com kt_cycletron@yahoo.com

http://www.ktcyclone.com/

Tel: +604-539 9289 +604-539 0289 Fax: +604-539 6289

Exclusive distributor Malaysia/Thailand/Indonesia/Brunei



Marechal International Co.,LTD 英友达国际企业有限公司

No.9, Sinmin Lane, Nantun District, Taichung City 40871, Taiwan

email:asia@marechal.com.tw

http://www.marechal.com.tw

Tel: 886-4 2479 3208 Fax: 886-4 2479 3209

Exclusive distributor China/Hong Kong/Macao



QUAADLIFE INC.

8F-9, No.46, Sec.2, Jhongshan N. Rd., Taipei 10448, Taiwan

email:giantind@ms21.hinet.net

http://www.kurbike.com

Tel: 886-2-25318330 Fax: 886-2-25718690

Exclusive distributor South America region



愛克有限公司

台中市南屯區嶺東路 46 號

Tel: 04-23823648 (徐浚斌) Mobile: 0931-480504

台灣總代理 Taiwan



RITeway PRODUCTS JAPAN

102 Ikebukuro City-Hights Toshima-Ku, Tokyo,171-0022

email:rj-info@riteway-jp.com

http://www.riteway-jp.com

Tel: +81-3-5950-6002 Fax: +813-5956-8028

Exclusive distributor Japan



Cranksets
Cassettes
Pedals
Bottom Brackets

Chaining sets
Headsets
Stems
Handlebars

ROAD bars
Seatposts
Seatpost Clamps
Cables / Housing

Road&MTB brake calipers
Brake shoes & Pads
Disc brake systems & Mount adaptors
Quick Release Skewer

Jockey wheels & bolt
Components
Screws & Bolts
Bearings

Apparels
KCNC distributors

ASIA

Sooho Sports Inc.

B-101, #5, JOWONRO-23GIL, GWANKAK-KU, 151-874, SEOUL, KOREA

email:sooho@1004helmet.co.kr

Tel: +82-2-884-3475 Fax: +82-2-884-3479



Exclusive distributor Korea

SOUTH AMERICA

Macris Ltda

Aristóteles 1125,block 62,Dpto 13, Ñuñoa,Santiago,Chile

<http://www.macrisltda.com>

Tel: 56-2386044, 56-2-4929337 Fax: 56-2386044



Exclusive distributor Chile

Royal Bicycles

Mans de Guaynabo, A4 Calle 1, Guaynabo, PR 00969-5222, PUERTO RICO

email:info@royalbicycles.com

Tel: (787)240-3777



Exclusive distributor Central America/Caribbean

CICLO GIANT COM.ART.P/ESP/LTDA.

Rua Glicerio 700,Liberdade Sao Paulo,SP-CEP 01514-001, Brazil

email: kuruma@terra.com.br

<http://www.kuruma.com.br>

Tel: 11-32080477 Fax: 11-32077378



Exclusive distributor Brazil

AFRICA

Paragon Technologies

P O Box 38653 Pinelands 7430 Cape town

email:info@paragontech.co.za

<http://www.paragontech.co.za>

Tel: +27215319756



Exclusive distributor South Africa



KCNC
INTERNATIONAL

KEN CHANG IND. CO., LTD.

TEL / +886 4 7684363

FAX / +886 4 7684373

kcnc@kcnc.com.tw

No 13,L Chu Wei, Chin Ling, Hsiu Shui,

Chunghua Taiwan. (ROC)



www.kcnc.com.tw

