

**KCNC**  
INTERNATIONAL


05057

**KCNC**  
UNIVERSITY  
40N.m



# CABLES HOUSING






**TITANIUM**

**STAINLESS STEEL**

## Nano-diamond(PTFE) Teflon coating inner cables

- ◆ Advantages: Extremely low friction, long lasting performance.  
Material: Slick stainless steel or Titanium
- ◆ Road/MTB brake cables:  $\varnothing$  1.5mm. Length (1M+1.7M).
- ◆ Road/MTB shift cables:  $\varnothing$  1.1mm. Length (1.8M+2.1M).
  - ◆ Stainless steel: Dark grey / Titanium: gold color.



## Wire&housing kits

- ◆ Road brake housing&wire kit  
2.5m housing\*1, 900mm wire\*1, 1700mm wire\*1  
cable tip\*3, housing cap\*10, o-ring\*6
- ◆ MTB brake housing&wire kit  
2.5m housing\*1, 900mm wire\*1, 1700mm wire\*1  
cable tip\*3, housing cap\*10, o-ring\*6
- ◆ Shifter housing&wire kit  
2.2m housing\*1, 1800mm wire\*1, 2100mm wire\*1  
cable tip \*3, housing cap \*6, o-ring \*6
- ◆ Black, Red, White color available.

Cranksets	Chainring sets	ROAD bars	Road&MTB brake calipers	Jockey wheels & bolt	Apparels
Cassettes	Headsets	Seatposts	Brake shoes & Pads	Components	KCNC distributors
Pedals	Stems	Seatpost Clamps	Disc brake systems & Mount adaptors	Screws & Bolts	
Bottom Brackets	Handlebars	Cables / Housing	Quick Release Skewer	Bearings	



### FEP Teflon coating inner cables

- ◆ Advantages: Low friction, long lasting performance.  
Material: Slick stainless steel.
- ◆ Road/MTB brake cables: Dia. 1.5mm\*1.7M / Dia. 1.5mm\*3.4M(red color only)
- ◆ Road/MTB shift cables: Dia. 1.1mm\*2.1M / Dia. 1.1mm\*4.2M(red color only)
- ◆ 50pcs/box package available.




### In-line shift cable adjuster

- ◆ Can be used on shifter cables, to set desired tension with ease, precisely.
- ◆ Material: AL6061
- ◆ Color: Black, Blue, Red, Green, Gold, Silver color.



## Cable housing

- ◆ Stainless steel braided wire, carbon fiber pattern.
- ◆ Alloy&Stainless steel braided wire, carbon fiber pattern.
  - ◆ Shift cable housing(4mm)
  - ◆ Brake cable housing(5mm)
  - ◆ 30 meters package.




## Ferrules

- ◆ For 4mm shift cable housing.
- ◆ For 5mm brake cable housing.
- ◆ 150pcs/bottle.



## Cable Tips

- ◆ AL6061, 500pcs/bottle.



# ROAD & MTB BRAKE CALIPERS

**ROAD** brake caliper

**MTB** brake caliper

**Brake shoes & Pads**



## T/T brake lever-Triber

- ◆ Forged lever, sandblasted, anodized finish.
  - ◆ Material: AL6061
- ◆ Color: Black, Red, Gold, Blue, Green, Silver.



## CB11 road brake caliper

- ◆ Full CNC AL6061 material.
- ◆ Swisstop GHP11 brake pads.
- ◆ Direct mount system.
- ◆ Color: Black/Blue/Red/Gold/Green/Silver.



## CB12 road brake caliper

- ◆ Full CNC AL7075 material.
- ◆ Swisstop Black Prince brake pads.
- ◆ Direct mount system.
- ◆ Color: Black/ Red/Gold/ /Silver.

Cranksets	Chaining sets	ROAD bars	Road&MTB brake calipers	Jockey wheels & bolt	Apparels
Cassettes	Headsets	Seatposts	Brake shoes & Pads	Components	KCNC distributors
Pedals	Stems	Seatpost Clamps	Disc brake systems & Mount adaptors	Screws & Bolts	
Bottom Brackets	Handlebars	Cables / Housing	Quick Release Skewer	Bearings	



### CB9 Road brake caliper


- ◆ Designed for road bike wide wheel rim up to 28mm, two extra brake shoe holder spacer to adjust the clearance on standard rim.
- ◆ Linkage activated brake system aimed to cope with muddy or dirt condition, equipped with SWISSSTOP BXP brake pad for alloy rim.
- ◆ Material: AL6061 brake arm&parts; SUS center mounting axle&bolts.
- ◆ Color: Black, Red, Gold, Blue, Silver, Green.



### CB10 Road brake caliper

- ◆ Designed for road bike wide wheel rim up to 28mm, two extra brake shoe holder spacer to adjust the clearance on standard rim.
- ◆ Linkage activated brake system aimed to cope with muddy or dirt condition, equipped with SWISSSTOP Black Prince brake pad for carbon rim.
- ◆ Material: AL7075 brake arm&parts; Titanium center mounting axle&bolts.
- ◆ Color: Black, Red, Gold, Silver.





### CB3 Road brake set-ANGLE

- ◆ Linkage activated dual pivot brake for even brake power distribution.
  - ◆ Light weight& compact with fast heat dispense.
- ◆ Increased leverage ratio with 10% more braking power than KCNC C7.
  - ◆ AL7075 brake arm body with titanium center axle bolts.
  - ◆ Original Swissstop FLASH PROII brake pad for alloy rims.



### CB4 Road brake-Hill

- ◆ Linkage activated dual pivot brake for even brake power distribution.
  - ◆ Light weight& compact with fast heat dispense.
- ◆ Increased leverage ratio with 15% more braking power than KCNC C7.
  - ◆ AL6061 brake arm body with SUS center axle bolts.

Cranksets	Chainring sets	ROAD bars	Road&MTB brake calipers	Jockey wheels & bolt	Apparels
Cassettes	Headsets	Seatposts	Brake shoes & Pads	Components	KCNC distributors
Pedals	Stems	Seatpost Clamps	Disc brake systems & Mount adaptors	Screws & Bolts	
Bottom Brackets	Handlebars	Cables / Housing	Quick Release Skewer	Bearings	



### Time trial TT brake lever

- ◆ AL7075 body with expander.
- ◆ Black, Red, Silver, and Gold anodized.



### VB1-Levers

- ◆ Material: AL 7075
- ◆ Leverage: 92mm
- ◆ Connecting clamp and lever bolt: M8 gold anodized finish.
- ◆ Cable adjuster: Silver anodized finish.
- ◆ Brake clamp and lever: Sand blasted black anodized.
- ◆ Dual digit levers, glove friendly design.
- ◆ Fully CNC machined.



### VB6-Levers

- ◆ Material: AL 6061
- ◆ Leverage: 92mm
- ◆ Connecting clamp and lever bolt: M8 gold anodized finish.
  - ◆ Cable adjuster: Silver anodized finish.
- ◆ Brake clamp and lever: Sand blasted in six anodized colors.
  - ◆ Dual digit levers, glove friendly design.
  - ◆ Fully CNC machined.



## VB1-Brake arms

- ◆ Springs: Linear 6/4Ti rod.
- ◆ Mounting hardware: Hard anodized 7075AL
- ◆ Both M8& M10 frame/fork pivots provided.
- ◆ Brake arms: 97mm in sand blasted black.



## Cantilever brake

- ◆ Full CNC machined AL7075/AL6061
- ◆ brakes ,accessories.



## VB6-Brake arms

- ◆ Springs: Linear stainless steel rod.
- ◆ Mounting hardware: Hard anodized 6061AL
- ◆ Both M8& M10 frame/fork pivots provided.
- ◆ Brake arms: 100mm in six anodized colors.
- ◆ Full CNC machined.



Cranksets	Chainring sets	ROAD bars	Road&MTB brake calipers	Jockey wheels & bolt	Apparels
Cassettes	Headsets	Seatposts	Brake shoes & Pads	Components	KCNC distributors
Pedals	Stems	Seatpost Clamps	Disc brake systems & Mount adaptors	Screws & Bolts	
Bottom Brackets	Handlebars	Cables / Housing	Quick Release Skewer	Bearings	



### Direct mount AERO V-brake

- ◆ Giant Propel compatible.
- ◆ Full CNC AL7075 brake arm.
- ◆ Swisstop brake pads.
- ◆ Color: Black/Gold/Red.




### Disk brake rotor-Titor

- ◆ Heat treated 6-4 Titanium rotor.
- ◆ Sizes: 140/160/180/203mm diameter.



### Disk brake rotor-Razor

- ◆ Stainless steel rotor.
- ◆ Sizes: 140/160/180/203mm diameter.



## Kasditor disk rotor

- ◆ Center alloy spider with unique disc engage design, the disc is set center aligned inside alloy spider arm, has advantage of less rotor deformation from heat build-up while braking.
- ◆ Material: AL7075 spider; SUS 420 disc, SUS rivets.
- ◆ Disc thickness: 1.8mm
- ◆ Size: 140/160/180/203mm
- ◆ Spider Color: Black, Red, Gold, Blue, Green anodized.



## KCNC Center lock disc rotor- NORDIT

- ◆ 420 stainless steel disc rotor built in with center lock type AL6061 spider, center lock ring(AL6061 Black color only) provided in the set.
- ◆ Rotor Size: 140/160/180/203mm
- ◆ Spider Color: Black/Red/Gold

Cranksets	Chainring sets	ROAD bars	Road&MTB brake calipers	Jockey wheels & bolt	Apparels
Cassettes	Headsets	Seatposts	<b>Brake shoes &amp; Pads</b>	Components	KCNC distributors
Pedals	Stems	Seatpost Clamps	Disc brake systems & Mount adaptors	Screws & Bolts	
Bottom Brackets	Handlebars	Cables / Housing	Quick Release Skewer	Bearings	

## BRAKE SHOES & PADS



### C7/CB1 Brake shoes&Pads

- ◆ 54mm cartridge brake shoe set.
- ◆ Aluminum pad holder.
- ◆ Ti bolt and nut.
- ◆ Shimano Dura-Ace BR7800 compatible.
- ◆ Available in Swisstop flashPro GHPII/Yellow
- ◆ King OEM pads.



### VB1/VB6 brake shoes&Pads M6 bolt

- ◆ M6 Ti bolts.
- ◆ 72mm cartridge brake shoe set.
- ◆ Angle adjustable design.
- ◆ Shimano XTR/XT/KCNC VB1 Compatible



### VB1/VB6 brake shoes&Pads M7 bolt

- ◆ M7 scandium alloy bolts.
- ◆ 72mm cartridge brake shoe set.
- ◆ Angle adjustable design.
- ◆ Only compatible with KCNC VB1.

A close-up photograph of a bicycle's disc brake system, showing the brake caliper and rotor. The image is overlaid with a large, bold, white text block. The background is a blurred outdoor setting with green foliage. The overall design features a diagonal split between a light blue/grey area and an orange area.

# DISC BRAKE SYSTEMS & MOUNT ADAPTORS

---

# DISC BRAKE SYSTEMS & MOUNT ADAPTORS



## Road disc brake adaptor

- ◆ AL7075 CNC machining.
- ◆ Flat mount to Post mount.
- ◆ Front adaptor: 140/160mm
- ◆ Rear adaptor: 140/160mm.



## Jockey wheels system

- ◆ Material: AL7075 wheel, SUS or ceramic bearing.
- ◆ Over size narrow wide jockey wheel 14+16T
- ◆ Compatible with Shimano 10/11S Dura Ace&Ultegra.



## Rear derailleur adaptor

- ◆ AL7075
- ◆ For Shimano XT-M781 to upgrade cassette up to 42T cogs

Cranksets	Chaining sets	ROAD bars	Road&MTB brake calipers	Jockey wheels & bolt	Apparels
Cassettes	Headsets	Seatposts	Brake shoes & Pads	Components	KCNC distributors
Pedals	Stems	Seatpost Clamps	Disc brake systems & Mount adaptors	Screws & Bolts	
Bottom Brackets	Handlebars	Cables / Housing	Quick Release Skewer	Bearings	



### X7 Ultra light disk brake

- ◆ Hydraulic system rated to 8000 psi.
  - ◆ Reinforced Kevlar fiber/Internal mesh braided hose.
    - ◆ Ceramic-metallic mix compound brake pads.
    - ◆ F+R calipers: PM/IS or PM/PM mounting at option.
  - ◆ Consistent reliable performance in all weather conditions.
    - ◆ Oil observe window design on reservoir tank.
  - ◆ 160mm stainless steel rotorsx2, Ti caliper mounting bolt\*4 and washers included.
    - ◆ Low maintenance design.
- \*Disc rotor bolts not provided\*
- \*Use hydraulic mineral oil only\*

# DISC BRAKE SYSTEMS & MOUNT ADAPTORS



## CNC disk brake adaptors

AL7075 CNC machined with SUS bolts, washers, designed for X7 disc brake.

- ◆ Fork IS160->PM 160 adaptor)
- ◆ Fork IS 160->PM 180 adaptor)
- ◆ Fork IS 160->PM 203 adaptor)
- ◆ Fork PM160->PM180 adaptor)
- ◆ Fork PM160->PM203 adaptor)



## IS/IS adaptor

- ◆ Fork IS 160mm rotor to IS 180mm adaptor.
- ◆ Fork IS 160mm rotor to IS 203mm adaptor.



## PM/IS adaptors


- ◆ Allows your IS mount disc brake to use on PM system.
- ◆ Fork PM 160mm to IS 160mm adaptor.
- ◆ Fork PM 160mm to IS 180mm adaptor.
- ◆ Fork PM 160mm to IS 203mm adaptor.

Cranksets	Chainring sets	ROAD bars	Road&MTB brake calipers	Jockey wheels & bolt	Apparels
Cassettes	Headsets	Seatposts	Brake shoes & Pads	Components	KCNC distributors
Pedals	Stems	Seatpost Clamps	Disc brake systems & Mount adaptors	Screws & Bolts	
Bottom Brackets	Handlebars	Cables / Housing	<b>Quick Release Skewer</b>	Bearings	



### Disk brake center lock

- ◆ Fully CNC machined.
- ◆ Material: AL7075 / AL6061
- ◆ Precise, safe alignment and locking.
- ◆ Standard QR12 or QR20 lock ring available.



### Disk brake pad

- ◆ Compatible with KCNC DB2
- ◆ HAYES HFX-Mag/HFX-9 HYD.

### X7 Disk brake pad

- ◆ Compatible with Shimano XTR / XT / KCNC X7



### X7 disc brake pad-for Titor titanium rotor

- ◆ Specifically developed metallic compound to work and gain best braking performance on KCNC Titor or other titanium rotors.
- ◆ Compatible with KCNC X7 disc brake or Shimano XTR caliper.
  - ◆ Not recommended for SUS rotors.


Cranksets	Chainring sets	ROAD bars	Road&MTB brake calipers	Jockey wheels & bolt	Apparels
Cassettes	Headsets	Seatposts	Brake shoes & Pads	Components	KCNC distributors
Pedals	Stems	Seatpost Clamps	Disc brake systems & Mount adaptors	Screws & Bolts	
Bottom Brackets	Handlebars	Cables / Housing	Quick Release Skewer	Bearings	

## JOCKEY WHEELS & BOLT.




### Titanium Jockey wheels

- ◆ 6-4 TI wheel with DLC finish, full ceramic bearing.
- ◆ Improved low noise teeth profile.
- ◆ Teeth:10,11,12,13T



### Jockey wheel

- ◆ AL7075 wheel cage available in SS or ceramic bearing.
- ◆ Tooth range available: 10T, 11T, 12T, 13T, 15T.
- ◆ Compatible with Shimano, Campagnolo and SRAM X-0, FORCE, RED.
- ◆ Increased lateral rigidity over plastic wheels.
- ◆ Full CNC machined.



### Jockey wheel-Ultra light version

- ◆ AL7075 wheel cage available in SS bearing.
- ◆ Tooth range available: 10T, 11T, 12T, 13T.
- ◆ Compatible with Shimano, Campagnolo and SRAM X-0, FORCE, RED.
- ◆ Improved anti-dust bearing cap.
- ◆ Full CNC machined.



### Jockey wheel bolts

- ◆ Material: AL 7075
- ◆ Size: 7.8x7.8x15.5mm.

A close-up photograph of a bicycle's quick release skewer mechanism. The skewer is black and has "KCNC" and "QUICK RELEASE" printed on it. It is inserted into a silver-colored axle. The background is slightly blurred, showing the spokes of the wheel and some blue components. The text "QUICK RELEASE SKEWERS" is overlaid in large, white, bold, sans-serif font across the center of the image.

# QUICK RELEASE SKEWERS

---



## KQR10 Through-axle skewer

- ◆ The skewer lever can turn 180 degrees back and forth to tight and lock position.
- ◆ Spec:  $\varnothing 12 \times 142$ ;  $\varnothing 12 \times 148$  BOOST, Length varies compatible with Shimano/Sram/Syntace through axles.
  - ◆ Material: AL7075
  - ◆ Color: Black, Blue, Gold, Red, Green, Silver

Cranksets	Chainring sets	ROAD bars	Road&MTB brake calipers	Jockey wheels & bolt	Apparels
Cassettes	Headsets	Seatposts	Brake shoes & Pads	Components	KCNC distributors
Pedals	Stems	Seatpost Clamps	Disc brake systems & Mount adaptors	Screws & Bolts	
Bottom Brackets	Handlebars	Cables / Housing	<b>Quick Release Skewer</b>	Bearings	



### Grooving-QR skewer

- ◆ Titanium skewer center axle with unique four groove cuts design.
- ◆ Durable nylon fiber shim on cam lever side brass nut.
- ◆ Material: AL 7075 lever and nuts.
- ◆ 6/4 TI axle with stainless springs.
- ◆ ROAD set: Front-100mm, Rear-130mm.
- ◆ MTB set: Front-100mm, Rear-135mm.



### KQR-skewer

- ◆ Material: AL 7075 lever and nuts, lever side with self-lubricating brass.
- ◆ 6/4 TI axle with stainless springs coils.
- ◆ ROAD set: Front-100mm, Rear-130mm.
- ◆ MTB set: Front-100mm, Rear-135mm.
- ◆ FR set: Front-100mm, Rear-210mm.



### Z6 KQR skewer

- ◆ Material: AL 6061 lever and nuts, lever side with self-lubricating brass.
- ◆ Stainless axle with spring coils.
- ◆ ROAD set: Front-100mm, Rear-130mm.
- ◆ MTB set: Front-100mm, Rear-135mm



# QUICK RELEASE SKEWERS



## QR through axle skewers-KQR06

- ◆ Quick release cam lever open/close design, hollow axle.
- ◆ Material: AL7075 axle/cam lever.
- ◆ Compatibility:
  - ∅ 15mm/100mm for Shimano E-Thru (Front)
  - ∅ 15mm/100mm for RockShox Maxle (Front)
  - ∅ 12mm/142mm for X12 (Rear)
  - ∅ 12mm/142mm for Shimano E-thru (Rear)
  - ∅ 12mm/142mm for RockShox Maxle (Rear)
- ◆ Color: Black, Red, Gold, Blue, Green, Silver anodized.



## Through axle skewers-KQR07

- ◆ Designed for 12mm/15mm through axle hub with KCNC unique lever position setting, Quick&Easy press down RED button can release locking and allows lever's spin movement at desire position.
- ◆ Material: AL6061 axle& lever.
- ◆ Compatibility:
  - ∅ 15mm axle for RockShox Maxle(Front), 15x100 mm.
  - ∅ 15mm axle for Shimano E-thru/Fox racing(Front), 15x100 mm.
  - ∅ 12mm axle for Syntace X-12 system (Rear), 12x142 mm.
  - ∅ 12mm axle for Shimano E-Thru/Fox racing (Rear), 12x142 mm.
  - ∅ 12mm axle for RockShox Maxle(Rear), 12x142 mm
- ◆ Lever color option: Black, Blue, Green, Gold, Red, Silver.



Cranksets	Chainring sets	ROAD bars	Road&MTB brake calipers	Jockey wheels & bolt	Apparels
Cassettes	Headsets	Seatposts	Brake shoes & Pads	Components	KCNC distributors
Pedals	Stems	Seatpost Clamps	Disc brake systems & Mount adaptors	Screws & Bolts	
Bottom Brackets	Handlebars	Cables / Housing	<b>Quick Release Skewer</b>	Bearings	



### KQR11 Quick release through axle

- ◆ Compact sleek designed QR lever with durable locking system yet modern and light in weight.
- ◆ We offer QR in various lengths and system compatible with major brands such as Shimano/FOX/Syntaxe.
- ◆ See below chart for all spec& compatible models.



## QUICK RELEASE SKEWERS



### Through axle skewer- KQR08

- ◆ AL6061 material
- ◆ Color: Black/Blue/Red/Gold/Green/Silver.
- ◆ Compatibility:
  - Ø15mmx100mm(Front) RockShox Maxle.
  - Ø15mmx100mm(Front) Shimano E-Thru/Fox racing.
  - Ø12mmx142mm(Rear) RockShox Maxle.
  - Ø12mmx142mm(Rear) Shimano E-Thru/Fox racing.
  - Ø12mmx142mm(Rear) Syntace X-12 system.
- ◆ Boost Ø12mmx148mm/Ø15x110mm



### Through axle skewer- KQR09

- ◆ AL7075 material
- ◆ Color: Black/Blue/Red/Gold/Green/Silver.
- ◆ Compatibility:
  - Ø15mmx100mm(Front) RockShox Maxle.
  - Ø15mmx100mm(Front) Shimano E-Thru/Fox racing.
  - Ø12mmx142mm(Rear) RockShox Maxle.
  - Ø12mmx142mm(Rear) Shimano E-Thru/Fox racing.
  - Ø12mmx142mm(Rear) Syntace X-12 system.
- ◆ Boost Ø12mmx148mm/Ø15x110mm

A mountain biker wearing a blue and black jersey and a colorful helmet is riding a trail bike on a dirt path. The path is bordered by a rustic stone wall made of large, irregular rocks. The background shows a hazy, overcast sky and some sparse vegetation. The word "COMPONENTS" is overlaid in large, white, bold, sans-serif capital letters across the center of the image.

# COMPONENTS

## MTB jockey wheel system for SR Eagle 12s

- ◆ AL7075 cage& jockey wheel
- ◆ Jockey wheel size set 14+16T
- ◆ Compatible with SR Eagle 12s rear derailleur.
- ◆ Optional SUS or full ceramic bearing
- ◆ Black anodized only



## MTB jockey wheel system for Shimano XT

- ◆ AL7075 cage& jockey wheel
- ◆ Jockey wheel size set 14+16T
- ◆ Compatible with Shimano 11S Deore XT M8000 rear derailleur.
- ◆ Optional SUS or full ceramic bearing
- ◆ Black anodized only

## MTB jockey wheel system-KOT39

- ◆ AL7075 cage& jockey wheel
- ◆ Jockey wheel size set 14+16T
- ◆ Compatible with 12s Shimano XTR RD-M9100 SGS long cage derailleur, 2020 model.
- ◆ Optional SUS or full ceramic bearing
- ◆ Color: Black/Gold/Red/Silver anodizing color.



Cranksets	Chainring sets	ROAD bars	Road&MTB brake calipers	Jockey wheels & bolt	Apparels
Cassettes	Headsets	Seatposts	Brake shoes & Pads	<b>Components</b>	KCNC distributors
Pedals	Stems	Seatpost Clamps	Disc brake systems & Mount adaptors	Screws & Bolts	
Bottom Brackets	Handlebars	Cables / Housing	Quick Release Skewer	Bearings	



### MTB D-type chain guide

- ◆ Direct mount chain guide, prevents the chain dropping off from the front chainring. For 1x11 speed drive train with plastic upper guard
- ◆ Material: AL6061, SUS screw.




### KOT34 chain guide

- ◆ Seat tube clamp chain guide, prevents the chain dropping off from the front chainring. For MTB 1x11 speed drive train with plastic upper guard
- ◆ For seat tube clamp size 34.9mm
- ◆ Material: AL6061, SUS screw.



## Derailleur cable pulley

- ◆ Material: AL7075
- ◆ Compatibility: XX1/XX1 Eagle/X01/X01 Eagle



## Asymmetric jockey wheel

- ◆ Unique design allows you to set jockey wheel position approach to rear cassette cogs, resulting in more contact surface area with cogs, brings better stability & traction. It has three optional mounting holes of 3/4/5mm offset from the center.

## Titanium jockey wheel

- ◆ Ti-6AL/4V wheel
- ◆ 12/14/16T Narrow wide tooth
- ◆ Full ceramic bearing or SUS bearing(optional)
- ◆ Titanium raw color
- ◆ 11/12s compatible



## Rear derailleur hanger extender

- ◆ Fits to your current derailleur hanger to extend the hanger further allowing use of much larger cassettes.
- ◆ Material: AL6061

Cranksets	Chainring sets	ROAD bars	Road&MTB brake calipers	Jockey wheels & bolt	Apparels
Cassettes	Headsets	Seatposts	Brake shoes & Pads	<b>Components</b>	KCNC distributors
Pedals	Stems	Seatpost Clamps	Disc brake systems & Mount adaptors	Screws & Bolts	
Bottom Brackets	Handlebars	Cables / Housing	Quick Release Skewer	Bearings	



### Smart mount ECO

- ◆ Simplified&Economical design compare to KCNC KOT03 Smart mount.
- ◆ AL6061 bridges&31.8 → 25.4shims x 2
- ◆ Two ends comes with 25.4mm/31.8mm clamp size.
- ◆ 90mm extension
- ◆ Black anodized only



### Frone shifter clamp

- ◆ For sram shifter clamp
- ◆ AL 6061





## Light mounting bracket for through axle

- ◆ Fits KCNC Ø12 through axle which has 6mm allen key socket at the end, you may install a flash light onto the round barrel.



## Tubeless valve lock nut

- ◆ For KCNC Presta tubeless valve replacement or other brands at 5V2 spec.
  - ◆ Material: AL6061

Cranksets	Chainring sets	ROAD bars	Road&MTB brake calipers	Jockey wheels & bolt	Apparels
Cassettes	Headsets	Seatposts	Brake shoes & Pads	<b>Components</b>	KCNC distributors
Pedals	Stems	Seatpost Clamps	Disc brake systems & Mount adaptors	Screws & Bolts	
Bottom Brackets	Handlebars	Cables / Housing	Quick Release Skewer	Bearings	



### Rear derailleur guard

- ◆ It is suggested to install it along with KCNC light mounting bracket to protect rear derailleur from impact.



### Bottom plug – KFP01

- ◆ KFP01 is the bottom stopper, it use it the steerer tubing bottom of the fork of the MTB bike.
- ◆ You can put the multi-tool or some small bike tool into the steerer tubing of the fork. Then use the bottom stopper to lock.
- ◆ But the bottom plug only for the alloy steerer tubing; cannot use in the carbon fiber steerer tubing.
- ◆ AL-6061 full CNC machining, W/laser etching logo
- ◆ Color: Black/Gold/Red/Silver anodizing color.



## CO2 cartridge inflator head-Locky


- ◆ Ergonomically designed fingers holding position, push the head downward allows CO2 to inflate tires.
- ◆ Specially selected sealing O-ring against aging due to low temperature while inflating.
- ◆ Presta valve use only
- ◆ Material: AL6061



## Direct mount front derailleur cover plate

- ◆ Designed to decorate or cover the empty unused front derailleur mount seat, come along with the bottle opening function.
- ◆ Material: AL6061 body, SUS bolt.

Cranksets	Chainring sets	ROAD bars	Road&MTB brake calipers	Jockey wheels & bolt	Apparels
Cassettes	Headsets	Seatposts	Brake shoes & Pads	<b>Components</b>	KCNC distributors
Pedals	Stems	Seatpost Clamps	Disc brake systems & Mount adaptors	Screws & Bolts	
Bottom Brackets	Handlebars	Cables / Housing	Quick Release Skewer	Bearings	



### Valve core extension driver

- ◆ We offer an ideal solution for carbon rim wheels owners who are having a pumping problem. This patent pending designed allows you to open& close a presta valve where hidden inside the rim at pumping stage.
  - ◆ Material: fiber plastic.
- ◆ Valve extension is not included in the package.



### Valve core adaptor

- ◆ We offer an ideal solution for carbon rim wheels owners who are having a pumping problem. This patent pending designed allows you to remove the original presta valve core(if detach able) installed on a tire and allows you to reinstall the core on top of valve extension.
  - ◆ Material: AL6061.
- ◆ Valve extension&core are not included in the package.



## Chain guide

- ◆ Chain guide for raising the chain tension in order to prevent the chain from falling down or knocking around suitable for 1-3-speed chainwheel sets.
- ◆ High quality stainless steel pulley applied ensure smooth chain running.
- ◆ Mounting: At cable guide or chain stay.
- ◆ Material: Fiber nylon, stainless pulley.



## Direct mount chain guide

- ◆ For ISCG05 mounting.
- ◆ Range: 30/32/34/36/38/40/42T
  - ◆ Material: AL7075
  - ◆ Color: Black/Red/Gold



## Shifter clamp I-SPEC II

- ◆ Compatibility: XTR-M9000, XTM8000 shifters
- ◆ AL6061 material
- ◆ Color: Black / Red / Blue / Yellow Green

Cranksets	Chainring sets	ROAD bars	Road&MTB brake calipers	Jockey wheels & bolt	Apparels
Cassettes	Headsets	Seatposts	Brake shoes & Pads	<b>Components</b>	KCNC distributors
Pedals	Stems	Seatpost Clamps	Disc brake systems & Mount adaptors	Screws & Bolts	
Bottom Brackets	Handlebars	Cables / Housing	Quick Release Skewer	Bearings	



### Aluminum tubeless valve

- ◆ Designed for tubeless wheel supplied with different rubber bases to fit on most rims on the market.
- ◆ AL7075 material.
- ◆ Color: Black/Blue/Red/Pink/Green/Silver.

### Presta tubeless valve

- ◆ Super light and anti-rust, made of lightweight anodized AL6061 aluminum.
- ◆ Superior seal with a removable valve cover, O-ring and lock nut.  
The large soft rubber base can easily form an airtight seal on the valve hole with a diameter of not more than 8MM, ensuring that the nut can be tightened and protecting the rim; multiple air vents at the bottom to prevent vent from blocking.
- ◆ Stem length: 50mm(sold in pair)
- ◆ Color: Black/Blue/Gold/Green/Red/Silver anodizing color.



### Headset cap w/ star nut&expander

- ◆ AL6061 material
- ◆ Diameter: 28.6mm
- ◆ Length: 38mm for carbon steerer tube.
- ◆ Star nut version available.
- ◆ Color: Black/Blue/Red/Gold/Yellow Green/Silver.





## Go Pro mount – for seatpost

- ◆ Allows Go-Pro camera installed on seatpost.
  - ◆ Material: AL7075
  - ◆ Clamp size: 27.2/30.9/31.8/34.9mm
  - ◆ Color: Black/Blue/Red/Gold/ Green/Silver.



## Go Pro&Garmin mount- for Handlebar

- ◆ Allows Go-Pro camera installed on handlebar with Garmin mount.
  - ◆ Material: AL7075
  - ◆ Color: Black/Blue/Red/Gold/ Green/Silver.

Cranksets	Chainring sets	ROAD bars	Road&MTB brake calipers	Jockey wheels & bolt	Apparels
Cassettes	Headsets	Seatposts	Brake shoes & Pads	<b>Components</b>	KCNC distributors
Pedals	Stems	Seatpost Clamps	Disc brake systems & Mount adaptors	Screws & Bolts	
Bottom Brackets	Handlebars	Cables / Housing	Quick Release Skewer	Bearings	



### Cycling computer holder-for Garmin

- ◆ CNC precision made holder allows free angle/reach(3.5cm) adjustment, only for Garmin meters.
- ◆ Material: AL6061
- ◆ Ø 31.8mm clamp dia. on handle bar.
- ◆ Anodize color option: Black, Blue, Gold, Green, Red, Silver.



### Garmin + GoPro mount

- ◆ Two in one Garmin+ GoPro mount, made of AL6061 by extrusion and CNC machining, w/KCNC laser etching logo, S/B anodized finish.
- ◆ Color: Black/Gold/Red anodizing color.



### Carbon fiber saddle-Streamer

- ◆ Full carbon fiber saddle for Road/TT bikes with gloss finish.
  - ◆ Material: UD carbon fiber, 3K wrapping on seat surface.
  - ◆ Oval shape rails(7\*9mm)
  - ◆ L270xW132.6xH60 mm
- Please note the center art decal maybe changed from the photo displayed.



## KCNC TPR Grips

- ◆ Crosshatched grids offer superior grip control yet comfortable TPR rubber on wide palm support. Plastic insert shim inside grips along with simple & secure bolt lock on design for easy installation.
- ◆ Material: TPR rubber, AL6061 barend.
- ◆ Width: 138.5 mm; 130.5mm; Barbore: 22.5mm
- ◆ Barend length: 90mm.
- ◆ Color: Black/Grey; Cork brown color.

## EVA lock-on grip

- ◆ High density EVA form grip with plastic shim/insert, featuring water resistance and shock absorb advantages, optional alloy color lock rings.
- ◆ Material: EVA grip, nylon shim/insert
- ◆ Barbore diameter:  $\varnothing$  22mm



## KBE04-MTB TPR barend

- ◆ Ergonomically curve to fit your palm, TPR rubber with anti-slip bump offers comfort handling.
- ◆ Material: TPR rubber wrapping, plastic body, alloy locking, SUS bolts.
- ◆ Barbore diameter:  $\varnothing$  22mm



Cranksets	Chainring sets	ROAD bars	Road&MTB brake calipers	Jockey wheels & bolt	Apparels
Cassettes	Headsets	Seatposts	Brake shoes & Pads	<b>Components</b>	KCNC distributors
Pedals	Stems	Seatpost Clamps	Disc brake systems & Mount adaptors	Screws & Bolts	
Bottom Brackets	Handlebars	Cables / Housing	Quick Release Skewer	Bearings	



### Suspension Fork/Shock pump

- ◆ Professional high pressure pumps for Shocks or suspension fork, fits Schrader valve, capable of pumping 450 or 600 PSI. Secure screw to lock on valves threads.



### KCNC mini pump bracket

- ◆ Designed for KCNC mini pumps, optional purchase accessory for user to mount besides water bottle cage.
  - ◆ Material: Plastic fiber
  - ◆ Valve adaptor (presta to schrader) included.
    - ◆ Height: 12.5 mm
- ◆ Color: Bracket Black only, valve adaptor: Black, Red, Gold, Blue, Green, Silver.

## KCNC BB wrenches

- ◆ KBB386 Designed for KCNC KBB386 BB set.
- ◆ KTL-FC32 Designed for Shimano/K-type BB set.
- ◆ Length: 20cm
- ◆ Material: AL7075



## Presta valve extender spanner

- ◆ Designed for KCNC or other brands valve extension, can be used on core or barrel, installation/removal purpose.
- ◆ 4.2mm side for core, 5mm side for barrel.
- ◆ Material: SUS420
- ◆ Presta valve extender shown only as demonstration



## KCNC Spoke holder

- ◆ Designed for aero bladed spoke holds firmly prevent from twisting while turning, fits spoke width range 0.9~1.3mm.
- ◆ Material: AL6061-T6
- ◆ Color: Gold, Red, Black

## KCNC Spoke wrench

- ◆ This professional tool is designed for precise fit and prevents rounding of nipples
- ◆ Metal nipple interface contacts nipple on all four surfaces
- ◆ Fits 3.25mm square nipple interface



Cranksets	Chainring sets	ROAD bars	Road&MTB brake calipers	Jockey wheels & bolt	Apparels
Cassettes	Headsets	Seatposts	Brake shoes & Pads	<b>Components</b>	KCNC distributors
Pedals	Stems	Seatpost Clamps	Disc brake systems & Mount adaptors	Screws & Bolts	
Bottom Brackets	Handlebars	Cables / Housing	Quick Release Skewer	Bearings	



### Presta valve extenders

- ◆ CNC precision made valve extender with 5mm user friendly tool cut.
- ◆ Anti-Air leak O-ring seals provided installed at the bottom.
- ◆ Material: AL6061 barrel, brass.
- ◆ Size: L\*52/85/100mm, Ø6mm barrel, Ø5mm groove cut for tool installation.
- ◆ Anodize color option: Black, Blue, Gold, Green, Red, Silver.



### Valve adaptor

- ◆ CNC precision made valve adaptor converts Presta valve to Schrader usage.
- ◆ Material: AL6061



## Patented hex keys

- ◆ Special patent design asynchronous end tip unlike normal hex keys, this unique design is capable of solving problem when you unable to extract the bolt once the hex socket worn out.
- ◆ Ergonomically designed T grip profile for comfort handling.
- ◆ Hex key size available: 4mm, 5mm, 6mm and 8mm; 4pcs set.
- ◆ Metal part using industrial high quality hardened S2 carbon steel.
- ◆ Painted mini wall stand included.

Cranksets	Chainring sets	ROAD bars	Road&MTB brake calipers	Jockey wheels & bolt	Apparels
Cassettes	Headsets	Seatposts	Brake shoes & Pads	<b>Components</b>	KCNC distributors
Pedals	Stems	Seatpost Clamps	Disc brake systems & Mount adaptors	Screws & Bolts	
Bottom Brackets	Handlebars	Cables / Housing	Quick Release Skewer	Bearings	



### Hex/Allen key set

- ◆ Material: Industrial high quality hardened S3 carbon steel.
- ◆ L shape hex keys with anti-rust coating with chamfered tips.
- ◆ Assortment size: 1.5mm, 2mm, 2.5mm, 3mm, 4mm, 5mm, 6mm, 8mm, 10mm; 9pcs set.



### Torx key set

- ◆ Material: Industrial high quality hardened S3 carbon steel.
- ◆ L shape Torx keys with anti-rust coating.
- ◆ Assortment size: T10, T15, T20, T25, T27, T30, T40, T45, T50; 9pcs set.



## Smart phone holder

- ◆ The smart phone holder is designed to secure a phone or GPS device on a handlebar while riding; four strong screwing adjustable clamping arms are guaranteed to hold your valuable devices coping with vibration during riding.
  - ◆ Device size compatibility from either 5cm~8.5cm wide; 11cm~15cm tall.
    - ◆ Handlebar size compatibility: 25.4/26mm or 31.8mm.
  - ◆ Hex keys tool required: 2.5mm / 3mm(included in the package).
  - ◆ Material: AL6061 body& protective rubber on clamping arms.
    - ◆ Color option: Black, Blue, Gold, Green, Red, Silver

Cranksets	Chainring sets	ROAD bars	Road&MTB brake calipers	Jockey wheels & bolt	Apparels
Cassettes	Headsets	Seatposts	Brake shoes & Pads	<b>Components</b>	KCNC distributors
Pedals	Stems	Seatpost Clamps	Disc brake systems & Mount adaptors	Screws & Bolts	
Bottom Brackets	Handlebars	Cables / Housing	Quick Release Skewer	Bearings	



### Mini hand pump(KOT07)

- ◆ Simple&Compact outlook, easy to carry in a pocket, comprised if three alloy barrels which capable of pumping power 120 psi (max) on a road bike tires.
- ◆ Height: 11cm (carrying status), Ø24mm.
- ◆ Extension hose provided (20cm).
- ◆ Material: AL6061 barrels.
- ◆ Compatible with Schrader&Presta valves without changing pump head.
- ◆ Anodize color option: Black, Blue, Gold, Green, Red, Silver.



### Mini hand pump(KOT08)

- ◆ Simple&Compact outlook, easy to carry in a pocket, comprised if three alloy barrels which capable of pumping power 120 psi (max) on a road bike tires.
- ◆ Height: 12.2cm (carrying status), Ø24mm.
- ◆ Extension hose provided (20cm).
- ◆ Material: AL6061 barrels.
- ◆ Compatible with Schrader&Presta valves without changing pump head.
- ◆ Anodize color option: Black, Blue, Gold, Green, Red, Silver.



## Disk brake rotor locking

- ◆ We offer color and weight saving option for Shimano disk brake locking as spare part.
- ◆ Compatibility: Shimano BR-M975(disc brake)/SM-RT97(disc rotor)
  - ◆ Material: AL6061
  - ◆ Color: Black, Blue, Gold, Green, Red, Silver



## Cable housing clips

- ◆ Alloy housing clips compatible with shifter/brake housings.
  - ◆ Material: AL6061.
- ◆ Anodize color option: Black, Blue, Gold, Green, Red, Silver.

Cranksets	Chainring sets	ROAD bars	Road&MTB brake calipers	Jockey wheels & bolt	Apparels
Cassettes	Headsets	Seatposts	Brake shoes & Pads	Components	KCNC distributors
Pedals	Stems	Seatpost Clamps	Disc brake systems & Mount adaptors	Screws & Bolts	
Bottom Brackets	Handlebars	Cables / Housing	Quick Release Skewer	Bearings	




### SP6 Ti Pro Lite seatpost carbon rail support kit

- ◆ The new designed Ti Pro Lite yokes, shell with wider contact surface area with saddle rails, especially carbon rails saddles. Wider contact surface area can reduce the stress and improve the carbon rail scratching/damaging problem.

\*Please follow the printed arrow sign showing forward direction on two yokes when installing\*

- ◆ Material: AL7075
- ◆ Color: Black, Blue, Gold, Red, Silver
- ◆ Content: yokex2, shellx1.
- ◆ KIT-A support 27.2mm SP6 Ti Pro Lite seatpost
- ◆ KIT-B support 30.9/31.6/34.9mm SP6 Ti Pro Lite seatpost



### Bottle cage screw

- ◆ Torx 25 slim bolt head to avoid scratch on water bottle.
- ◆ Material: AL7075
- ◆ Color: Black, Blue, Gold, Green, Red, Silver

## MINI BIKE TOOL



### 8 pcs tool/12 pcs tool

- ◆ Durable SUJ2 cold forging steel with ED-coating surface.
- ◆ Two options of sandblasted side bracket and curved shape high polish side bracket.



### Fork cork mini tool set

- ◆ Concealed mini tool combines 8pcs tools and cork fork .
- ◆ Material: AL6061-T6 tool side bracket, SUJ2 cold forged steel w/ ED surface tools.
- ◆ Tool combination: 2mm/2.5mm/3mm/4mm/5mm/6mm/Torx25/Torx30
- ◆ Color: Gold/Red/Blue/Silver



### Mini chain tool

- ◆ Tire lever & chain tool function.
- ◆ Can be attached to existing KCNC bike mini tool.
- ◆ Black, Red, Gold, Blue, Green



Cranksets	Chainring sets	ROAD bars	Road&MTB brake callipers	Jockey wheels & bolt	Apparels
Cassettes	Headsets	Seatposts	Brake shoes & Pads	<b>Components</b>	KCNC distributors
Pedals	Stems	Seatpost Clamps	Disc brake systems & Mount adaptors	Screws & Bolts	
Bottom Brackets	Handlebars	Cables / Housing	Quick Release Skewer	Bearings	



### Smart mount

- ◆ Install on existing 25.4/26&31.8mm handlebar allows you to place a flash light, MP3 player, GPS navigator on the extension tube.
- ◆ Bridge extension of 60mm&90mm; Dia. 24.4/26mm & 31.8mm short tubes provided(120mm width).
- ◆ Handlebar not included, shown only as demonstration.

## CHAIN CATCHERS




### MTB Chain catcher

- ◆ Prevents drive chains from falling.
- ◆ Use on Shimano/KCNC external bearing system MTB cranksets.  
Fits inner chainring tooth range from 20-24T, 25-27T, 28-30T.



## ROAD chain catcher

- ◆ Prevents drive chains from falling.
- ◆ Use on Shimano/KCNC external bearing system ROAD cranksets.



## Bottle cage stem support

- ◆ Allows you to install a bottle cage on top of the stem.
- ◆ Material: AL7075 body, SUS bolts.

Cranksets	Chainring sets	ROAD bars	Road&MTB brake calipers	Jockey wheels & bolt	Apparels
Cassettes	Headsets	Seatposts	Brake shoes & Pads	<b>Components</b>	KCNC distributors
Pedals	Stems	Seatpost Clamps	Disc brake systems & Mount adaptors	Screws & Bolts	
Bottom Brackets	Handlebars	Cables / Housing	Quick Release Skewer	Bearings	



### VALVE CAP

- ◆ Available in Schrader or Presta
- ◆ Material: AL 6061

### Crank bolt

- ◆ AL6061, for Shimano DuraAce, XTR, XT crankset left arm.



### Bottle cage bolts

- ◆ Material: AL 7075

### Valve extenders

- ◆ Material: AL 6061
- ◆ Length: 50/85/100mm





## Hollow design headset spacer

- ◆ Diameter: For 1 1/8" steerer.
- ◆ Material: AL 6061
- ◆ KCNC patent hollow design.
- ◆ Lower weight than carbon fiber spacer at the same size.



## Headset spacer

- ◆ Diameter: For 1 1/8" steerer.
- ◆ Material: AL 6061

## Headset top cap

- ◆ Material: AL 6061
- ◆ Diameter: 28.6mm
- ◆ Length: 38mm for carbon steerer tube.
- ◆ Star-nut version is also available.



Cranksets	Chainring sets	ROAD bars	Road&MTB brake calipers	Jockey wheels & bolt	Apparels
Cassettes	Headsets	Seatposts	Brake shoes & Pads	<b>Components</b>	KCNC distributors
Pedals	Stems	Seatpost Clamps	Disc brake systems & Mount adaptors	Screws & Bolts	
Bottom Brackets	Handlebars	Cables / Housing	Quick Release Skewer	Bearings	




### KCNC drive chain

- ◆ Features: Hollow pin, noiseless function, inner plate chamfering, bushingless construction, chromized treatment.
- ◆ Specification: 1/2"x11/128"
- ◆ Pin length: 6mm
- ◆ Pin strength: 200kgf kgf
- ◆ Tensile strength: 920kgf kgf.
- ◆ 9&10;11&12 speed.
- ◆ Color available: Gold.




### KCNC chain tool

- ◆ Comprise of high quality alloy and durable SUS accessories.
- ◆ Easy handling grip
- ◆ Install/Breaking chain pivots.



### Pump Connectors- For floor pump hose

- ◆ Design for Presta valve
- ◆ Chamber: AL7075
- ◆ Spindle: Stainless Steel
- ◆ Bearings: Durable stainless steel balls
- ◆ For floor pump hose without a clamp.



### Pump Connectors- For air-compressor pump hose

- ◆ Design for Presta valve
- ◆ Chamber: AL7075
- ◆ Spindle: Stainless Steel
- ◆ Bearings: Durable stainless steel balls
- ◆ For air-compressor pump hose with a sus clamp
- ◆ With stainless steel clamp(adjustable)



## Handlebar grips

- ◆ Material: EVA form
- ◆ KCNC pressed stamp logo
- ◆ Black, Red, Yellow, Blue, White.



## Front derailleur clamp

- ◆ Material: AL6061
- ◆ Size: 0°, 34.9mm only  
3°, 28.6(w/alloy shim)/31.8/34.9mm
- ◆ Clamp on design, bolt not included.



## V brake pivot bolt

- ◆ Material: AL6061
- ◆ Size: M8 or M10
- ◆ Fits unused V brake mounting holes on a fork/frame



## Light mounting bracket

- ◆ Material: AL6061
- ◆ Allows you install a flashlight on side of hub skewer.

Cranksets	Chainring sets	ROAD bars	Road&MTB brake calipers	Jockey wheels & bolt	Apparels
Cassettes	Headsets	Seatposts	Brake shoes & Pads	<b>Components</b>	KCNC distributors
Pedals	Stems	Seatpost Clamps	Disc brake systems & Mount adaptors	Screws & Bolts	
Bottom Brackets	Handlebars	Cables / Housing	Quick Release Skewer	Bearings	



### Speedometer magnet -KOT46-001

- ◆ It is designed to be attach then installed on six-bolt type disc rotor, made of AL6061 bracket with high-grade neodymium N45 magnet.
- ◆ Color: Black/Gold/Red anodizing color.



### Speedometer magnet -KOT46-002

- ◆ It is designed to be installed on Centerlock type disc rotor work as the centerlock ring, made of AL6061 bracket with high-grade neodymium N45 magnet, adjustable position controlled bolt fixing.
- ◆ Color: Black/Gold/Red anodizing color.

A professional cyclist is shown in a dynamic, forward-leaning position on a road bike. The cyclist is wearing a bright red helmet with black accents and a black cycling jersey with white and red details. The jersey features the 'KCNC' logo and the name 'JOSEF BETAL'. The cyclist's legs and the bike frame are covered in mud, indicating a recent race or training session in wet conditions. The background is a blurred outdoor setting with green grass and spectators. The overall image is framed by a dark blue diagonal overlay.

# SCREWS & BOLTS

---

Cranksets	Chainring sets	ROAD bars	Road&MTB brake calipers	Jockey wheels & bolt	Apparels
Cassettes	Headsets	Seatposts	Brake shoes & Pads	Components	KCNC distributors
Pedals	Stems	Seatpost Clamps	Disc brake systems & Mount adaptors	Screws & Bolts	
Bottom Brackets	Handlebars	Cables / Housing	Quick Release Skewer	Bearings	



### K-TYPE BB bolts

- ◆ AL 7075 hard anodized.
- ◆ M11.5 x 35mm
- ◆ M12 x 35mm
- ◆ M14 x 35mm
- ◆ M16 x 35mm
- ◆ M18 x 35mm

\*Straight through hollow design\*



### Scandium bolts

- ◆ M8 x 16mm
- ◆ M8 x 18mm
- ◆ M10 x 16mm
- ◆ M10 x 22mm

\*Straight through hollow design\*



### Titanium bolts

- ◆ M5 x 8mm
- ◆ M5 x 15.5mm
- ◆ M5 x 18mm
- ◆ M5 x 35mm
- ◆ M6 x 14mm
- ◆ M6 x 37mm
- ◆ M6 x 47mm
- ◆ M7 x 22mm



### Jockey wheel bolt for Shimano&Sram derailleur

- ◆ Spec01: M5xP0.8x15.5mm alloy bolt. (AL05-3)
- ◆ Spec02: M5xP0.8x12mm alloy bolt. (AL05-7)
- ◆ Spec03: M5xP0.8x14mm alloy bolt. (AL05-8)

## BEARINGS



**Bearing S-6805/Bearing C-6805**

- ◆ For K-type BB.
  - ◆ Stainless steel balls.
- Ceramic balls



**Bearing S-689/Bearing C-689**

- ◆ For KCNC jockey wheel
  - ◆ Stainless steel balls.
- Ceramic balls.



**Bearing S-215317/Bearing C-215317**

- ◆ For ISIS BB.
  - ◆ Stainless steel balls.
- Ceramic balls.



Cranksets	Chainring sets	ROAD bars	Road&MTB brake calipers	Jockey wheels & bolt	Apparels
Cassettes	Headsets	Seatposts	Brake shoes & Pads	Components	KCNC distributors
Pedals	Stems	Seatpost Clamps	Disc brake systems & Mount adaptors	Screws & Bolts	
Bottom Brackets	Handlebars	Cables / Housing	Quick Release Skewer	Bearings	



## APPARELS



### Jersey&Short

- ◆ Material: High quality 100% flycool
- ◆ Color: Grey/Red
- ◆ Size: XS/S/M/L/XL



T-shirt pink

- ◆ High quality 100% super soft cotton T-shirt



T-shirt white

- ◆ Color: Black/White/Pink



T-shirt black

- ◆ Size: XS/S/M/L/XL/XXL




# KCNC DISTRIBUTORS

Cranksets	Chainring sets	ROAD bars	Road&MTB brake calipers	Jockey wheels & bolt	Apparels
Cassettes	Headsets	Seatposts	Brake shoes & Pads	Components	KCNC distributors
Pedals	Stems	Seatpost Clamps	Disc brake systems & Mount adaptors	Screws & Bolts	
Bottom Brackets	Handlebars	Cables / Housing	Quick Release Skewer	Bearings	

## EUROPE

### COOOLsport HandelsgmbH

Feistritz 29, AT-8843 St. Peter am Kammerberg, Austria  
 email: [kcnc@cooolsport.com](mailto:kcnc@cooolsport.com) [central@cooolsport.com](mailto:central@cooolsport.com)  
 Tel: +43 3536 70905



Exclusive distributor Germany/Austria/Slovenia/Switzerland/Italy/Poland

### Fun Sport Express S.L.

c/ Estany de Llanos 2, 08186 Llica de Munt, BARCELONA, SPAIN  
 email: [info@funportexpress.com](mailto:info@funportexpress.com)  
<http://www.funportexpress.com>  
 Tel: +34 93 864 4900  
 Fax: +34 93 864 3803



Exclusive distributor Spain/Andorra/Portugal/France

### JT-Import Co. LTD

Vassingerøedvej 85 B, 3540 Lyngø, Denmark  
 email: [jt@jtimport.dk](mailto:jt@jtimport.dk)  
<http://www.jtimport.dk/>  
 Tel: +45 48188487  
 Fax: +45 48188486



Exclusive distributor Denmark/Sweden

## SOUTH AMERICA

---

### Macris Ltda

Aristóteles 1125,block 62,Dpto 13, Ñuñoa,Santiago,Chile

<http://www.macrisltda.com>

Tel: 56-2386044, 56-2-4929337 Fax: 56-2386044



Exclusive distributor Chile

---

### CICLO GIANT COM.ART.P/ESP/LTDA.

Rua Glicerio 700,Liberdade Sao Paulo,SP-CEP 01514-001, Brazil

email: [kuruma@terra.com.br](mailto:kuruma@terra.com.br)

<http://www.kuruma.com.br>

Tel: 11-32080477 Fax: 11-32077378



Exclusive distributor Brazil

Cranksets	Chainring sets	ROAD bars	Road&MTB brake calipers	Jockey wheels & bolt	Apparels
Cassettes	Headsets	Seatposts	Brake shoes & Pads	Components	KCNC distributors
Pedals	Stems	Seatpost Clamps	Disc brake systems & Mount adaptors	Screws & Bolts	
Bottom Brackets	Handlebars	Cables / Housing	Quick Release Skewer	Bearings	

## AFRICA

### Paragon Technologies



P O Box 38653 Pinelands 7430 Cape town  
 email:info@paragontech.co.za  
 http://www.paragontech.co.za  
 Tel: +27215319756

Exclusive distributor South Africa

## ASIA

### SooHo Sports Inc.



B-101, #5, JOWONRO-23GIL, GWANKAK-KU, 151-874, SEOUL, KOREA  
 email:sooho@1004helmet.co.kr  
 Tel: +82-2-884-3475 Fax: +82-2-884-3479

Exclusive distributor Korea

### Gilad Import



Gilad- Import,Marketing,Distribution Hamaapilim Blvd 34 Tel Aviv 61190, ISRAEL  
 email:gilad\_b46@hotmail.com  
 http://www.gbike.co.il  
 Tel: +972 3 6872391 Fax: +972 3 6872873

Exclusive distributor Israel

### KT Cyclone SDN BHD



No 26&28, Jalan Perda Timur, Distripark, Bandar Perda, 14000 Bukit Mertajam, Penang, Malaysia.  
 email:gilad\_b46@hotmail.com kt\_cycletron@yahoo.com  
 http://www.ktcyclone.com/  
 Tel: +604-539 9289 +604-539 0289 Fax: +604-539 6289

Exclusive distributor Malaysia/Thailand/Indonesia/Brunei

## ASIA

### Marechal International Co.,LTD 英友达国际企业有限公司



No.9, Sinmin Lane, Nantun District, Taichung City 40871, Taiwan

email:asia@marechal.com.tw

http://www.marechal.com.tw

Tel: 886-4 2479 3208 Fax: 886-4 2479 3209

Exclusive distributor China/Hong Kong/Macao

### QUAADLIFE INC.



8F-9, No.46, Sec.2, Jhongshan N. Rd., Taipei 10448, Taiwan

email:giantind@ms21.hinet.net

http://www.kurbike.com

Tel: 886-2-25318330 Fax: 886-2-25718690

Exclusive distributor South America region

### 愛克有限公司



台中市南屯區橫東路46號

電話: 04-23823648 (徐凌斌) 行動電話: 0931-480504

Tel: 04-23823648 Mobile Phone: 0931-480504

台灣總代理 Taiwan

### RITWAY PRODUCTS JAPAN



102 Ikebukuro City-Hights Toshima-Ku, Tokyo, 171-0022

email:rpj-info@riteway-jp.com

http://www.riteway-jp.com

Tel: +81-3-5950-6002 Fax: +813-5956-8028

Exclusive distributor Japan