



**KCNC**  
KCNC INTERNATIONAL

TEL: +886 4 7684363  
FAX: +886 4 7684373  
E-mail: [kcnc@kcnc.com.tw](mailto:kcnc@kcnc.com.tw)  
[www.kcncbikes.com](http://www.kcncbikes.com)

2018 **KCNC** INTERNATIONAL



# ABOUT US

Kcnc International A Company Has Full Of Passionate Engineers Working For The Brand Kcnc.

Ken Lin Is Our Leader And Chief Engineer, Well-Honed Experience Of Aluminum And Titanium Design / Machining Skills For Some Of The Famous Bicycle Brands In The Industry.

Kcnc Staffs Are Fuelled With The Single Desire To Design & Produce Our Bicycle Parts Finest Possible.

With Over Decades Of Experience, Our Engineers Continue Refining, Renovating And Designing Better Products In Many Ways Of Lightweight Consideration, Quality, Reliability And Esthetics.

It Imply Wide Range Of Kcnc Parts With Exclusive Patents Such As Cranksets, Stems, Seatposts And Brake Calipers Etc.....

Even With Our Advancing Manufacturing Skills, Modern Design And Exotic Engineering Techniques; We Will Never Forget The Most Essential Issue, "The Rider's Demands".



# CONTENTS

**KCNC**

[www.kcncbikes.com](http://www.kcncbikes.com)

## **05** 2018 NEW PRODUCTS

**10** Cranksets

**16** Cassettes

**20** Pedals

**22** Bottom Brackets

**28** Chainring sets

**34** Headsets

**42** Stems

**48** Handlebars

**54** ROAD bars

**60** Seatposts

**63** Seatpost Clamps

**66** Cables / Housing

**70** Road & MTB brake calipers

**73** Brake shoes & Pads

**76** Disc brake systems & Mount adaptors

**79** Quick Release Skewer

**80** Jockey wheels & bolt.

**82** Components

**124** Screws & Bolts

**125** Bearings

**126** Apparels



# 2018 NEW PRODUCTS

2018 NEW PRODUCTS

Cranksets	Handlebars	Quick Release Skewer
Derailleur system	ROAD bars	Jockey wheels & bolt.
Cassette	Seatposts	Components
Pedals	Seatpost Clamps	Screws & Bolts
Bottom Brackets	Cables / Housing	Bearings
Chaining sets	Road&MTB brake calipers	Apparels
Headsets	Brake shoes & Pads	KCNC distributors
Stems	Disc brake systems & Mount adaptors	



## REYTON MTB stem

- ★ Full CNC machined, Stem cap with hinge design for quick adjustment/installation
- ★ Material AL7075 with Titanium bolt
- ★ Angle/Extension:
  - + 17degree: 60/70/80/90/100/110/120mm
  - + 25degree: 70/80/90/100mm
- ★ Compatibility: 1 1/8" steerer tube, include 31.8/35mm handle bar shim.
- ★ Stack Height: 38mm
- ★ Weight: About 150g (100mm Extention)
- ★ Color: Anodized Black/Red/Orange/Yellow Green



## 1.MTB clipless pedal-KPED08

- ★ Body: CNC AL6061 machined
- ★ Axle: Cr-MO or 6AL/4V titanium
- ★ Bearing: LSL bushing& sealed
- ★ Binding: Dual side Cr-Mo, tension adjustable
- ★ Cleat: Shimano SPD compatible
- ★ Color: Black/Red/Silver



## 2.MTB clipless/platform pedal-KPED09

- ★ Body: CNC AL6061 machined
- ★ Axle: Cr-MO or 6AL/4V titanium
- ★ Bearing: LSL bushing& sealed
- ★ Binding: Dual side Cr-Mo, tension adjustable
- ★ Cleat: Shimano SPD compatible
- ★ Color: Black/Red/Silver



## 3.ROAD clipless pedal-KPED10

- ★ Body: CNC AL6061 machined
- ★ Axle: Cr-MO or 6AL/4V titanium
- ★ Bearing: LSL bushing& sealed
- ★ Binding: Fiber glass reinforced thermoplastic, tension adjustable
- ★ Cleat: **KEO system**
- ★ Color: Black/Red/Silver

# 2018 NEW PRODUCTS

2018 NEW PRODUCTS

Cranksets	Handlebars	Quick Release Skewer
Derailleur system	ROAD bars	Jockey wheels & bolt.
Cassettes	Seatposts	Components
Pedals	Seatpost Clamps	Screws & Bolts
Bottom Brackets	Cables / Housing	Bearings
Chaining sets	Road&MTB brake calipers	Apparels
Headsets	Brake shoes & Pads	KCNC distributors
Stems	Disc brake systems & Mount adaptors	



## 11s MTB cassette 9-44T

- ★ Gear: 9/10/12/14/17/20/24/28/32/38/44
- ★ Material: Cr-Mo/Alloy 7075
- ★ Compatibility: SRAM XD freehub, SRAM&Shimano shifting system.



## 1. Bottle cage stem support

- ★ Allows you to install a bottle cage on top of the stem.
- ★ Material: AL7075 body, SUS bolts.



## 2. Pedal extenders

- ★ Adapters screw directly into pedal mounts to extend pedals further out per side.
- ★ Fits 9/16" pedal thread
- ★ Extension length: 18/23/28mm
- ★ Material: sus
- ★ 17mm open wrench required for installation.



# CRANKSETS

**K-TYPE**  
series- External bearing

**K3 Integrated**  
series

Cranksets	Handlebars	Quick Release Skewer
Derailleur system	ROAD bars	Jockey wheels & bolt.
Cassette	Seatposts	Components
Pedals	Seatpost Clamps	Screws & Bolts
Bottom Brackets	Cables / Housing	Bearings
Chaining sets	Road&MTB brake calipers	Apparels
Headsets	Brake shoes & Pads	KCNC distributors
Stems	Disc brake systems & Mount adaptors	

**K2-TYPE**  
series- External bearing



## 1. K2-TYPE RD-BLADE

- ★ Crank arm length: 165/167.5/170/172.5/175/177.5mm, 7075AL.
- ★ Chainring(BLADE): 58/44T; 53/39T; 52/39T; 7075AL, 5 bolt 110 or 130mm BCD.
- ★ Chainring(BLADE): 50/34T (compact); 7075AL, 5 bolt 110mm BCD.
- ★ Chainring bolt: KCNC Allen bolts 7075AL.
- ★ BB: 68mm(BSA), 70mm(ITA)
- ★ Chainline: 45.8mm
- ★ Q-Factor: 153mm
- ★ Bearing: Full stainless steel, better anti-rusting&durability.
- ★ High precision full CNC machined chainrings for smooth shifting.

# CRANKSETS

## K-TYPE series



### 1. K-TYPE RD1

- ★ Crank Arm length: 165/167.5/170/172.5/175/177.5mm, 7075AL.
- ★ Chainring: 53/39T or 52/39T; 7075AL, 5 bolt 130mm BCD.
- ★ Chainring: 50/34T (compact); 7075AL, 5 bolt 110mm BCD.
- ★ Chainring bolt: KCNC Allen bolts 7075AL.
- ★ BB: 68mm(BSA). 70mm(ITA)
- ★ Chainline: 45.8mm
- ★ Q-Factor: 153mm
- ★ Bearing: Full stainless steel, better anti-rusting&durability.
- ★ High precision full CNC machined chainrings for smooth shifting.



### 2. K-TYPE TK1

- ★ Crank Arm length: 165/167.5/170/172.5/175/177.5mm, 7075AL.
- ★ Chainring: 56 or 60T single, 7075AL.
- ★ Spider: 5-arm BCD 130mm, 7075AL.
- ★ Chainring bolt: KCNC Allen bolts 7075AL.
- ★ Q-Factor: 153mm
- ★ Bearing: Full stainless steel, better anti-rusting&durability.
- ★ High precision full CNC machined single chainring.

## K2-TYPE series



### 1. K2-TYPE XC-BLADE Triple

- ★ Crank Arm length: 165/167.5/170/172.5/175/177.5mm, 7075AL.
- ★ Chainring: 44/32/22T; 4 bolt 104/64mm BCD, 7075AL.
- ★ BB:68/73(BSA)
- ★ Chainring bolt: KCNC Allen bolts 7075AL.
- ★ Chainring: 40/30/20T; 4 bolt 94/58 BCD, 7075 AL
- ★ Chainline: 48.5mm
- ★ Q-Factor: 164mm
- ★ Bearing: Full stainless steel, better anti-rusting&durability.
- ★ High precision full CNC machined chainrings for smooth shifting.



### 2. K2-TYPE XC-BLADE Double

- ★ Crank Arm length: 165/167.5/170/172.5/175/177.5mm, 7075AL.
- ★ Double chainring (1): 42/29T; 5 bolt 94mm BCD, 7075AL.
- ★ Double chainring (2): 45/30T,42/29T,42/27T,40/27T,40/26T,38/26T, 36/22T, 4 bolt 104/64mm BCD.
- ★ Chainring bolt: KCNC Allen bolts 7075AL.
- ★ BB:68/73(BSA)
- ★ Chainline: 48.5mm
- ★ Q-Factor: 164mm
- ★ Bearing: Full stainless steel, better anti-rusting&durability.
- ★ High precision full CNC machined chainrings for smooth shifting.

Cranksets	Handlebars	Quick Release Skewer
Derailleur system	ROAD bars	Jockey wheels & bolt.
Cassette	Seatposts	Components
Pedals	Seatpost Clamps	Screws & Bolts
Bottom Brackets	Cables / Housing	Bearings
Chainring sets	Road&MTB brake calipers	Apparels
Headsets	Brake shoes & Pads	KCNC distributors
Stems	Disc brake systems & Mount adaptors	

# CRANKSETS

**K-TYPE**  
series- External bearing

Cranksets	Handlebars	Quick Release Skewer
Derailleur system	ROAD bars	Jockey wheels & bolt.
Cassette	Seatposts	Components
Pedals	Seatpost Clamps	Screws & Bolts
Bottom Brackets	Cables / Housing	Bearings
Chaining sets	Road&MTB brake calipers	Apparels
Headsets	Brake shoes & Pads	KCNC distributors
Stems	Disc brake systems & Mount adaptors	

CRANKSETS



## K-TYPE XC1 Triple

- ★ Crank Arm length: 165/167.5/170/172.5/175/177.5mm, 7075AL.
- ★ Chainring: 44/32/22T; 4 bolt 104/64mm BCD, 7075AL.
- ★ Chainring bolt: KCNC Allen bolts 7075AL.
- ★ Chainline: 48.5mm
- ★ Q-Factor: 164mm
- ★ Bearing: Full stainless steel, better anti-rusting&durability.
- ★ High precision full CNC machined chainrings for smooth shifting.



## K-TYPE XC1 Double

- ★ Crank Arm: 165/167.5/170/172.5/175/177.5mm, 7075AL.
- ★ Chainring: 42/29T; 5 bolt 94mm BCD, 7075AL.
- ★ Chainring bolt: KCNC Allen bolts 7075AL.
- ★ Q-Factor: 164mm
- ★ Bearing: Full stainless steel, better anti-rusting&durability.
- ★ High precision full CNC machined chainrings for smooth shifting.



# CASSETTES

Road 10 speed - Titanium

MTB 10 speed - Titanium

MTB 11 speed - Titanium

Road 10 speed - Titanium



1. Shimano 11-23T



2. Shimano 12-25T



3. Shimano 12-27T


- 1. Shimano 11-23T 11/12/13/14/15/16/17/19/21/23
- 2. Shimano 12-25T 12/13/14/15/16/17/19/21/23/25
- 3. Shimano 12-27T 12/13/14/15/16/17/19/21/24/27

- ★ Shimano 10s RD compatible.
  - ★ 10 individual 6/4 Ti cogs.
  - ★ Mono block CNC machined AL7075 carrier.
  - ★ Optimized tooth profile for swift shifting performance.
- \*Fixed mount, no user replaceable cogs\*

Cranksets	Handlebars	Quick Release Skewer
Derailleur system	ROAD bars	Jockey wheels & bolt.
<b>Cassettes</b>	Seatposts	Components
Pedals	Seatpost Clamps	Screws & Bolts
Bottom Brackets	Cables / Housing	Bearings
Chaining sets	Road&MTB brake calipers	Apparels
Headsets	Brake shoes & Pads	KCNC distributors
Stems	Disc brake systems & Mount adaptors	

# CASSETTES

MTB 10 speed - Titanium



- 1. Shimano 11-34T 11-12-13-15-17-20-23-26-30-34
- Shimano 11-36T 11-12-14-16-18-21-24-28-32-36
- Shimano 11-38T 11-13-15-17-20-23-26-30-34-38

- ★ Shimano/Sram 10s MTB compatible.
  - ★ 10 individual 6/4 Ti cogs.
  - ★ Mono block CNC machined AL7075 carrier.
  - ★ Optimized tooth profile for swift shifting performance.
- \*Fixed mount, no user replaceable cogs\*

MTB 11 speed - Titanium



2. Shimano 11-34T

3. Shimano 11-38T

- 2. Shimano 11-34T 11-12-13-14-15-17-20-23-26-30-34
- 3. Shimano 11-38T 11-12-13-15-17-20-23-26-30-34-38

- ★ Work on KCNC MTB derailleur system, , Shimano freehub compatible.
  - ★ 11 individual 6/4 Ti cogs.
  - ★ Mono block CNC machined AL7075 carrier.
  - ★ Optimized tooth profile for swift shifting performance.
- \*Fixed mount, no user replaceable cogs\*

Cranksets	Handlebars	Quick Release Skewer
Derailleur system	ROAD bars	Jockey wheels & bolt.
<b>Cassettes</b>	Seatposts	Components
Pedals	Seatpost Clamps	Screws & Bolts
Bottom Brackets	Cables / Housing	Bearings
Chaining sets	Road&MTB brake calipers	Apparels
Headsets	Brake shoes & Pads	KCNC distributors
Stems	Disc brake systems & Mount adaptors	



Cassette rear view



# PEDALS

*Road Platform*

*MTB Platform*

Cranksets	Handlebars	Quick Release Skewer
Derailleur system	ROAD bars	Jockey wheels & balt.
Cassette	Seatposts	Components
<b>Pedals</b>	Seatpost Clamps	Screws & Bolts
Bottom Brackets	Cables / Housing	Bearings
Chaining sets	Road&MTB brake calipers	Apparels
Headsets	Brake shoes & Pads	KCNC distributors
Stems	Disc brake systems & Mount adaptors	

## ROAD Platform



### 1. ROAD-Platform pedal

- ★ Body: AL7075
- ★ Spindle: 6/4 Titanium(DLC coating) or Stainless Steel (TiN coating)
- ★ Bearings: 1xcartridge stainless steel, 1xSS needle bushing.
- ★ Studs: Stainless steel
- ★ Weight: Ti spindle- 150g(pair) / SS spindle- 185g(pair)

## MTB Platform



### 2. MTB-Platform pedal-xc

- ★ Body: AL6061
- ★ Spindle: 6/4 Titanium(DLC coating) or Stainless steel (TiN coating)
- ★ Bearings: 1xcartridge stainless steel, 1xSS needle bushing.
- ★ Studs: Stainless Steel
- ★ Weight: Ti spindle- 300g(pair) / SS spindle- 335g(pair)



# BOTTOM BRACKETS

**K-TYPE**  
series BB

**ISIS DRIVE BB**

**BB30 ADAPTOR  
PF30 ADAPTOR  
PF30/BB86/BB92**

**Chainring bolts &  
Crank arm extractors**

**K-TYPE**  
series BB

Cranksets	Handlebars	Quick Release Skewer
Derailleur system	ROAD bars	Jockey wheels & bolt.
Cassette	Seatposts	Components
Pedals	Seatpost Clamps	Screws & Bolts
<b>Bottom Brackets</b>	Cables / Housing	Bearings
Chaining sets	Road&MTB brake calipers	Apparels
Headsets	Brake shoes & Pads	KCNC distributors
Stems	Disc brake systems & Mount adaptors	



## 1. K-TYPE BB ROAD

- ★ Spindle: Scandium T 7451
- ★ BB shell: 68mm(BSA) 1.37"x24T, 70mm(ITA) 1.41"x24T
- ★ Bearing: 6805 cartridge ceramic balls or cartridge stainless steel balls.



## 2. K-TYPE BB XC

- ★ Spindle: Scandium T 7451
- ★ BB shell: 68/73mm(BSA) 1.37"x24T
- ★ Bearing: 6805 cartridge ceramic balls or cartridge stainless steel balls.



## 3. K-TYPE BB DH

- ★ Spindle: Scandium T 7451
- ★ BB shell: 68/73mm(BSA) 1.37"x24T  
83mm(BSA) 1.37"x24T
- ★ Bearing: 6805 cartridge ceramic balls or cartridge stainless steel balls.

# BOTTOM BRACKETS

Shimano Compatible BB

Cranksets	Handlebars	Quick Release Skewer
Derailleur system	ROAD bars	Jockey wheels & bolt.
Cassette	Seatposts	Components
Pedals	Seatpost Clamps	Screws & Bolts
<b>Bottom Brackets</b>	Cables / Housing	Bearings
Chaining sets	Road&MTB brake calipers	Apparels
Headsets	Brake shoes & Pads	KCNC distributors
Stems	Disc brake systems & Mount adaptors	

## ISS DRIVE BB series



1. ROAD BB

### 1. Titanium RACE L ITE

- ★ Spindle: 6/4 titanium.
- ★ RD BB shell: 68mm-108mm axle(BSA) 1.37"x24T, 70mm-108mm axle(ITA) 1.41"x24T
- ★ Bearing: 215317 cartridge ceramic balls / 215317 cartridge stainless steel balls.



2. XC BB

### 2. Titanium MTB/XC

- ★ Spindle: 6/4 titanium.
- ★ XC BB shell: 68/73mm-113 axle(BSA) 1.37"x24T, 68/73mm-118 axle(BSA) 1.37"x24T
- ★ Bearing: 215317 cartridge ceramic balls / 215317 cartridge stainless steel balls.



- 1. ROAD BB - for Shimano
- 2. XC BB - for Shimano

- ★ Material: AL7075 bearing cup and center sleeve.
- ★ Durable stainless steel bearing, well performed against wear and rusting.
- ★ Road BB: 68mm BSA: XC BB: 68/73mm(BSA)
- ★ BB axle& bolts not included\*

# BOTTOM BRACKETS

## PF30 Adaptor



### 1. PF30 adaptor

- ★ Used on PF30 (Dia.46mm) BB shell bike frame, allows you to use 24/25(with shim)mm axle Shimano or KCNC compatible crankset.
- ★ BB shell insertion diameter: 46mm(PF30 spec), Bearing inner diameter 24, 25mm(with shim). For Shimano 24mm axle crankset, For KCNC K type 25mm axle crankset.
- ★ Can be used on both Road&MTB crankset

## BB30 Adaptor



### 2. BB30 RD / MTB

- ★ This adaptor is for BB30 bike frame user to adopt 68mm / 68-73mm BB shell Road / MTB cranksets.
- ★ Stainless steel bearings with O-ring seals.
- ★ Center thread lock on design for maximum stability.
- ★ Color option: Black, Red, Gold

## PF86/92



- 3. BB86 Press fit
- 4. BB92 Press fit


- ★ Material: AL 7075, CNC machined bearing cup.
- ★ Center engage design for maximum stability.
- ★ Stainless steel bearings with o-ring seals.
- ★ Compatible with KCNC K-TYPE and Shimano cranksets.

## Chainring bolts & Crank arm extractors

Cranksets	Handlebars	Quick Release Skewer
Derailleur system	ROAD bars	Jockey wheels & bolt.
Cassette	Seatposts	Components
Pedals	Seatpost Clamps	Screws & Bolts
<b>Bottom Brackets</b>	Cables / Housing	Bearings
Chaining sets	Road&MTB brake calipers	Apparels
Headsets	Brake shoes & Pads	KCNC distributors
Stems	Disc brake systems & Mount adaptors	



1. SPB0013 & SPB0014



2. SPB009 for Campy

- 1. SPB0013 & SPB0014 - for Shimano
- SPB003 & SPB004 - for Shimano
- 2. SPB009 for Campy - for Campy Super Record

- ★ Material: 7075AL
- ★ Colours Available : Black,Blue,Gold,Green Silver & Red anodized finish.
- ★ With KCNC laser engraved logo
- ★ Patented design
- ★ SPB0013: M8.5x0.75x4.5mm[A] M8.5x0.75x4.5mm[B]
- ★ SPB0014: M8.5x0.75x6mm[A] M8.5x0.75x7mm[B]
- ★ SPB003: M8x0.75x6.5mm[A] M8x0.75x4mm[B]
- ★ SPB004: M8x0.75x8.5mm[A] M8x0.75x6.5mm[B]



### 3. Crank arm extractors

- ★ AL 7075 with anodized finish.
- ★ Extractor for KCNC cranksets arm.



# CHAINRING SETS


**K3-COBWEB SERIES  
BLADE SERIES  
STANDARD SERIES**

Cranksets	Handlebars	Quick Release Skewer
Derailleur system	ROAD bars	Jockey wheels & bolt.
Cassette	Seatposts	Components
Pedals	Seatpost Clamps	Screws & Bolts
Bottom Brackets	Cables / Housing	Bearings
<b>Chaining sets</b>	Road&MTB brake calipers	Apparels
Headsets	Brake shoes & Pads	KCNC distributors
Stems	Disc brake systems & Mount adaptors	

## K3-COBWEB SERIES


### 1. Road

- ★ 58/44, 53/39, 52/36, 50/34 (Compact)
- ★ Material: AL 7075
- ★ BCD: 5 bolt 130mm/110mm
- ★ Full CNC machined with anodized finish.




### 2. MTB triple

- ★ 48/36/24T, 44/32/22T, BCD:4 bolt 104/64mm.
- ★ 40/30/20T BCD: 5 bolt 94/58 mm
- ★ Material: AL 7075
- ★ Full CNC machined with anodized finish.





### 3. MTB double

- ★ 45/30T, 42/29T, 42/27T, 40/27T, 40/26T, 38/26T, 38/24T, 36/22T.
- ★ Material: AL 7075
- ★ BCD: 4 bolt 104/64mm.
- ★ Full CNC machined with anodized finish.



# CHAINRING SETS

Cranksets	Handlebars	Quick Release Skewer
Derailleur system	ROAD bars	Jockey wheels & bolt.
Cassette	Seatposts	Components
Pedals	Seatpost Clamps	Screws & Bolts
Bottom Brackets	Cables / Housing	Bearings
<b>Chaining sets</b>	Road&MTB brake calipers	Apparels
Headsets	Brake shoes & Pads	KCNC distributors
Stems	Disc brake systems & Mount adaptors	



## K6-COBWEB II Oval chainring

- ★ Specifically developed to improve chainring stiffness over standard 4mm thickness chainrings.
- ★ The reinforced 5/6 mm chainrings can reduce the chance of chain suck due to flexible or bending while changing gears.
- ★ Oval shape design to increase pedaling efficiency.
- ★ AL7075
- ★ Available in RD 50/34T only.



## K5 BLADE II series Rectangular chainrings

- ★ Specifically developed to improve chainring stiffness over standard 4mm thickness chainrings.
- ★ The reinforced 5/6 mm chainrings can reduce the chance of chain suck due to flexible or bending while changing gears.
- ★ Rectangular shape design to increase pedaling efficiency.
- ★ AL7075
- ★ Available in RD 53/39T only.

# CHAINRING SETS

## BLADE SERIES

ROAD chainring sets



### 1. ROAD

- ★ 58/44T, 53-39T/50-34T(compact)
- ★ Material: AL 7075
- ★ BCD: 5 bolt 130mm/110mm
- ★ Full CNC machined with anodized finish.



### 2. MTB triple

- ★ 44/32/22T, 40/30/20T.
- ★ Material: AL 7075
- ★ BCD: 4 bolt 104/64 BCD, 94-58 BCD.
- ★ Full CNC machined with anodized finish.



### 3. MTB Double

- ★ 45/30T, 42/29T, 42/27T, 40/27T, 40/26T, 38/26T, 38/24T, 36/22T.
- ★ Material: AL 7075
- ★ BCD: 4 bolt 104/64mm.
- ★ Full CNC machined with anodized finish.

### MTB Double- 88 BCD

- 44-30T, 42-30T, 40-28T
- ★ Material: AL 7075
- ★ BCD: 4 bolt 88mm.
- ★ Full CNC machined with anodized finish.

## STANDARD SERIES

### ROAD chainring sets

#### 1. RD 53-39T

- ★ Material: AL 7075
- ★ BCD: 5 bolt 130mm



### MTB chainring sets

#### 2. XC 44-32-22T

- ★ Material: AL 7075
- ★ BCD: 4 bolt 104/64mm



#### 3. RD 50-34T Compact

- ★ Material: AL 7075
- ★ BCD: 5 bolt 110mm



#### 4. XC 42-29T Double

- ★ Material: AL 7075
- ★ BCD: 5 bolt 94mm



#### 5. Bear Ring DH-Single speed

- ★ Material: Made of AL7075
- ★ 5mm thick single ring crankset.
- ★ BCD: 4 bolt 104mm
- ★ Teeth: 32,34,36,38,39,42,44T
- ★ Black anodized.



Cranksets	Handlebars	Quick Release Skewer
Derailleur system	ROAD bars	Jockey wheels & bolt.
Cassette	Seatposts	Components
Pedals	Seatpost Clamps	Screws & Bolts
Bottom Brackets	Cables / Housing	Bearings
Chainring sets	Road&MTB brake calipers	Apparels
Headsets	Brake shoes & Pads	KCNC distributors
Stems	Disc brake systems & Mount adaptors	



# HEADSETS

## Morion - ceramic bearings

Cranksets	Handlebars	Quick Release Skewer
Derailleur system	ROAD bars	Jockey wheels & bolt.
Cassette	Seatposts	Components
Pedals	Seatpost Clamps	Screws & Bolts
Bottom Brackets	Cables / Housing	Bearings
Chaining sets	Road&MTB brake calipers	Apparels
Headsets	Brake shoes & Pads	KCNC distributors
Stems	Disc brake systems & Mount adaptors	

### 1. Morion KM1

- ★ 1-1/8 inch, Integrated.
- ★ AL 6061 crown race.
- ★ Bearing dimension: O.D. 41mm.
- ★ Angular contact 45° , Height 6.5mm.
- ★ Ti-DLC/Ceramic cartridge ball bearing.
- ★ Cane Creek IS-2, IS-3 compatible.



### 2. Morion KM2

- ★ 1-1/8 inch, Semi-Integrated.
- ★ AL 6061 head tube race.
- ★ Upper&Lower head tube insertion diameter 44mm.
- ★ Ti-DLC/Ceramic cartridge ball bearing.

### 3. Morion KM3

- ★ 1-1/8 inch, Threadless.
- ★ AL 6061 crown race.
- ★ Upper&Lower head tube insertion diameter 34mm.
- ★ Ti-DLC/Ceramic cartridge ball bearing.



# HEADSETS

## Radiant - SS bearing

### 1. Radiant KR1

- ★ 1-1/8 inch, Integrated.
- ★ AL 6061 crown race.
- ★ Bearing dimension: O.D. 41mm.
- ★ Angular contact 45° , Height 6.5mm.
- ★ Full Stainless Steel cartridge ball bearing.
- ★ Cane Creek IS-2, IS-3 compatible.



### 2. RADIANT KR1 Tapered

- ★ 1 1/8" upper, 1.5" lower headtube, integrated.
- ★ AL 6061 crown race.
- ★ Angular contact 45° , Height 6.5mm.
- ★ Full Stainless Steel cartridge ball bearing.

### 3. Radiant KR2

- ★ 1-1/8 inch, Semi-Integrated.
- ★ AL 6061 head tube race.
- ★ Upper&Lower head tube insertion diameter 44mm.
- ★ Full Stainless Steel cartridge ball bearing.



## Radiant - SS bearing

Cranksets	Handlebars	Quick Release Skewer
Derailleur system	ROAD bars	Jockey wheels & bolt.
Cassette	Seatposts	Components
Pedals	Seatpost Clamps	Screws & Bolts
Bottom Brackets	Cables / Housing	Bearings
Chaining sets	Road&MTB brake calipers	Apparels
Headsets	Brake shoes & Pads	KCNC distributors
Stems	Disc brake systems & Mount adaptors	



### 1. Radiant KR3

- ★ 1-1/8 inch, Threadless.
- ★ AL 6061 crown race.
- ★ Upper&Lower head tube insertion diameter 34mm.
- ★ Full Stainless Steel ball bearing with TiN finished surface.



### 2. Radiant KR4

- ★ 1.5 inch, Threadless.
- ★ AL 6061 crown race.
- ★ Upper&Lower head tube insertion diameter 49.65mm.
- ★ Bearing: Full Stainless Steel ball bearing with TiN finished surface.

# HEADSETS

## Tapered - steel bearing

### 1. KHS-F11 Headset

- ★ 1 1/8" upper/ 1.5" bottom semi-integrated.
- ★ Material: AL6061, steel bearings; (41x45°)(52x45°)
- ★ Head tube insertion diameter: 44mm upper, 55mm bottom.
- ★ Stack height: 9.6mm+2.8mm=12.4mm



### 2. KHS-PT1767D Headset

- ★ 1 1/8" Threadless.
- ★ Material: AL6061, steel bearings; 41x45° x6.5
- ★ Head tube insertion diameter: 34mm.
- ★ Stack height: 16.1mm+12.4mm=28.5mm
- ★ weight 118g (include top cap&bolt)



### 3. KHS-PT1860

- ★ 1-1/8" upper, 1.5" bottom (Integrated)
- ★ Material: AL6061 top cover&cap, steel bearing&bolt.
- ★ Bearing size: Ø ID28.6xOD41.8x8mm-45° (upper)  
Ø ID39.8xOD51.8 x8mm-45° (bottom)
- ★ Stack height: 9+1 mm
- ★ Color option: Black, Red, Gold.



## Steel bearing

### 1. KHS-F10

- ★ Heavy Duty headset, head tube 1-1/8" upper, 1.5" bottom.
- ★ Material: AL6061 with AL7075 crown race
- ★ Head tube insertion diameter: 44mm(upper), 49.6mm(bottom)
- ★ Stack height: 9.6+16.3 mm
- ★ Finish: Black anodized only



### 2. KHS-F13

- ★ 1-1/8" upper, 1.5" bottom (Semi-Integrated)
- ★ Material: AL6061 bearing cups, steel bearing&bolt.
- ★ Head tube insertion diameter: 44mm(upper), 56mm(bottom)
- ★ Stack height: 9.6+2.8 mm
- ★ Color option: Black, Red, Gold.



Cranksets	Handlebars	Quick Release Skewer
Derailleur system	ROAD bars	Jockey wheels & bolt.
Cassette	Seatposts	Components
Pedals	Seatpost Clamps	Screws & Bolts
Bottom Brackets	Cables / Housing	Bearings
Chaining sets	Road&MTB brake calipers	Apparels
Headsets	Brake shoes & Pads	KCNC distributors
Stems	Disc brake systems & Mount adaptors	

# HEADSETS

Cranksets	Handlebars	Quick Release Skewer
Derailleur system	ROAD bars	Jockey wheels & bolt.
Cassette	Seatposts	Components
Pedals	Seatpost Clamps	Screws & Bolts
Bottom Brackets	Cables / Housing	Bearings
Chaining sets	Road&MTB brake calipers	Apparels
<b>Headsets</b>	Brake shoes & Pads	KCNC distributors
Stems	Disc brake systems & Mount adaptors	



### 1. OMEGA-S1

- ★ 1 1/8" Integrated
- ★ Stack Height: 8mm
- ★ Bearing: Sealed AC Bearings 41x45° x6.5
- ★ Material: Top cover AL6061 with stainless steel crown race.
- ★ Cane Creek IS-2, IS-3 compatible for 45° headtube.
- ★ Color option: Black, Red, Gold, Silver, Blue, Green.



### 2. OMEGA-S2

- ★ 1 1/8" Integrated
- ★ Stack Height: 10mm
- ★ Bearing: Sealed AC Bearings 41.8x45° x8
- ★ Material: Top cover AL6061 with stainless steel crown race.
- ★ Ritchy compatible for 45° headtube.
- ★ Color option: Black, Red, Gold, Silver, Blue, Green.



### 3. OMEGA-S3

- ★ 1 1/8" Integrated
- ★ Stack Height: 15mm
- ★ Bearing: Sealed AC Bearings 41.8x45° x8
- ★ Material: Top cover AL6061 with stainless steel crown race.
- ★ Cane Creek Zs2, Campy compatible for 45° headtube.
- ★ Color option: Black, Red, Gold, Silver, Blue, Green.



### 1. KUDOS-Q1

- ★ 1 1/8" Semi-Integrated
- ★ Stack Height: 13mm
- ★ Head tube insertion diameter: Ø44
- ★ Bearing: Sealed AC Bearings 41x45° x6.5
- ★ Material: AL6061 body with steel crown race.
- ★ Cane Creek Zs2, Campy compatible for 45° headtube.
- ★ Color option: Black,Red,Gold,Silver,Blue,Green.



### 2. CADAC-K1

- ★ 1 1/8" Threadless
- ★ Design specifically for MTB DH, Dirt Jump usage.
- ★ Stack Height: 33mm
- ★ Head tube insertion diameter: Ø34
- ★ Bearing: Sealed AC Bearings 44x45° x6.5
- ★ Material: AL6061 with stainless steel crown race.
- ★ Cane Creek Zs2, Campy compatible for 45° headtube.
- ★ Color option: Black,Red,Gold,Silver,Blue,Green.



# STEMS

Cranksets	Handlebars	Quick Release Skewer
Derailleur system	ROAD bars	Jockey wheels & bolt.
Cassette	Seatposts	Components
Pedals	Seatpost Clamps	Screws & Bolts
Bottom Brackets	Cables / Housing	Bearings
Chaining sets	Road&MTB brake calipers	Apparels
Headsets	Brake shoes & Pads	KCNC distributors
Stems	Disc brake systems & Mount adaptors	



## ARROW / ARROW II

- ★ 7" or 17" riser stem.
- ★ ARROW: AL7075 with Ti bolts, Black and White paint coating.  
ARROW II : AL6061 with sus bolts, Black anodized only.
- ★ 7" Extension: 80/90/100/110/120/130mm.
- ★ 17" Extension: 70/80/90/100/110/120/130/140/150mm.
- ★ O/S 31.8 bar bore diameter.

# STEMS

Cranksets	Handlebars	Quick Release Skewer
Derailleur system	ROAD bars	Jockey wheels & bolt.
Cassette	Seatposts	Components
Pedals	Seatpost Clamps	Screws & Bolts
Bottom Brackets	Cables / Housing	Bearings
Chaining sets	Road&MTB brake calipers	Apparels
Headsets	Brake shoes & Pads	KCNC distributors
Stems	Disc brake systems & Mount adaptors	



## 1. SC WING

- ★ Material: T7451 scandium alloy
- ★ Clamp diameter: 25.4/26/31.8mm
- ★ Steerer diameter: 28.6mm(1-1/8")
- ★ Extension: 50/60/70/80/90/100/110/120/130mm
- ★ Rise: 5 degree
- ★ Stack Height: 38mm
- ★ Bolts: Titanium\*6
- ★ Full CNC machined& Sand Blasted with anodized finish.



## 1. Team issue

- ★ Material: AL7075
- ★ Clamp diameter: 31.8mm
- ★ Steerer diameter: 28.6mm(1-1/8")
- ★ Extension: 50/60/70/80/90/100/110/120/130mm
- ★ Rise: 5 degree
- ★ Stack Height: 38mm
- ★ Bolts: Titanium\*6
- ★ Full CNC machined& Sand Blasted with anodized finish.



## 2. Ti pro

- ★ Material: AL7075
- ★ Clamp diameter: 25.4/26mm
- ★ Steerer diameter: 28.6mm(1-1/8")
- ★ Extension: 50/60/70/80/90/100/110/120/130mm
- ★ Rise: 5 degree
- ★ Stack Height: 38mm
- ★ Bolts: Titanium\*6
- ★ Full CNC machined& Sand Blasted with anodized finish.



## 2. Fly ride

- ★ Material: AL6061
- ★ Clamp diameter: 25.4/31.8mm
- ★ Steerer diameter: 28.6mm(1-1/8")
- ★ Extension: 50/60/70/80/90/100/110/120/130mm
- ★ Rise: 5 degree
- ★ Stack Height: 38mm
- ★ Bolts: Stainless steel\*6
- ★ Full CNC machined& Sand Blasted with anodized finish.

# STEMS

## 1. DH PRO

- ★ Designed for MTB FR/DH usage.
- ★ Material: AL6061-T6
- ★ Steerer diameter: 28.6mm
- ★ Clamp diameter: 25.4/31.8mm
- ★ Extensions: 40mm, 50mm.
- ★ Rise: 5 degree
- ★ Bolts: 7 pcs stainless steel
- ★ Full CNC machined with anodized finish



## 2. BEAR ARM

- ★ Material: AL6061
- ★ Clamp diameter: 31.8mm
- ★ Steerer diameter: 28.6mm (1-1/8")
- ★ Extension: 50/70/100mm
- ★ Rise: 5 degree
- ★ Stack Height: 38mm
- ★ Bolts: Stainless steel\*6
- ★ Full CNC machined with anodized finish.



## 3. FREE RIDE

- ★ Material: AL7075
- ★ Clamp diameter: 25.4/31.8mm
- ★ Steerer diameter: 28.6mm (1-1/8")
- ★ Extension: 50/60/70/100mm
- ★ Rise: 10 degrees
- ★ Stack Height: 38mm
- ★ Bolts: scandium alloy\*6
- ★ Full CNC machined with anodized finish.



## 1. Beta 33

- ★ Stem for FR/MTB use
- ★ Material: AL6061-T6
- ★ Steerer diameter: 28.6mm
- ★ Clamp diameter: 31.8mm
- ★ Extensions: 50mm, 70mm, 90mm
- ★ Rise: 5 degree
- ★ Bolts: 6 pcs stainless steel
- ★ Full CNC machined with anodized finish



## 2. Beta 34

- ★ Stem for FR/MTB use
- ★ Material: AL6061-T6
- ★ Steerer diameter: 38.1mm
- ★ Clamp diameter: 31.8mm
- ★ Extensions: 50mm, 70mm, 90mm
- ★ Rise: 5 degree
- ★ Bolts: 6 pcs stainless steel
- ★ Full CNC machined with anodized finish



Cranksets	Handlebars	Quick Release Skewer
Derailleur system	ROAD bars	Jockey wheels & bolt.
Cassette	Seatposts	Components
Pedals	Seatpost Clamps	Screws & Bolts
Bottom Brackets	Cables / Housing	Bearings
Chaining sets	Road&MTB brake calipers	Apparels
Headsets	Brake shoes & Pads	KCNC distributors
Stems	Disc brake systems & Mount adaptors	



# HANDLE BARS

**FLAT BARS-** **RISER BARS-** **RISER BARS-**  
**15mm** **1.5 INCH**  
**RISER BARS-** **RISER BARS-**  
**1 INCH** **2 INCH**

Cranksets	Handlebars	Quick Release Skewer
Derailleur system	ROAD bars	Jockey wheels & bolt.
Cassette	Seatposts	Components
Pedals	Seatpost Clamps	Screws & Bolts
Bottom Brackets	Cables / Housing	Bearings
Chaining sets	Road&MTB brake calipers	Apparels
Headsets	Brake shoes & Pads	KCNC distributors
Stems	Disc brake systems & Mount adaptors	

## FLAT BARS

### 1. SC Bone-flat

- ★ Material: Scandium alloy T-7451
- ★ Length: 600mm / 710mm for 29er
- ★ Diameter: 25.4/31.8mm (600mm)
- ★ Diameter: 31.8 only for 710mm 29er
- ★ Rise: 0 degree
- ★ Backsweep: 8 or 10 degrees.
- ★ Sand blasted& anodized finish.



### 2. Darkside-flat

- ★ Material: AL7075
- ★ Length: 600mm / 710mm for 29er
- ★ Diameter: 31.8 only for 710mm 29er
- ★ Diameter: 25.4/31.8mm (600mm)
- ★ Rise: 0 degree
- ★ Backsweep: 8 or 10 degrees.
- ★ Sand blasted& anodized finish.



### 3. Rampant-flat

- ★ Material: AL6061
- ★ Length: 600mm / 710mm for 29er
- ★ Diameter: 25.4/31.8mm (600mm)
- ★ Diameter: 31.8 only for 710mm 29er
- ★ Rise: 0 degree
- ★ Backsweep: 8 or 10 degrees.
- ★ Sand blasted& anodized finish.
- ★ Color: Black, Blue, Gold, Green, Red.



# HANDLE BARS

## RISE BARS- 15mm

### 1. SC Bone-riser 15mm

- ★ Material: Scandium alloy T7451
- ★ Length: 710mm
- ★ Diameter: 25.4/31.8mm
- ★ Rise: 15 mm
- ★ Backsweep: 8 degree
- ★ Sand blasted& anodized finish.



### 2. Darkside-riser 15mm

- ★ Material: AL7075
- ★ Length: 710mm
- ★ Diameter: 25.4/31.8mm
- ★ Rise: 15 mm
- ★ Backsweep: 8 degree
- ★ Sand blasted& anodized finish.



### 3. Rampant-riser 15mm

- ★ Material: AL6061
- ★ Length: 710mm
- ★ Diameter: 25.4/31.8mm
- ★ Rise: 15 mm
- ★ Backsweep: 8 degree
- ★ Sand blasted& anodized finish.
- ★ Color: Black, Blue, Gold, Green, Red.



## RISE BARS- 1 INCH

### 1. SC Bone-riser 1 inch

- ★ Material: Scandium alloy T7451
- ★ Length: 710mm
- ★ Diameter: 25.4/31.8mm
- ★ Rise: 1 inch
- ★ Backsweep: 8 degree
- ★ Sand blasted& anodized finish.



### 2. Darkside-riser 1 inch

- ★ Material: AL7075
- ★ Length: 710mm
- ★ Diameter: 25.4/31.8mm
- ★ Rise: 1 inch
- ★ Backsweep: 8 degree
- ★ Sand blasted& anodized finish.



### 3. Rampant-riser 1 inch

- ★ Material: AL6061
- ★ Length: 710mm
- ★ Diameter: 25.4/31.8mm
- ★ Rise: 1 inch
- ★ Backsweep: 8 degree
- ★ Sand blasted& anodized finish.



Cranksets	Handlebars	Quick Release Skewer
Derailleur system	ROAD bars	Jockey wheels & bolt.
Cassette	Seatposts	Components
Pedals	Seatpost Clamps	Screws & Bolts
Bottom Brackets	Cables / Housing	Bearings
Chaining sets	Road&MTB brake calipers	Apparels
Headsets	Brake shoes & Pads	KCNC distributors
Stems	Disc brake systems & Mount adaptors	

# HANDLE BARS

## RISE BARS- 1.5 INCH

### 1. SC Bone-riser 1.5 inch

- ★ Material: Scandium alloy T7451
- ★ Length: 710mm
- ★ Diameter: 25.4/31.8mm
- ★ Rise: 1.5 inch
- ★ Backsweep: 8 degree
- ★ Sand blasted& anodized finish.



### 2. Darkside-riser 1.5 inch

- ★ Material: AL7075
- ★ Length: 710mm
- ★ Diameter: 25.4/31.8mm
- ★ Rise: 1.5 inch
- ★ Backsweep: 8 degree
- ★ Sand blasted& anodized finish.



### 3. Rampant-riser 1.5 inch

- ★ Material: AL6061
- ★ Length: 710mm
- ★ Diameter: 25.4/31.8mm
- ★ Rise: 1.5 inch
- ★ Backsweep: 8 degree
- ★ Sand blasted& anodized finish.



## RISE BARS- 2 INCH

### 1. SC Bone-riser 2 inch

- ★ Material: Scandium alloy T7451
- ★ Length: 710mm
- ★ Diameter: 25.4/31.8mm
- ★ Rise: 2 inch
- ★ Backsweep: 8 degree
- ★ Sand blasted& anodized finish.



### 2. Darkside-riser 2 inch

- ★ Material: AL 7075
- ★ Length: 710mm
- ★ Diameter: 25.4/31.8mm
- ★ Rise: 2 inch
- ★ Backsweep: 8 degree
- ★ Sand blasted& anodized finish.



### 3. Rampant-riser 2 inch

- ★ Material: AL6061
- ★ Length: 710mm
- ★ Diameter: 25.4/31.8mm
- ★ Rise: 2 inch
- ★ Backsweep: 8 degree
- ★ Sand blasted& anodized finish.



Cranksets	Handlebars	Quick Release Skewer
Derailleur system	ROAD bars	Jockey wheels & bolt.
Cassette	Seatposts	Components
Pedals	Seatpost Clamps	Screws & Bolts
Bottom Brackets	Cables / Housing	Bearings
Chaining sets	Road&MTB brake calipers	Apparels
Headsets	Brake shoes & Pads	KCNC distributors
Stems	Disc brake systems & Mount adaptors	



# ROAD BARS

**ROAD bars**      **Barends**  
**Triathlon bar**   **Bar ends/Plugs**  
**Aerobar**

## ROAD bars

Cranksets	Handlebars	Quick Release Skewer
Derailleur system	<b>ROAD bars</b>	Jockey wheels & bolt.
Cassette	Seatposts	Components
Pedals	Seatpost Clamps	Screws & Bolts
Bottom Brackets	Cables / Housing	Bearings
Chaining sets	Road&MTB brake calipers	Apparels
Headsets	Brake shoes & Pads	KCNC distributors
Stems	Disc brake systems & Mount adaptors	

### 1. SC force

- ★ Material: scandium alloy T7451
- ★ Center to center width: 400/420/440mm
- ★ Diameter: 26/31.8mm
- ★ Reach: 145mm
- ★ Drop: 175mm



### 2. Pure Curve 7075

- ★ Material: AL 7075
- ★ Center to center width: 400/420/440mm
- ★ Diameter: 26/31.8mm
- ★ Reach: 145mm
- ★ Drop: 175mm



### 3. Pure Curve 6061

- ★ Material: AL 6061
- ★ Center to center width: 400/420/440mm
- ★ Diameter: 26/31.8mm
- ★ Reach: 145mm
- ★ Drop: 175mm



# ROAD BARS

## Triathlon bar



1. RBS Lite



2. RBS Pro

### 1. RBS Lite 2. RBS Pro

- ★ Material: AL6061
- ★ O/S 31.8mm bars with detachable extensions.
- ★ Fully CNC machined brackets for precise alignment and rigidity.
- ★ Armrests horizontally adjustable by 17 degree (toe in & out).
- ★ Horizontal extension length adjustable by 100mm, (S bend)(J bend) available.
- ★ Five vertical height adjustments for optimal comfort.
- ★ Available width: 380/400/420mm
- ★ 440mm center to center.
- ★ Sand blasted & anodized finish.

## Aerobar



### 1. Centrilock

- ★ Unique Up&Down angle adjustment aerobar at 21.6° each direction.
- ★ Width adjustment from 390~420mm with mark indication.
- ★ Armrest bracket with slight angle & height adjustment.
- ★ Aero extension with arm length and rotational adjustment, (S bend)(J bend) available.
- ★ Material: AL7075
- ★ Clamp diameter: 31.8mm

### 2. Aerotekk

- ★ Slimline aerodynamic profile, aero extension with arm length and rotational adjustment, (S bend)(J bend) available.
- ★ Width: 390 or 420mm.
- ★ Material: AL6061
- ★ Clamp diameter: 31.8mm

Cranksets	Handlebars	Quick Release Skewer
Derailleur system	ROAD bars	Jockey wheels & bolt.
Cassette	Seatposts	Components
Pedals	Seatpost Clamps	Screws & Bolts
Bottom Brackets	Cables / Housing	Bearings
Chaining sets	Road&MTB brake calipers	Apparels
Headsets	Brake shoes & Pads	KCNC distributors
Stems	Disc brake systems & Mount adaptors	

# ROAD BARS

## Barends



### 1. BE1

- ★ Material: 7075AL
- ★ Length: 115mm, Grip length:85mm
- ★ Bolts: Scandium alloy M8.
- ★ Full CNC machined with easy grip contour.
- ★ Sand Blasted anodized with black/gold/red/blue/silver color anodized.



### 2. BE2

- ★ Material: 6061AL
- ★ Length: 115mm, Grip length:85mm
- ★ Bolts: stainless steel M8.
- ★ Full CNC machined with easy grip contour.
- ★ Sand Blasted anodized with black/gold/red/blue/silver/green color anodized.

## Bar ends/Plugs

Cranksets	Handlebars	Quick Release Skewer
Derailleur system	ROAD bars	Jockey wheels & bolt.
Casseffes	Seatposts	Components
Pedals	Seatpost Clamps	Screws & Bolts
Bottom Brackets	Cables / Housing	Bearings
Chaining sets	Road&MTB brake calipers	Apparels
Headsets	Brake shoes & Pads	KCNC distributors
Stems	Disc brake systems & Mount adaptors	



### 1. Bar end plugs

- ★ Material: AL6061
- ★ Adjustable range: 18-25mm
- ★ Full CNC machined top cap.



### 2. Bar end plugs- HBC01

- ★ Material: AL6061
- ★ Designed for ROAD handle bars
- ★ Full CNC machined cap.



# SEATPOSTS

Cranksets	Handlebars	Quick Release Skewer
Derailleur system	ROAD bars	Jockey wheels & bolt.
Cassette	Seatposts	Components
Pedals	Seatpost Clamps	Screws & Bolts
Bottom Brackets	Cables / Housing	Bearings
Chaining sets	Road&MTB brake calipers	Apparels
Headsets	Brake shoes & Pads	KCNC distributors
Stems	Disc brake systems & Mount adaptors	



## ISP clamp- Majestic

- ★ AL7075 body and accessory, M6\*37mm+M6\*47mm Ti bolts.
- ★ Zero setback – 50mm/100mm L.
- ★ 25mm setback – 50mm/100mm L.
- ★ Dia 34.9mm.

# SEATPOSTS



## 1. Ti Pro Lite

- ★ Material: Double butted scandium alloy T-7451
- ★ Diameter: 27.2/30.9/31.6/34.9mm
- ★ Length: 350/400mm
- ★ M6\*37mm & 47mm titanium bolts
- ★ For ROAD/XC



## 2. Lite Wing

- ★ Material: AL 7075
- ★ Diameter: 33.9/34.9mm
- ★ Length: 550mm
- ★ Color: Black/Gold/Red/Blue anodized.
- \*Extra long post for folding bikes usage\*



## 1. Seatpost Bag

- ★ Click and release simple removable rack with safety lock function.
- ★ Bag rack with vertical angle adjustment function at your convenience.
- ★ Provides four sizes of seatpost clamp: 27.2 / 30.9 / 31.6 / 34.9mm.
- ★ Material: Denier nylon + EVA form, AL6061 bag rack.
- ★ Capacity: 5L
- ★ Maximum weight capacity: 5kg
- ★ Size: Length x Width x Height 30\*15\*15 cm without alloy rack

## 2. T1R

- ★ Material: Double butted scandium alloy T7451
- ★ Diameter: 31.6mm
- ★ Length: 350mm
- ★ Color: Black anodized.
- ★ Bolts: 6/4 Ti M8x2
- ★ For DH/FR/XC usage.



## 3. T3R

- ★ Material: AL7075
- ★ Diameter: 27.2/30.9/31.6mm
- ★ Length: 350mm
- ★ Color: Black anodized.
- ★ For ROAD/XC usage.

## 4. T4R

- ★ Material: AL7075
- ★ Diameter: 27.2/30.9/31.6mm
- ★ Length: 350mm
- ★ Color: Black anodized.
- ★ For ROAD/XC usage

Cranksets	Handlebars	Quick Release Skewer
Derailleur system	ROAD bars	Jockey wheels & bolt.
Cassette	Seatposts	Components
Pedals	Seatpost Clamps	Screws & Bolts
Bottom Brackets	Cables / Housing	Bearings
Chaining sets	Road&MTB brake calipers	Apparels
Headsets	Brake shoes & Pads	KCNC distributors
Stems	Disc brake systems & Mount adaptors	

# SEATPOSTS CLAMPS



## 1. Seatpost bottle cage clamp

- ★ Allows you to install an extra bottle cage on the seatpost.
- ★ Clamp body dia. 27.2/30.9/31.6/34.9mm.
- ★ AL7075 clamp body with Ti bolts.
- ★ AL6061 clamp body with SUS bolts.
- ★ Black, Red, Gold, Blue, Silver, Green available.

## 2. MTB QR clamps SC10

- ★ Material: AL7075 with 6/4 Ti axle.
- ★ Clamp diameter: 31.8/34.9/36.4/36.9/38.2/39mm
- ★ Hollow lever design with self-lubricating brass.



## 3. MTB QR Clamp SC12

- ★ Material: AL6061 with stainless steel lever axle.
- ★ Clamp diameter: 31.8/34.9mm
- ★ KCNC hollow lever design with self-lubricating brass.



## 4. MTB clamps SC11

- ★ Material: AL7075
- ★ Clamp diameter: 31.8/34.9/36.4/36.9/38.2/38.6/39mm
- ★ Scandium alloy Allen bolt.



Cranksets	Handlebars	Quick Release Skewer
Derailleur system	ROAD bars	Jockey wheels & bolt.
Cassette	Seatposts	Components
Pedals	Seatpost Clamps	Screws & Bolts
Bottom Brackets	Cables / Housing	Bearings
Chaining sets	Road&MTB brake calipers	Apparels
Headsets	Brake shoes & Pads	KCNC distributors
Stems	Disc brake systems & Mount adaptors	



## 1. SC13 twin clamp

- ★ AL7075, concealed inner o-rings design, ideal for carbon seatpost to avoid slippery falling.
- ★ Color: Black, Red, Blue, Gold anodized.
- ★ Size: 30.7/27.2mm, 31.8/27.2mm, 34.9/30.9mm, 34.9/31.6mm.



## 2. Seatpost grip SC 14

Must works together with seatpost clamp, concealed inner o-rings prevents carbon fiber seatpost from falling.

- ★ AL6061
- ★ Size: 30.7/27.2mm, 31.8/27.2mm, 34.9/30.9mm, 34.9/31.6mm.

## 3. ROAD Pro

- ★ Material: AL7075
- ★ Clamp diameter: 30.7/31.8/34.9/38.2mm
- ★ M5 Ti bolt.



## 4. ROAD Lite

- ★ Material: AL7075
- ★ Clamp diameter: 30.7/31.8/34.9/35.6mm
- ★ M5 Ti or stainless steel bolt.





# CABLES / HOUSING

## NANO-DIAMOND (PTFE) TEFLON COATING INNER CABLES

Cranksets	Handlebars	Quick Release Skewer
Derailleur system	ROAD bars	Jockey wheels & bolt.
Cassette	Seatposts	Components
Pedals	Seatpost Clamps	Screws & Bolts
Bottom Brackets	<b>Cables / Housing</b>	Bearings
Chaining sets	Road&MTB brake calipers	Apparels
Headsets	Brake shoes & Pads	KCNC distributors
Stems	Disc brake systems & Mount adaptors	



stainless steel



Titanium

### Nano-diamond ( PTFE ) Teflon coating inner cables

Advantages: Extremely low friction, long lasting performance.

Material: Slick stainless steel or Titanium

- ★ Road/MTB brake cables: Ø 1.5mm. Length (1M+1.7M).
- ★ Road/MTB shift cables: Ø 1.1mm. Length (1.8M+2.1M).
- ★ Stainless steel: Dark grey / Titanium: gold color.

# CABLES / HOUSING

Cranksets	Handlebars	Quick Release Skewer
Derailleur system	ROAD bars	Jockey wheels & bolt.
Cassette	Seatposts	Components
Pedals	Seatpost Clamps	Screws & Bolts
Bottom Brackets	<b>Cables / Housing</b>	Bearings
Chaining sets	Road&MTB brake calipers	Apparels
Headsets	Brake shoes & Pads	KCNC distributors
Stems	Disc brake systems & Mount adaptors	



## 1. Wire&housing kits

- ★ Road brake housing&wire kit  
2.5m housing\*1, 900mm wire\*1, 1700mm wire\*1  
cable tip\*3, housing cap\*10, o-ring\*6
- ★ MTB brake housing&wire kit  
2.5m housing\*1, 900mm wire\*1, 1700mm wire\*1  
cable tip\*3, housing cap\*10, o-ring\*6
- ★ Shifter housing&wire kit  
2.2m housing\*1, 1800mm wire\*1, 2100mm wire\*1  
cable tip \*3, housing cap \*6, o-ring \*6
- ★ Black, Red, White color available.



## 2. FEP Teflon coating inner cables

Advantages: Low friction, long lasting performance.

Material: Slick stainless steel.

- ★ Road/MTB brake cables: Dia. 1.5mm\*1.7M / Dia. 1.5mm\*3.4M(red color only)
- ★ Road/MTB shift cables: Dia. 1.1mm\*2.1M / Dia. 1.1mm\*4.2M(red color only)
- ★ 50pcs/box package available.



## 1. Cable housing

- ★ Stainless steel braided wire, carbon fiber pattern.
- ★ Alloy & Stainless steel braided wire, carbon fiber pattern.
- ★ Shift cable housing(4mm)
- ★ Brake cable housing(5mm)
- ★ 30 meters package.



## 2. Ferrules

- ★ For 4mm shift cable housing.
- ★ For 5mm brake cable housing.
- ★ 150pcs/bottle.



## 3. Cable Tips

- ★ AL6061, 500pcs/bottle.