

KCNC
INTERNATIONAL



05051



ABOUT

Kcnc International A Company Has Full Of Passionate Engineers Working For The Brand Kcnc.

Ken Lin Is Our Leader And Chief Engineer, Well-Honed Experience Of Aluminum And Titanium Design / Machining Skills For Some Of The Famous Bicycle Brands In The Industry.

Kcnc Staffs Are Fuelled With The Single Desire To Design & Produce Our Bicycle Parts Finest Possible.

With Over Decades Of Experience, Our Engineers Continue Refining, Renovating And Designing Better Products In Many Ways Of Light weight Consideration, Quality, Reliability And Esthetics.

It Implies Wide Range Of Kcnc Parts With Exclusive Patents Such As Cranksets, Stems, Seatposts And Brake Calipers Etc.....

Even With Our Advancing Manufacturing Skills, Modern Design And Exotic Engineering Techniques; We Will Never Forget The Most Essential Issue, "The Rider's Demands".

CONTENTS

05	CRANKSETS
09	CASSETTES
14	PEDALS
19	BOTTOM BRACKETS
25	CHAINRING SETS
33	HEADSETS
41	STEMS
47	HANDLEBARS
53	ROAD BARS
59	SEATPOSTS
65	SEATPOST CLAMPS
67	CABLES / HOUSING
71	ROAD & MTB BRAKE CALIPERS
79	BRAKE SHOES & PADS
80	DISC BRAKE SYSTEMS & MOUNTADAPTORS
85	JOCKEY WHEELS & BOLT.
86	QUICK RELEASE SKEWER
92	COMPONENTS
122	SCREWS & BOLTS
124	BEARINGS
125	APPARELS
126	KCNC DISTRIBUTORS

KCNC

www.kcnc.com.tw



A male cyclist wearing a red and black jersey, black shorts, and a black helmet is riding a mountain bike on a dirt trail. The bike has yellow accents on the wheels and frame. The background is a blurred forest, suggesting motion. The image is framed by an orange border that tapers at the top and bottom.

CRANKSETS

K-TYPE

series- External bearing

K3 Integrated
series

CRANKSETS



Integrated crankset- ORBIT


- ◆ Threaded BB, BB86/92, BB30, PF30 compatible By choosing required BB adaptors.
- ◆ Durable O/S BB bearings, 30m crank axle.
- ◆ Crank arm length: 160/165/170/175mm
- ◆ 10S/11S MTB&ROAD available.



K-TYPE TK1

- ◆ Crank Arm length: 165/167.5/170/172.5/175/177.5mm, 7075AL.
- ◆ Chainring: 56 or 60T single, 7075AL.
- ◆ Spider: 5-arm BCD 130mm, 7075AL.
- ◆ Chainring bolt: KCNC Allen bolts 7075AL.
- ◆ Q-Factor: 153mm
- ◆ Bearing: Full stainless steel, better anti-rusting&durability.
- ◆ High precision full CNC machined single chainring.

Cranksets	Chainring sets	ROAD bars	Road&MTB brake calipers	Jockey wheels & bolt	Apparels
Cassettes	Headsets	Seatposts	Brake shoes & Pads	Components	KCNC distributors
Pedals	Stems	Seatpost Clamps	Disc brake systems & Mount adaptors	Screws & Bolts	
Bottom Brackets	Handlebars	Cables / Housing	Quick Release Skewer	Bearings	



Chainring conversion kit

For user who would like to converts their triple chainring crankset to double set.

Compatible with Shimano XTR M980(104/64 BCD), Please check the placement chainring combination diagram.






A close-up photograph of a bicycle cassette, showing the multiple sprockets of different sizes. The cassette is mounted on a red hub. A yellow label with the 'KCNC' logo is visible on one of the sprockets. The background is a blurred view of the bicycle's rear wheel and spokes. The entire image is framed by a dark blue border.

CASSETTES

CASSETTES



Cassette for SR Eagle 12s




- ◆ Cogs: 9, 10, 12, 15, 18, 22, 26, 30, 34, 40, 46, 52T
- ◆ Compatibility: SR Eagle 12s, XD drive body.

Material: SACM645 steel(9/10/12/15/18/22/26T); AL7075(30/34/40/46/52T)

- ◆ Weight: 325grams



Cranksets	Chainring sets	ROAD bars	Road&MTB brake calipers	Jockey wheels & bolt	Apparels
Cassettes	Headsets	Seatposts	Brake shoes & Pads	Components	KCNC distributors
Pedals	Stems	Seatpost Clamps	Disc brake systems & Mount adaptors	Screws & Bolts	
Bottom Brackets	Handlebars	Cables / Housing	Quick Release Skewer	Bearings	



CASSETTES



10 speed stainless steel cassette(11-36T)

- ◆ SUS420 press cutting stainless steel cogs, fixed on 7075 alloy carrier, smallest three cogs are removable 11&12T(single piece), 14T(single piece), others are fixed by SUS rivets.
- ◆ Material: AL7075 carrier& stainless steel cogs& rivets.
- ◆ Gear range of 11/12/14/16/18/21/24/28/32/36; only 11-36T range is available for 10speed SUS cassette.
- ◆ Shimano/Sram 10speed compatible



11 speed stainless steel cassette(11-42T)

- ◆ SUS420 press cutting stainless steel cogs, fixed on 7075 alloy carrier, smallest three cogs 11&12T(single piece), 14T(single piece)& largest 42T alloy cog are removable; others are fixed by SUS rivets.
- ◆ Material: AL7075 carrier&42T cog; stainless steel cogs & rivets.
- ◆ Gear range of 11/12/14/16/18/21/24/28/32/36/42(alloy); only 11-42T range is available for 11speed SUS cassette.
- ◆ Shimano 11speed compatible



Cranksets	Chainring sets	ROAD bars	Road&MTB brake calipers	Jockey wheels & bolt	Apparels
Cassettes	Headsets	Seatposts	Brake shoes & Pads	Components	KCNC distributors
Pedals	Stems	Seatpost Clamps	Disc brake systems & Mount adaptors	Screws & Bolts	
Bottom Brackets	Handlebars	Cables / Housing	Quick Release Skewer	Bearings	




11s MTB titanium cassette- 11-40T

- ◆ 11/12/14/16/18//21/24/28/32/36/40T
- ◆ Material: AL7075 carrier&40T cog, 6AL/4V titanium cogs(11~36T)
- ◆ Shimano/SRAM 11S MTB compatible.




11s MTB titanium cassette- 11-42T

- ◆ 11/12/14/16/18//21/24/28/32/36/42T
- ◆ AL7075 carrier&42T cog, 6AL/4V titanium cogs(11~36T)
- ◆ Shimano/SRAM 11S MTB compatible.




11s Road titanium cassette- 11-27T

- ◆ 11/12/13/14/15/17/19/21/23/25/27T
- ◆ Material: AL7075 carrier&27T cog, 6AL/4V titanium cogs(11~25T)
- ◆ Shimano/SRAM 11S ROAD compatible.



11s Road titanium cassette- 11-30T

- ◆ 11/12/13/15/17/19/21/23/25/27/30T
- ◆ Material: AL7075 carrier&30T cog, 6AL/4V titanium cogs(11~27T)
- ◆ Shimano/SRAM 11S ROAD compatible.

A photograph of a mountain biker riding a rocky trail. The rider is wearing a blue and black jersey, black shorts, and a black backpack. The trail is made of loose stones and is set against a backdrop of a steep, rocky mountain slope with sparse vegetation. The image is framed by an orange border.

PEDALS

Road Platform
MTB Platform

PEDALS

MTB clipless pedal-KPED08

- ◆ Body: CNC AL6061 machined
- ◆ Axle: Cr-MO or 6AL/4V titanium
- ◆ Bearing: LSL bushing& sealed
- ◆ Binding: Dual side Cr-Mo, tension adjustable
- ◆ Cleat: Shimano SPD compatible
- ◆ Color: Black/Red/Silver



MTB clipless/platform pedal-KPED09

- ◆ Body: CNC AL6061 machined
- ◆ Axle: Cr-MO or 6AL/4V titanium
- ◆ Bearing: LSL bushing& sealed
- ◆ Binding: Dual side Cr-Mo, tension adjustable
- ◆ Cleat: Shimano SPD compatible
- ◆ Color: Black/Red/Silver



ROAD clipless pedal-KPED10

- ◆ Body: CNC AL6061 machined
- ◆ Axle: Cr-MO or 6AL/4V titanium
- ◆ Bearing: LSL bushing& sealed
- ◆ Binding: Fiber glass reinforced thermoplastic, tension adjustable
- ◆ Cleat: /01%232(4+
- ◆ Color: Black/Red/Silver




Cranksets	Chainring sets	ROAD bars	Road&MTB brake calipers	Jockey wheels & bolt	Apparels
Cassettes	Headsets	Seatposts	Brake shoes & Pads	Components	KCNC distributors
Pedals	Stems	Seatpost Clamps	Disc brake systems & Mount adaptors	Screws & Bolts	
Bottom Brackets	Handlebars	Cables / Housing	Quick Release Skewer	Bearings	



MTB clipless/platform pedal-KPED11

- ◆ Body: CNC AL6061 machined
- ◆ Axle: CroMo
- ◆ Bearing: LSL bushing & sealed
- ◆ Binding: Single side CroMo, tension adjustable
- ◆ Cleat: SH SPD compatible
- ◆ Size: 91x100x27mm



'MTB slim platform pedal-PEDIA

- ◆ 10mm slim compact platform.
- ◆ Full CNC AL7075 material.
- ◆ SUS or Titanium spindle available.
- ◆ Color: Black/Blue/Red/Gold/Yellow Green/Silver.



Road slim platform pedal-KYREX

- ◆ 10mm slim compact platform.
- ◆ Full CNC AL7075 material.
- ◆ SUS or Titanium spindle available.
- ◆ Color: Black/Blue/Red/Gold/Yellow Green/Silver.

PEDALS

ROAD PLATFORM



ROAD-Platform pedal

- ◆ Body: AL7075
- ◆ Spindle: 6/4 Titanium(DLC coating) or Stainless Steel (TiN coating)
- ◆ Bearings: 1xcartridge stainless steel, 1xSS needle bushing.
- ◆ Studs: Stainless steel
- ◆ Weight: Ti spindle- 150g(pair) / SS spindle- 185g(pair)



Cranksets	Chainring sets	ROAD bars	Road&MTB brake calipers	Jockey wheels & bolt	Apparels
Cassettes	Headsets	Seatposts	Brake shoes & Pads	Components	KCNC distributors
Pedals	Stems	Seatpost Clamps	Disc brake systems & Mount adaptors	Screws & Bolts	
Bottom Brackets	Handlebars	Cables / Housing	Quick Release Skewer	Bearings	

MTB PLATFORM




MTB-Platform pedal-xc

- ◆ Body: AL6061
- ◆ Spindle: 6/4 Titanium(DLC coating) or Stainless steel (TiN coating)
- ◆ Bearings: 1xcartridge stainless steel, 1xSS needle bushing.
- ◆ Studs: Stainless Steel
- ◆ Weight: Ti spindle- 300g(pair) / SS spindle- 335g(pair)



Pedal extenders

- ◆ Adapters screw directly into pedal mounts to extend pedals further out to required side.
 - ◆ Fits 9/16" pedal threads.
 - ◆ Extension length: 18/23/28mm
 - ◆ Material: Stainless steel
- ◆ 17mm open wrench required for installation.



BOTTOM BRACKETS

BOTTOM BRACKETS



BB30 adaptor 2019

- ◆ This integrated version BB30 adaptor now compatible with BB30 frame ROAD 68&XC 73mm shell by changing different width BB shoulder spacers provided in the product package.
- ◆ Material: AL7075
- ◆ BB30
 - RD: XC68 chainline: 48.5/51
 - RD: XC73 chainline: 48.5/51
- ◆ PF30
 - RD: XC68 chainline: 48.5/51
 - RD: XC73 chainline: 48.5/51

Cranksets	Chainring sets	ROAD bars	Road&MTB brake calipers	Jockey wheels & bolt	Apparels
Cassettes	Headsets	Seatposts	Brake shoes & Pads	Components	KCNC distributors
Pedals	Stems	Seatpost Clamps	Disc brake systems & Mount adaptors	Screws & Bolts	
Bottom Brackets	Handlebars	Cables / Housing	Quick Release Skewer	Bearings	



KBB386 BB

- ◆ Designed for BB386 EVO cranksets to be used on threaded BB shell frame.
- ◆ Compatibility: BB386 EVO Ø 30mm axle cranksets
- ◆ Material: AL7075 bearing holders, SUS bearings.
- ◆ Spec: BSA 1.37"x24T threads, ID Ø 30mm bearings.
- ◆ Color: Black, Gold, Red.



PF30 BB - for Sram

- ◆ Designed for Sram PF30 spec frames/cranksets.
- ◆ Compatibility: PF30 system.
- ◆ Spec: Ø 46mm insertion diameter, ID Ø 30mm bearings, 68/73mm shell.
- ◆ Material: AL6061, SUS bearings.
- ◆ Color: Black, Gold, Red

BOTTOM BRACKETS

SHIMANO COMPATIBLE BB



ROAD BB - for Shimano



XC BB - for Shimano

- ◆ Material: AL7075 bearing cup and center sleeve.
- ◆ Durable stainless steel bearing, well performed against wear and rusting.
- ◆ Road BB: 68mm BSA: XC BB: 68/73mm(BSA)
- ◆ BB axle& bolts not included*

PF30 ADAPTOR



PF30 adaptor

- ◆ Used on PF30 (Dia.46mm) BB shell bike frame, allows you to use 24/25(with shim)mm axle Shimano or KCNC compatible crankset.
- ◆ BB shell insertion diameter: 46mm(PF30 spec), Bearing inner diameter 24, 25mm(with shim). For Shimano 24mm axle crankset, For KCNC K type 25mm axle crankset.
- ◆ Can be used on both Road&MTB crankset

BB30 ADAPTOR



BB30 RD / MTB

- ◆ This adaptor is for BB30 bike frame user to adopt 68mm / 68-73mm BB shell Road / MTB cranksets.
- ◆ Stainless steel bearings with O-ring seals.
- ◆ Center thread lock on design for maximum stability.
- ◆ Color option: Black, Red, Gold

Cranksets	Chainring sets	ROAD bars	Road&MTB brake calipers	Jockey wheels & bolt	Apparels
Cassettes	Headsets	Seatposts	Brake shoes & Pads	Components	KCNC distributors
Pedals	Stems	Seatpost Clamps	Disc brake systems & Mount adaptors	Screws & Bolts	
Bottom Brackets	Handlebars	Cables / Housing	Quick Release Skewer	Bearings	

PF86



PF92



BB86 Press fit BB92 Press fit

- ◆ Material: AL 7075, CNC machined bearing cup.
- ◆ Center engage design for maximum stability.
- ◆ Stainless steel bearings with o-ring seals.
- ◆ Compatible with KCNC K-TYPE and Shimano cranksets.

BOTTOM BRACKETS

CHAINRING BOLTS



SPB0013 & SPB0014 - for Shimano

SPB003 & SPB004 - for Shimano



SPB009 for Campy - for Campy Super Record

- ◆ Material: 7075AL
- ◆ Colours Available :Black,Blue,Gold,Green Sliver & Red anodized finish.
- ◆ With KCNC laser engraved logo
- ◆ Patented design
- ◆ SPB0013: M8.5x0.75x4.5mm[A] M8.5x0.75x4.5mm[B]
- ◆ SPB0014: M8.5x0.75x6mm[A] M8.5x0.75x7mm[B]
- ◆ SPB003: M8x0.75x6.5mm[A] M8x0.75x4mm[B]
- ◆ SPB004: M8x0.75x8.5mm[A] M8x0.75x6.5mm[B]



Crank arm extractors

- ◆ AL 7075 with anodized finish.
- ◆ Extractor for KCNC cranksets arm.



CHAINRING SETS

K3-COBWEB SERIES

BLADE SERIES

STANDARD SERIES

CHAINRING SETS



Narrow Wide chainrings- SCOPE

- ◆ Designed for 9/10/11s front single ring drivetrain, the idea of narrow wide machining tooth profile is to fit more closely into the narrow and side plate spacing of a normal drive chain, hold both more securely with less play, reduce the chance of chain falling/dropping, keep the drive chain running smoothly.
- ◆ Stiff 5mm alloy plate transfers load without flexing.
- ◆ Tooth: 30/32/34/36/38T.
- ◆ BCD104
- ◆ Material: AL7075-T73.
- ◆ Chainring bolt mount socket: M8*P0.75
- ◆ Color: Black, Red, Gold, Green.

Direct mount chainring


- ◆ Full CNC AL7075 material.
- ◆ Narrow Wide tooth profile.
- ◆ 28/30/32/34/36/38/40T
- ◆ Fits XX1/X01/X1-1400/GX-1400 cranksets.



Rotex chainring

- ◆ Shimano 11s DA/9000/DA9100 compatible
- ◆ Full CNC AL7075 alloy.
- ◆ RD 53/39T BCD 110, 4 bolts.
- ◆ Color: Black/Red/Gold.

Cranksets	Chainring sets	ROAD bars	Road&MTB brake calipers	Jockey wheels & bolt	Apparels
Cassettes	Headsets	Seatposts	Brake shoes & Pads	Components	KCNC distributors
Pedals	Stems	Seatpost Clamps	Disc brake systems & Mount adaptors	Screws & Bolts	
Bottom Brackets	Handlebars	Cables / Housing	Quick Release Skewer	Bearings	



Road&MTB Cobweb series oval chainring

- ◆ Full CNC 7075 alloy
- ◆ MTB:38/24T,42/27T,BCD 104/64mm.
- ◆ Road: 53/39T, BCD 130mm
- ◆ Color:Black /Red/Gold.




16T + 42T cog

- ◆ Shimano / Sram 10s cassette tuning cogs.
- ◆ Material: 16T SUS cog /42T 7075 alloy.
- ◆ 10s: 11-13-16-19-21-24-28-32-36-42
- ◆ Color: Black / Red.

Road

- ◆ 58 / 44, 53 / 39, 52/36, 50 / 34 (Compact)
- ◆ Material: AL 7075
- ◆ BCD: 5 bolt 130mm / 110mm
- ◆ Full CNC machined with anodized finish.




MTB triple

- ◆ 48 / 36 / 24T, 44 / 32 / 22T, BCD: 4 bolt 104 / 64mm.
- ◆ 40 / 30 / 20T BCD: 5 bolt 94 / 58 mm
- ◆ Material: AL 7075
- ◆ Full CNC machined with anodized finish.




MTB double

- ◆ 45 / 30T, 42 / 29T, 42 / 27T, 40 / 27T, 40 / 26T, 38 / 26T, 38 / 24T, 36 / 22T.
- ◆ Material: AL 7075
- ◆ BCD: 4 bolt 104 / 64mm.
- ◆ Full CNC machined with anodized finish.



Cranksets	Chainring sets	ROAD bars	Road&MTB brake calipers	Jockey wheels & bolt	Apparels
Cassettes	Headsets	Seatposts	Brake shoes & Pads	Components	KCNC distributors
Pedals	Stems	Seatpost Clamps	Disc brake systems & Mount adaptors	Screws & Bolts	
Bottom Brackets	Handlebars	Cables / Housing	Quick Release Skewer	Bearings	



K6 - COBWEB II Oval chainring


- ◆ Specifically developed to improve chainring stiffness over standard 4mm thickness chainrings.
- ◆ The reinforced 5/6 mm chainrings can reduce the chance of chain suck due to flexible or bending while changing gears.
 - ◆ Oval shape design to increase pedaling efficiency.
 - ◆ AL7075
 - ◆ Available in RD 50/34T only.



K5 BLADE II series Rectangular chainrings

- ◆ Specifically developed to improve chainring stiffness over standard 4mm thickness chainrings.
- ◆ The reinforced 5/6 mm chainrings can reduce the chance of chain suck due to flexible or bending while changing gears.
 - ◆ Rectangular shape design to increase pedaling efficiency.
 - ◆ AL7075
 - ◆ Available in RD 53/39T only.

Cranksets	Chainring sets	ROAD bars	Road&MTB brake calipers	Jockey wheels & bolt	Apparels
Cassettes	Headsets	Seatposts	Brake shoes & Pads	Components	KCNC distributors
Pedals	Stems	Seatpost Clamps	Disc brake systems & Mount adaptors	Screws & Bolts	
Bottom Brackets	Handlebars	Cables / Housing	Quick Release Skewer	Bearings	



ROAD

- ◆ 58 / 44T, 53-39T / 50-34T (compact)
- ◆ Material: AL 7075
- ◆ BCD: 5 bolt 130mm / 110mm
- ◆ Full CNC machined with anodized finish.

MTB triple

- ◆ 44 / 32 / 22T, 40 / 30 / 20T.
- ◆ Material: AL 7075
- ◆ BCD: 4 bolt 104/64 BCD, 94-58 BCD.
- ◆ Full CNC machined with anodized finish.



MTB Double

- ◆ 45 / 30T, 42 / 29T, 42 / 27T, 40 / 27T, 40 / 26T, 38 / 26T, 38 / 24T, 36 / 22T.
- ◆ Material: AL 7075
- ◆ BCD: 4 bolt 104 / 64mm.
- ◆ Full CNC machined with anodized finish.



MTB Double- 88 BCD

- ◆ 44-30T, 42-30T, 40-28T
- ◆ Material: AL 7075
- ◆ BCD: 4 bolt 88mm.
- ◆ Full CNC machined with anodized finish.

STANDARD SERIES



Bear Ring DH-Single speed

- ◆ Material: Made of AL7075
- ◆ 5mm thick single ring crankset.
 - ◆ BCD: 4 bolt 104mm
- ◆ Teeth: 32, 34, 36, 38, 39, 42, 44T
 - ◆ Black anodized.

A full-page photograph of a mountain biker in action, riding down a steep, rocky, and dusty trail. The rider is wearing a full-face helmet, goggles, and a blue and white jersey. The bike is a full-suspension mountain bike. The background shows a rugged, rocky hillside under a clear blue sky. The image is framed by a dark blue border at the top and bottom, with a diagonal cutout effect on the right side.

HEADSETS

Morion - CERAMIC BEARINGS



Morion KM1

- ♦ 1-1/8 inch, Integrated.
- ♦ AL 6061 crown race.
- ♦ Bearing dimension: O.D. 41mm.
- ♦ Angular contact 45 °, Height 6.5mm.
- ♦ Ti-DLC/Ceramic cartridge ball bearing.
- ♦ Cane Creek IS-2, IS-3 compatible.

Morion KM2

- ♦ 1-1/8 inch, Semi-Integrated.
- ♦ AL 6061 head tube race.
- ♦ Upper&Lower head tube insertion diameter 44mm.
- ♦ Ti-DLC/Ceramic cartridge ball bearing.



Morion KM3

- ♦ 1-1/8 inch, Threadless.
- ♦ AL 6061 crown race.
- ♦ Upper&Lower head tube insertion diameter 34mm.
- ♦ Ti-DLC/Ceramic cartridge ball bearing.

Cranksets	Chainring sets	ROAD bars	Road&MTB brake calipers	Jockey wheels & bolt	Apparels
Cassettes	Headsets	Seatposts	Brake shoes & Pads	Components	KCNC distributors
Pedals	Stems	Seatpost Clamps	Disc brake systems & Mount adaptors	Screws & Bolts	
Bottom Brackets	Handlebars	Cables / Housing	Quick Release Skewer	Bearings	

RADIANT - SS BEARING



Radiant KR1

- ◆ 1-1/8 inch, Integrated.
- ◆ AL 6061 crown race.
- ◆ Bearing dimension: O.D. 41mm.
- ◆ Angular contact 45°, Height 6.5mm.
- ◆ Full Stainless Steel cartridge ball bearing.
- ◆ Cane Creek IS-2, IS-3 compatible.



RADIANT KR1 Tapered

- ◆ 1 1/8" upper, 1.5" lower headtube, integrated.
- ◆ AL 6061 crown race.
- ◆ Angular contact 45°, Height 6.5mm.
- ◆ Full Stainless Steel cartridge ball bearing.



Radiant KR2

- ◆ 1-1/8 inch, Semi-Integrated.
- ◆ AL 6061 head tube race.
- ◆ Upper&Lower head tube insertion diameter 44mm.
- ◆ Full Stainless Steel cartridge ball bearing.

RADIANT - SS BEARING



Radiant KR3

- ◆ 1-1/8 inch, Threadless.
- ◆ AL 6061 crown race.
- ◆ Upper&Lower head tube insertion diameter 34mm.
- ◆ Full Stainless Steel ball bearing with TiN finished surface.

Radiant KR4

- ◆ 1.5 inch, Threadless.
- ◆ AL 6061 crown race.
- ◆ Upper&Lower head tube insertion diameter 49.65mm.
- ◆ Bearing: Full Stainless Steel ball bearing with TiN finished surface.



Cranksets	Chainring sets	ROAD bars	Road&MTB brake calipers	Jockey wheels & bolt	Apparels
Cassettes	Headsets	Seatposts	Brake shoes & Pads	Components	KCNC distributors
Pedals	Stems	Seatpost Clamps	Disc brake systems & Mount adaptors	Screws & Bolts	
Bottom Brackets	Handlebars	Cables / Housing	Quick Release Skewer	Bearings	

TAPERED - STEEL BEARING



KHS-F11 Headset

- ◆ 1 1/8" upper/ 1.5" bottom semiintegrated.
- ◆ Material: AL6061, steel bearings ; (41x45°) (52x45°)
- ◆ Head tube insertion diameter: 44mm upper, 55mm bottom.
- ◆ Stack height: 9.6mm + 2.8mm = 12.4mm



KHS-PT1767D Headset

- ◆ 1 1/8" Threadless.
- ◆ Material: AL6061, steel bearings ; 41x45° x 6.5
- ◆ Head tube insertion diameter: 34mm.
- ◆ Stack height: 16.1mm + 12.4mm = 28.5mm
- ◆ weight 118g (include top cap&bolt)



KHS-PT1860

- ◆ 1-1/8" upper, 1.5" bottom (Integrated)
- ◆ Material: AL6061 top cover&cap, steel bearing&bolt.
- ◆ Bearing size: Ø ID28.6xOD41.8x8mm-45° (upper)
Ø ID39.8xOD51.8 x8mm-45° (bottom)
 - ◆ Stack height: 9 + 1 mm
- ◆ mmColor option: Black, Red, Gold.



KHS-F10

- ◆ Heavy Duty headset, head tube 1-1/8" upper, 1.5" bottom.
- ◆ Material: AL6061 with AL7075 crown race
- ◆ Head tube insertion diameter: 44mm(upper), 49.6mm(bottom)
 - ◆ Stack height: 9.6 + 16.3 mm
 - ◆ Finish: Black anodized only



KHS-F13

- ◆ 1-1/8" upper, 1.5" bottom (Semi-Integrated)
- ◆ Material: AL6061 bearing cups, steel bearing&bolt.
- ◆ Head tube insertion diameter: 44mm(upper), 56mm(bottom)
- ◆ Stack height: 9.6 + 2.8 mm
- ◆ Color option: Black, Red, Gold.



Cranksets	Chainring sets	ROAD bars	Road&MTB brake calipers	Jockey wheels & bolt	Apparels
Cassettes	Headsets	Seatposts	Brake shoes & Pads	Components	KCNC distributors
Pedals	Stems	Seatpost Clamps	Disc brake systems & Mount adaptors	Screws & Bolts	
Bottom Brackets	Handlebars	Cables / Housing	Quick Release Skewer	Bearings	



OMEGA-S1

- ◆ 1 1/8" Integrated
- ◆ Stack Height: 8mm
- ◆ Bearing: Sealed AC Bearings 41 x 45° x 6.5
- ◆ Material: Top cover AL6061 with stainless steel crown race.
 - ◆ Cane Creek IS-2, IS-3 compatible for 45° headtube.
 - ◆ Color option: Black, Red, Gold, Silver, Blue, Green.



OMEGA-S2

- ◆ 1 1/8" Integrated
- ◆ Stack Height: 10mm
- ◆ Bearing: Sealed AC Bearings 41.8 x 45° x 8
- ◆ Material: Top cover AL6061 with stainless steel crown race.
 - ◆ Ritchy compatible for 45° headtube.
 - ◆ Color option: Black, Red, Gold, Silver, Blue, Green.



OMEGA-S3

- ◆ 1 1/8" Integrated
- ◆ Stack Height: 15mm
- ◆ Bearing: Sealed AC Bearings 41.8x45° x 8
- ◆ Material: Top cover AL6061 with stainless steel crown race.
 - ◆ Cane Creek Zs2, Campy compatible for 45° headtube.
 - ◆ Color option: Black, Red, Gold, Silver, Blue, Green.

HEADSETS



KUDOS-Q1

- ◆ 1 1/8" Semi-Integrated
- ◆ Stack Height: 13mm
- ◆ Head tube insertion diameter: $\varnothing 44$
- ◆ Bearing: Sealed AC Bearings 41 x 45° x 6.5
- ◆ Material: AL6061 body with steel crown race.
- ◆ Cane Creek Zs2, Campy compatible for 45° headtube.
- ◆ Color option: Black, Red, Gold, Silver, Blue, Green.



CADAC-K1

- ◆ 1 1/8" Threadless
- ◆ Design specifically for MTB DH, Dirt Jump usage.
- ◆ Stack Height: 33mm
- ◆ Head tube insertion diameter: $\varnothing 34$
- ◆ Bearing: Sealed AC Bearings 41 x 45° x 6.5
- ◆ Material: AL6061 with stainless steel crown race.
- ◆ Cane Creek Zs2, Campy compatible for 45° headtube.
- ◆ Color option: Black, Red, Gold, Silver, Blue, Green.

A close-up photograph of a complex mechanical assembly, likely a robotic arm or industrial machinery. The image features several black gears of different sizes, some with blue markings. Blue structural beams or cables are visible, crisscrossing the frame. A prominent metal component with a red spring and a silver handle is in the foreground. The word "STEMS" is overlaid in large, white, sans-serif capital letters. The background is a solid orange color, which is part of the overall design.

STEMS

STEMS



REYTON MTB stem

- ◆ Full CNC machined, Stem cap with hinge design for quick adjustment/installation
- ◆ Material AL7075 with Titanium bolt
- ◆ Angle/Extension:
 - + – 17degree: 60/70/80/90/100/110/120mm
 - + – 25degree: 70/80/90/100mm
- ◆ Compatibility: 1 1/8" steerer tube, include 31.8/35mm handle bar shim.
- ◆ Stack Height: 38mm
- ◆ Weight: About 150g (100mm Extension)
- ◆ Color: Anodized Black/Red/Orange/Yellow Green

Cranksets	Chainring sets	ROAD bars	Road&MTB brake calipers	Jockey wheels & bolt	Apparels
Cassettes	Headsets	Seatposts	Brake shoes & Pads	Components	KCNC distributors
Pedals	Stems	Seatpost Clamps	Disc brake systems & Mount adaptors	Screws & Bolts	
Bottom Brackets	Handlebars	Cables / Housing	Quick Release Skewer	Bearings	



ARROW II stem

- ◆ ArrowII stems are made of AL6061 material with sandblasted process and anodized finishing. Black front stem cap with removable K logo rubber insert.
- ◆ Two rise angle option of 7° & 17° degrees
- ◆ Material: AL6061 stem body& cap, stainless steel bolts.
- ◆ Extension: 70/80/90/100/110/120/130/140/150mm
- ◆ Color: Black anodized only.



ARROW

- ◆ 7" or 17" riser stem.
- ◆ ARROW: AL7075 with Ti bolts, Black and White paint coating.
- ◆ 7" Extension: 80/90/100/110/120/130mm.
- ◆ 17" Extension: 70/80/90/100/110/120/130/140/150mm.
- ◆ O/S 31.8 bar bore diameter.



STEMS



SC WING

- ◆ Material: T7451 scandium alloy
- ◆ Clamp diameter: 25.4/26/31.8mm
- ◆ Steerer diameter: 28.6mm(1-1/8")
- ◆ Extension: 50/60/70/80/90/100/110/120/130mm
- ◆ Rise: 5 degree
- ◆ Stack Height: 38mm
- ◆ Bolts: Titanium*6
- ◆ Full CNC machined& Sand Blasted with anodized finish.



Ti pro

- ◆ Material: AL7075
- ◆ Clamp diameter: 25.4/26mm
- ◆ Steerer diameter: 28.6mm(1-1/8")
- ◆ Extension: 50/60/70/80/90/100/110/120/130mm
- ◆ Rise: 5 degree
- ◆ Stack Height: 38mm
- ◆ Bolts: Titanium*6
- ◆ Full CNC machined& Sand Blasted with anodized finish

Cranksets	Chainring sets	ROAD bars	Road&MTB brake calipers	Jockey wheels & bolt	Apparels
Cassettes	Headsets	Seatposts	Brake shoes & Pads	Components	KCNC distributors
Pedals	Stems	Seatpost Clamps	Disc brake systems & Mount adaptors	Screws & Bolts	
Bottom Brackets	Handlebars	Cables / Housing	Quick Release Skewer	Bearings	



Team issue

- ◆ Material: AL7075
- ◆ Clamp diameter: 31.8mm
- ◆ Steerer diameter: 28.6mm(1-1/8")
- ◆ Extension: 50/60/70/80/90/100/110/120/130mm
 - ◆ Rise: 5 degree
 - ◆ Stack Height: 38mm
 - ◆ Bolts: Titanium*6
- ◆ Full CNC machined& Sand Blasted with anodized finish.



Fly ride

- ◆ Material: AL6061
- ◆ Clamp diameter: 25.4/31.8mm
- ◆ Steerer diameter: 28.6mm(1-1/8")
- ◆ Extension: 50/60/70/80/90/100/110/120/130mm
 - ◆ Rise: 5 degree
 - ◆ Stack Height: 38mm
 - ◆ Bolts: Stainless steel*6
- ◆ Full CNC machined& Sand Blasted with anodized finish.

STEMS



BEAR ARM

- ◆ Material: AL6061
- ◆ Clamp diameter: 31.8mm
- ◆ Steerer diameter: 28.6mm (1-1/8")
- ◆ Extension: 50/70/100mm
- ◆ Rise: 5 degree
- ◆ Stack Height: 38mm
- ◆ Bolts: Stainless steel*6
- ◆ Full CNC machined with anodized finish.



Beta 33

- ◆ Stem for FR/MTB use
- ◆ Material: AL6061-T6
- ◆ Steerer diameter: 28.6mm
- ◆ Clamp diameter: 31.8mm
- ◆ Extensions: 50mm, 70mm, 90mm
- ◆ Rise: 5 degree
- ◆ Bolts: 6 pcs stainless steel
- ◆ Full CNC machined with anodized finish



Beta 34

- ◆ Stem for FR/MTB use
- ◆ Material: AL6061-T6
- ◆ Steerer diameter: 38.1mm
- ◆ Clamp diameter: 31.8mm
- ◆ Extensions: 50mm, 70mm, 90mm
- ◆ Rise: 5 degree
- ◆ Bolts: 6 pcs stainless steel
- ◆ Full CNC machined with anodized finish

A photograph of a mountain biker in a red and black jersey, wearing a helmet and gloves, riding a trail bike on a dirt path through a forest. The bike has a race number '62' on the front. The background is filled with green trees and foliage.

HANDLEBARS

FLAT BARS

RISER BARS-15MM

RISER BARS-1 INCH

RISER BARS-1.5 INCH

RISER BARS-2 INCH

HANDLEBARS

FLAT BARS



SC Bone-riser 15mm

- ◆ Material: Scandium alloy T-7451
- ◆ Length: 600mm / 710mm for 29er
- ◆ Diameter: 25.4/31.8mm (600mm)
- ◆ Diameter: 31.8 only for 710mm 29er
- ◆ Rise: 0 degree
- ◆ Backsweep: 8 or 10 degrees.
- ◆ Sand blasted& anodized finish.



Darkside-riser 15mm

- ◆ Material: AL7075
- ◆ Length: 600mm / 710mm for 29er
- ◆ Diameter: 31.8 only for 710mm 29er
- ◆ Diameter: 25.4/31.8mm (600mm)
- ◆ Rise: 0 degree
- ◆ Backsweep: 8 or 10 degrees.
- ◆ Sand blasted& anodized finish.



Rampant-riser 15mm

- ◆ Material: AL6061
- ◆ Length: 600mm / 710mm for 29er
- ◆ Diameter: 25.4/31.8mm (600mm)
- ◆ Diameter: 31.8 only for 710mm 29er
- ◆ Rise: 0 degree
- ◆ Backsweep: 8 or 10 degrees.
- ◆ Sand blasted& anodized finish.
- ◆ Color: Black, Blue, Gold, Green, Red.



Cranksets	Chainring sets	ROAD bars	Road&MTB brake calipers	Jockey wheels & bolt	Apparels
Cassettes	Headsets	Seatposts	Brake shoes & Pads	Components	KCNC distributors
Pedals	Stems	Seatpost Clamps	Disc brake systems & Mount adaptors	Screws & Bolts	
Bottom Brackets	Handlebars	Cables / Housing	Quick Release Skewer	Bearings	

RISER BARS-15mm



SC Bone-riser 15mm

- ◆ Material: Scandium alloy T7451
 - ◆ Length: 710mm
 - ◆ Diameter: 25.4/31.8mm
 - ◆ Rise: 15 mm
 - ◆ Backsweep: 8 degree
- ◆ Sand blasted& anodized finish.



Darkside-riser 15mm

- ◆ Material: AL7075
 - ◆ Length: 710mm
 - ◆ Diameter: 25.4/31.8mm
 - ◆ Rise: 15 mm
 - ◆ Backsweep: 8 degree
- ◆ Sand blasted& anodized finish.



Rampant-riser 15mm

- ◆ Material: AL6061
 - ◆ Length: 710mm
 - ◆ Diameter: 25.4/31.8mm
 - ◆ Rise: 15 mm
 - ◆ Backsweep: 8 degree
- ◆ Sand blasted& anodized finish.
- ◆ Color: Black, Blue, Gold, Green, Red.



RISER BARS-1 INCH



SC Bone-riser 1 inch

- ◆ Material: Scandium alloy T7451
- ◆ Length: 710mm
- ◆ Diameter: 25.4/31.8mm
- ◆ Rise: 1 inch
- ◆ Backsweep: 8 degree
- ◆ Sand blasted& anodized finish.



Darkside-riser 1 inch

- ◆ Material: AL7075
- ◆ Length: 710mm
- ◆ Diameter: 25.4/31.8mm
- ◆ Rise: 1 inch
- ◆ Backsweep: 8 degree
- ◆ Sand blasted& anodized finish.



Rampant-riser 1 inch

- ◆ Material: AL6061
- ◆ Length: 710mm
- ◆ Diameter: 25.4/31.8mm
- ◆ Rise: 1 inch
- ◆ Backsweep: 8 degree
- ◆ Sand blasted& anodized finish.

Cranksets	Chainring sets	ROAD bars	Road&MTB brake calipers	Jockey wheels & bolt	Apparels
Cassettes	Headsets	Seatposts	Brake shoes & Pads	Components	KCNC distributors
Pedals	Stems	Seatpost Clamps	Disc brake systems & Mount adaptors	Screws & Bolts	
Bottom Brackets	Handlebars	Cables / Housing	Quick Release Skewer	Bearings	

RISER BARS-1.5 INCH



SC Bone-riser 1.5 inch

- ◆ Material: Scandium alloy T7451
 - ◆ Length: 710mm
 - ◆ Diameter: 25.4/31.8mm
 - ◆ Rise: 1.5 inch
 - ◆ Backsweep: 8 degree
- ◆ Sand blasted& anodized finish.



Darkside-riser 1.5 inch

- ◆ Material: AL7075
 - ◆ Length: 710mm
 - ◆ Diameter: 25.4/31.8mm
 - ◆ Rise: 1.5 inch
 - ◆ Backsweep: 8 degree
- ◆ Sand blasted& anodized finish.



Rampant-riser 1.5 inch

- ◆ Material: AL6061
 - ◆ Length: 710mm
 - ◆ Diameter: 25.4/31.8mm
 - ◆ Rise: 1.5 inch
 - ◆ Backsweep: 8 degree
- ◆ Sand blasted& anodized finish.

RISE BARS-2 INCH



SC Bone-riser 1.5 inch

- ◆ Material: Scandium alloy T7451
- ◆ Length: 710mm
- ◆ Diameter: 25.4/31.8mm
- ◆ Rise: 2 inch
- ◆ Backsweep: 8 degree
- ◆ Sand blasted& anodized finish.




Darkside-riser 1.5 inch

- ◆ Material: AL 7075
- ◆ Length: 710mm
- ◆ Diameter: 25.4/31.8mm
- ◆ Backsweep: 8 degree
- ◆ Sand blasted& anodized finish.



Rampant-riser 1.5 inch

- ◆ Material: AL6061
- ◆ Length: 710mm
- ◆ Diameter: 25.4/31.8mm
- ◆ Backsweep: 8 degree
- ◆ Sand blasted& anodized finish.

A photograph of a cyclist in a black and yellow jersey riding a road bike on a muddy track during a cyclocross race. The cyclist is wearing a black helmet and is leaning forward. The background shows a crowd of spectators and trees. The image is tilted diagonally.

ROAD BARS

ROAD bars

Triathlon bar

Aerobar

Bar ends

Bar ends/Plugs

ROAD BARS

ROAD BARS



Road handlebar-compact

SC Compro

- ♦ Material: scandium alloy T7451
- ♦ Center to center width: 400/420/440mm
- ♦ Diameter: 31.8mm only
- ♦ Reach: 83mm
- ♦ Drop: 130mm

Pure Reacher 7075

- ♦ Material: AL 6061
- ♦ Center to center width: 400/420/440mm
- ♦ Diameter: 31.8mm only
- ♦ Reach: 83mm
- ♦ Drop: 130mm

Pure Reacher 6061

- ♦ Material: AL 6061
- ♦ Center to center width: 400/420/440mm
- ♦ Diameter: 31.8mm only
- ♦ Reach: 83mm
- ♦ Drop: 130mm



SC force

- ♦ Material: scandium alloy T7451
- ♦ Center to center width: 400/420/440mm
- ♦ Diameter: 26/31.8mm
- ♦ Reach: 145mm
- ♦ Drop: 175mm



Pure Curve 7075

- ♦ Material: AL 7075
- ♦ Center to center width: 400/420/440mm
- ♦ Diameter: 26/31.8mm
- ♦ Reach: 145mm
- ♦ Drop: 175mm



Pure Curve 6061

- ♦ Material: AL 6061
- ♦ Center to center width: 400/420/440mm
- ♦ Diameter: 26/31.8mm
- ♦ Reach: 145mm
- ♦ Drop: 175mm

Cranksets	Chainring sets	ROAD bars	Road&MTB brake calipers	Jockey wheels & bolt	Apparels
Cassettes	Headsets	Seatposts	Brake shoes & Pads	Components	KCNC distributors
Pedals	Stems	Seatpost Clamps	Disc brake systems & Mount adaptors	Screws & Bolts	
Bottom Brackets	Handlebars	Cables / Housing	Quick Release Skewer	Bearings	

TRIATHLON BAR

RBS Lite



RBS Pro



- ◆ Material: AL6061
- ◆ O/S 31.8mm bars with detachable extensions.
- ◆ Fully CNC machined brackets for precise alignment and rigidity.
- ◆ Armrests horizontally adjustable by 17 degree (toe in& out).
- ◆ Horizontal extension length adjustable by 100mm, (S bend)(J bend) available.
- ◆ Five vertical height adjustments for optimal comfort.
- ◆ Available width: 380/400/420mm
- ◆ 440mm center to center.
- ◆ Sand blasted& anodized finish.

ROAD BARS

AEROBAR



Centrilock

- ◆ Unique Up&Down angle adjustment aerobar at 21.6° each direction.
- ◆ Width adjustment from 390~420mm with mark indication.
- ◆ Armrest bracket with slight angle&height adjustment.
- ◆ Aero extension with arm length and rotational adjustment, (S bend)(J bend) available.
 - ◆ Material: AL7075
 - ◆ Clamp diameter: 31.8mm



Aerotekk

- ◆ Slimline aerodynamic profile, aero extension with arm length and rotational adjustment,(S bend)(J bend) available.
 - ◆ Width: 390 or 420mm.
 - ◆ Material: AL6061
 - ◆ Clamp diameter: 31.8mm

Cranksets	Chainring sets	ROAD bars	Road&MTB brake calipers	Jockey wheels & bolt	Apparels
Cassettes	Headsets	Seatposts	Brake shoes & Pads	Components	KCNC distributors
Pedals	Stems	Seatpost Clamps	Disc brake systems & Mount adaptors	Screws & Bolts	
Bottom Brackets	Handlebars	Cables / Housing	Quick Release Skewer	Bearings	

BAREND'S



BE1

- ◆ Material: 7075AL
- ◆ Length: 115mm, Grip length: 85mm
- ◆ Bolts: Scandium alloy M8.
- ◆ Full CNC machined with easy grip contour.
- ◆ Sand Blasted anodized with black/gold/red/blue/silver color anodized.



BE2

- ◆ Material: 6061AL
- ◆ Length: 115mm, Grip length: 85mm
- ◆ Bolts: stainless steel M8.
- ◆ Full CNC machined with easy grip contour.
- ◆ Sand Blasted anodized with black/gold/red/blue/silver/green color anodized.

BAR ENDS/PLUGS



Bar end plugs

- ♦ Material: AL6061
- ♦ Adjustable range: 18-25mm
- ♦ Full CNC machined top cap.



Bar end plugs- HBC01

- ♦ Material: AL6061
- ♦ Designed for ROAD handle bars
- ♦ Full CNC machined cap.

SEATPOSTS

A close-up photograph of a bicycle seatpost and its connection to the frame. The seatpost is dark-colored and features the 'KCNC' logo in white. The frame is also dark-colored and has several white markings, including 'KCNC', 'EKS0704', '40T BCD 104', 'ALUMINUM 7075', 'EJ70470', and 'MACHINED'. The background is a solid blue color.

SEATPOSTS



Seatpost-Sep Pro Lite

- ♦ 25mm setback, saddle rail clamping design.
- ♦ Material: Scandium seatpost tube with Ti bolts or AL7075 seatpost tube with stainless steel bolts.
- ♦ Tube diameter: $\varnothing$ 27.2mm / $\varnothing$ 30.9mm / $\varnothing$ 31.6mm / $\varnothing$ 34.9mm.
- ♦ Seatpost length: 350 / 400 mm.
- ♦ Color: Black, Red, Gold, Blue, Silver.



Seatpost-Ti Pro Lite-AL75

- ♦ Ti Pro Lite seatpost now available in AL7075 alloy, with exactly the same design as scandium alloy version.
- ♦ Color: Black, Red, Gold, Blue.

Cranksets	Chainring sets	ROAD bars	Road&MTB brake calipers	Jockey wheels & bolt	Apparels
Cassettes	Headsets	Seatposts	Brake shoes & Pads	Components	KCNC distributors
Pedals	Stems	Seatpost Clamps	Disc brake systems & Mount adaptors	Screws & Bolts	
Bottom Brackets	Handlebars	Cables / Housing	Quick Release Skewer	Bearings	



ISP clamp- Majestic

- ◆ AL7075 body and accessory, M6*37mm+M6*47mm Ti bolts.
 - ◆ Zero setback – 50mm/100mm L.
 - ◆ 25mm setback – 50mm/100mm L.
 - ◆ Dia 34.9mm.

SEATPOSTS



Ti Pro Lite

- ◆ Material: Double butted scandium alloy T-7451
- ◆ Diameter: 27.2/30.9/31.6/34.9mm
- ◆ Length: 350/400mm
- ◆ M6*37mm& 47mm titanium bolts
- ◆ For ROAD/XC



Lite Wing

- ◆ Material: AL 7075
 - ◆ Diameter: 33.9/34.9mm
 - ◆ Length: 550mm
 - ◆ Color: Black/Gold/Red/Blue anodized.
- *Extra long post for folding bikes usage*

Cranksets	Chainring sets	ROAD bars	Road&MTB brake calipers	Jockey wheels & bolt	Apparels
Cassettes	Headsets	Seatposts	Brake shoes & Pads	Components	KCNC distributors
Pedals	Stems	Seatpost Clamps	Disc brake systems & Mount adaptors	Screws & Bolts	
Bottom Brackets	Handlebars	Cables / Housing	Quick Release Skewer	Bearings	



Seatpost Bag

- ◆ Click and release simple removable rack with safety lock function.
- ◆ Bag rack with vertical angle adjustment function at your convenience.
- ◆ Provides four sizes of seatpost clamp: 27.2 / 30.9 / 31.6 / 34.9mm.
- ◆ Material: Denier nylon + EVA form, AL6061 bag rack.
- ◆ Capacity: 5L
- ◆ Maximum weight capacity: 5kg
- ◆ Size: Length x Width x Height 30*15*15 cm without alloy rack



T1R

- ◆ Material: Double buttet scandium alloy T7451
- ◆ Diameter: 31.6mm
- ◆ Length: 350mm
- ◆ Color: Black anodized.
- ◆ Bolts: 6/4 Ti M8x2
- ◆ For DH/FR/XC usage.



T3R

- ◆ Material: AL7075
- ◆ Diameter: 27.2/30.9/31.6mm
- ◆ Length: 350mm
- ◆ Color: Black anodized.
- ◆ For ROAD/XC usage.



T4R

- ◆ Material: AL7075
- ◆ Diameter: 27.2/30.9/31.6mm
- ◆ Length: 350mm
- ◆ Color: Black anodized.
- ◆ For ROAD/XC usage

SEATPOSTS



AL7075



AL6061

Seatpost bottle cage clamp

- ◆ Allows you to install an extra bottle cage on the seatpost.
- ◆ Clamp body dia. 27.2/30.9/31.6/34.9mm.
 - ◆ AL7075 clamp body with Ti bolts.
 - ◆ AL6061 clamp body with SUS bolts.
- ◆ Black, Red, Gold, Blue, Silver, Green available.



Front shifter clamp

- ◆ Use as an alternative shifter clamp to separate Shimano M-980 integrated mount lever.
- ◆ AL7075 with Ti bolts.

SEATPOST CLAMPS



Rack mount seatpost clamp

- ♦ The clamp replaces your current seat clamp and provides a very secure and easy to reach mounting location for a bike bag bottle cage.
- ♦ Size: 30.9/31.8mm
- ♦ Material: AL6061



MTB QR clamps SC10

- ♦ Material: AL7075 with 6/4 Ti axle.
- ♦ Clamp diameter: 31.8/34.9/36.4/36.9/38.2/39mm
- ♦ Hollow lever design with self-lubricating brass.



MTB QR Clamp SC12

- ♦ Material: AL6061 with stainless steel lever axle.
- ♦ Clamp diameter: 31.8/34.9mm
- ♦ KCNC hollow lever design with self-lubricating brass.



MTB clamps SC11

- ♦ Material: AL7075
- ♦ Clamp diameter: 31.8/34.9/36.4/36.9/38.2/38.6/39mm
- ♦ Scandium alloy Allen bolt.



Cranksets	Chainring sets	ROAD bars	Road&MTB brake calipers	Jockey wheels & bolt	Apparels
Cassettes	Headsets	Seatposts	Brake shoes & Pads	Components	KCNC distributors
Pedals	Stems	Seatpost Clamps	Disc brake systems & Mount adaptors	Screws & Bolts	
Bottom Brackets	Handlebars	Cables / Housing	Quick Release Skewer	Bearings	



SC13 twin clamp

- ♦ AL7075, concealed inner o-rings design, ideal for carbon seatpost to avoid slippery falling.
- ♦ Color: Black, Red, Blue, Gold anodized.
- ♦ Size: 30.7/27.2mm, 31.8/27.2mm, 34.9/30.9mm, 34.9/31.6mm.



Seatpost grip SC 14

- ♦ Must works together with seatpost clamp, concealed inner o-rings prevents carbon fiber seatpost from falling.
- ♦ AL6061
- ♦ Size: 30.7/27.2mm, 31.8/27.2mm, 34.9/30.9mm, 34.9/31.6mm.



ROAD Pro

- ♦ Material: AL7075
- ♦ Clamp diameter: 30.7/31.8/34.9/38.2mm
- ♦ M5 Ti bolt.



ROAD Lite

- ♦ Material: AL7075
- ♦ Clamp diameter: 30.7/31.8/34.9/35.6mm
- ♦ M5 Ti or stainless steel bolt.

CABLES HOUSING

A full-page background image showing a person in a blue jacket and helmet riding a mountain bike on a dusty, rocky trail. The rider is in the lower right corner, kicking up a cloud of dust. In the background is a large, dark, rocky hill under a clear blue sky. The image is framed by orange geometric shapes in the top-left and bottom-right corners.



TITANIUM

STAINLESS STEEL

Nano-diamond(PTFE) Teflon coating inner cables

- ♦ Advantages: Extremely low friction, long lasting performance.

Material: Slick stainless steel or Titanium

- ♦ Road/MTB brake cables: Ø 1.5mm. Length (1M+1.7M).
- ♦ Road/MTB shift cables: Ø 1.1mm. Length (1.8M+2.1M).
- ♦ Stainless steel: Dark grey / Titanium: gold color.



Wire&housing kits

- ♦ Road brake housing&wire kit
2.5m housing*1, 900mm wire*1, 1700mm wire*1
cable tip*3, housing cap*10, o-ring*6
- ♦ MTB brake housing&wire kit
2.5m housing*1, 900mm wire*1, 1700mm wire*1
cable tip*3, housing cap*10, o-ring*6
- ♦ Shifter housing&wire kit
2.2m housing*1, 1800mm wire*1, 2100mm wire*1
cable tip *3, housing cap *6, o-ring *6
- ♦ Black, Red, White color available.

Cranksets	Chainring sets	ROAD bars	Road&MTB brake calipers	Jockey wheels & bolt	Apparels
Cassettes	Headsets	Seatposts	Brake shoes & Pads	Components	KCNC distributors
Pedals	Stems	Seatpost Clamps	Disc brake systems & Mount adaptors	Screws & Bolts	
Bottom Brackets	Handlebars	Cables / Housing	Quick Release Skewer	Bearings	



FEP Teflon coating inner cables

- ♦ Advantages: Low friction, long lasting performance.
Material: Slick stainless steel.
- ♦ Road/MTB brake cables: Dia. 1.5mm*1.7M / Dia. 1.5mm*3.4M(red color only)
- ♦ Road/MTB shift cables: Dia. 1.1mm*2.1M / Dia. 1.1mm*4.2M(red color only)
- ♦ 50pcs/box package available.




In-line shift cable adjuster

- ♦ Can be used on shifter cables, to set desired tension with ease, precisely.
- ♦ Material: AL6061
- ♦ Color: Black, Blue, Red, Green, Gold, Silver color.



Cable housing

- ◆ Stainless steel braided wire, carbon fiber pattern.
- ◆ Alloy&Stainless steel braided wire, carbon fiber pattern.
 - ◆ Shift cable housing(4mm)
 - ◆ Brake cable housing(5mm)
 - ◆ 30 meters package.




Ferrules

- ◆ For 4mm shift cable housing.
- ◆ For 5mm brake cable housing.
- ◆ 150pcs/bottle.



Cable Tips

- ◆ AL6061, 500pcs/bottle.



ROAD&MTB BRAKE CALIPERS

ROAD brake caliper

MTB brake caliper

Brake shoes & Pads



T/T brake lever-Triber

- ◆ Forged lever, sandblasted, anodized finish.
- ◆ Material: AL6061
- ◆ Color: Black, Red, Gold, Blue, Green, Silver.



CB11 road brake caliper

- ◆ Full CNC AL6061 material.
- ◆ Swissstop GHPII brake pads.
- ◆ Direct mount system.
- ◆ Color: Black/Blue/Red/Gold/Green/Silver.



CB12 road brake caliper

- ◆ Full CNC AL7075 material.
- ◆ Swissstop Black Prince brake pads.
- ◆ Direct mount system.
- ◆ Color: Black/ Red/Gold/ /Silver.

Cranksets	Chainring sets	ROAD bars	Road&MTB brake calipers	Jockey wheels & bolt	Apparels
Cassettes	Headsets	Seatposts	Brake shoes & Pads	Components	KCNC distributors
Pedals	Stems	Seatpost Clamps	Disc brake systems & Mount adaptors	Screws & Bolts	
Bottom Brackets	Handlebars	Cables / Housing	Quick Release Skewer	Bearings	



CB9 Road brake caliper

- ◆ Designed for road bike wide wheel rim up to 28mm, two extra brake shoe holder spacer to adjust the clearance on standard rim.
- ◆ Linkage activated brake system aimed to cope with muddy or dirt condition, equipped with SWISSSTOP BXP brake pad for alloy rim.
- ◆ Material: AL6061 brake arm&parts; SUS center mounting axle&bolts.
- ◆ Color: Black, Red, Gold, Blue, Silver, Green.



CB10 Road brake caliper

- ◆ Designed for road bike wide wheel rim up to 28mm, two extra brake shoe holder spacer to adjust the clearance on standard rim.
- ◆ Linkage activated brake system aimed to cope with muddy or dirt condition, equipped with SWISSSTOP Black Prince brake pad for carbon rim.
- ◆ Material: AL7075 brake arm&parts; Titanium center mounting axle&bolts.
- ◆ Color: Black, Red, Gold, Silver.





CB3 Road brake set-ANGLE

- ◆ Linkage activated dual pivot brake for even brake power distribution.
 - ◆ Light weight& compact with fast heat dispense.
- ◆ Increased leverage ratio with 10% more braking power than KCNC C7.
 - ◆ AL7075 brake arm body with titanium center axle bolts.
 - ◆ Original Swissstop FLASH PROII brake pad for alloy rims.



CB4 Road brake-Hill


- ◆ Linkage activated dual pivot brake for even brake power distribution.
 - ◆ Light weight& compact with fast heat dispense.
- ◆ Increased leverage ratio with 15% more braking power than KCNC C7.
 - ◆ AL6061 brake arm body with SUS center axle bolts.

Cranksets	Chainring sets	ROAD bars	Road&MTB brake calipers	Jockey wheels & bolt	Apparels
Cassettes	Headsets	Seatposts	Brake shoes & Pads	Components	KCNC distributors
Pedals	Stems	Seatpost Clamps	Disc brake systems & Mount adaptors	Screws & Bolts	
Bottom Brackets	Handlebars	Cables / Housing	Quick Release Skewer	Bearings	



Time trial TT brake lever

- ♦ AL7075 body with expander.
- ♦ Black, Red, Silver, and Gold anodized.



VB1-Levers

- ♦ Material: AL 7075
- ♦ Leverage: 92mm
- ♦ Connecting clamp and lever bolt: M8 gold anodized finish.
- ♦ Cable adjuster: Silver anodized finish.
- ♦ Brake clamp and lever: Sand blasted black anodized.
- ♦ Dual digit levers, glove friendly design.
- ♦ Fully CNC machined.



VB6-Levers

- ♦ Material: AL 6061
- ♦ Leverage: 92mm
- ♦ Connecting clamp and lever bolt: M8 gold anodized finish.
- ♦ Cable adjuster: Silver anodized finish.
- ♦ Brake clamp and lever: Sand blasted in six anodized colors.
- ♦ Dual digit levers, glove friendly design.
- ♦ Fully CNC machined.



VB1-Brake arms

- ◆ Springs: Linear 6/4Ti rod.
- ◆ Mounting hardware: Hard anodized 7075AL
- ◆ Both M8& M10 frame/fork pivots provided.
- ◆ Brake arms: 97mm in sand blasted black.



Cantilever brake

- ◆ Full CNC machined AL7075/AL6061
- ◆ brakes ,accessories.



VB6-Brake arms

- ◆ Springs: Linear stainless steel rod.
- ◆ Mounting hardware: Hard anodized 6061AL
- ◆ Both M8& M10 frame/fork pivots provided.
- ◆ Brake arms: 100mm in six anodized colors.
- ◆ Full CNC machined.




Cranksets	Chainring sets	ROAD bars	Road&MTB brake calipers	Jockey wheels & bolt	Apparels
Cassettes	Headsets	Seatposts	Brake shoes & Pads	Components	KCNC distributors
Pedals	Stems	Seatpost Clamps	Disc brake systems & Mount adaptors	Screws & Bolts	
Bottom Brackets	Handlebars	Cables / Housing	Quick Release Skewer	Bearings	




Direct mount AERO V-brake

- ◆ Giant Propel compatible.
- ◆ Full CNC AL7075 brake arm.
- ◆ Swisstop brake pads.
- ◆ Color: Black/Gold/Red.




Disk brake rotor-Titor

- ◆ Heat treated 6-4 Titanium rotor.
- ◆ Sizes: 140/160/180/203mm diameter.



Disk brake rotor-Razor

- ◆ Stainless steel rotor.
- ◆ Sizes: 140/160/180/203mm diameter.



Kasditor disk rotor

- ◆ Center alloy spider with unique disc engage design, the disc is set center aligned inside alloy spider arm, has advantage of less rotor deformation from heat build-up while braking.
- ◆ Material: AL7075 spider; SUS 420 disc, SUS rivets.
- ◆ Disc thickness: 1.8mm
- ◆ Size: 140/160/180/203mm
- ◆ Spider Color: Black, Red, Gold, Blue, Green anodized.



Cranksets	Chainring sets	ROAD bars	Road&MTB brake calipers	Jockey wheels & bolt	Apparels
Cassettes	Headsets	Seatposts	Brake shoes & Pads	Components	KCNC distributors
Pedals	Stems	Seatpost Clamps	Disc brake systems & Mount adaptors	Screws & Bolts	
Bottom Brackets	Handlebars	Cables / Housing	Quick Release Skewer	Bearings	

BRAKE SHOES & PADS



C7/CB1 Brake shoes&Pads

- ◆ 54mm cartridge brake shoe set.
 - ◆ Aluminum pad holder.
 - ◆ Ti bolt and nut.
- ◆ Shimano Dura-Ace BR7800 compatible.
- ◆ Available in Swissstop flashPro GHP11/Yellow
 - ◆ King OEM pads.



VB1/VB6 brake shoes&Pads M6 bolt

- ◆ M6 Ti bolts.
- ◆ 72mm cartridge brake shoe set.
- ◆ Angle adjustable design.
- ◆ Shimano XTR/XT/KCNC VB1 Compatible



VB1/VB6 brake shoes&Pads M7 bolt

- ◆ M7 scandium alloy bolts.
- ◆ 72mm cartridge brake shoe set.
- ◆ Angle adjustable design.
- ◆ Only compatible with KCNC VB1.

A close-up photograph of a bicycle's disc brake system, showing the brake caliper, pads, and the disc rotor. The image is partially obscured by a large orange diagonal shape that covers the top and bottom corners. The text 'DISC BRAKE SYSTEMS & MOUNT ADAPTORS' is overlaid in white, bold, sans-serif capital letters.


DISC BRAKE SYSTEMS & MOUNT ADAPTORS

DISC BRAKE SYSTEMS & MOUNT ADAPTORS



Road disc brake adaptor

- ◆ AL7075 CNC machining.
- ◆ Flat mount to Post mount.
- ◆ Front adaptor: 140/160mm
- ◆ Rear adaptor: 140/160mm.



Jockey wheels system

- ◆ Material: AL7075 wheel, SUS or ceramic bearing.
- ◆ Over size narrow wide jockey wheel 14+16T
- ◆ Compatible with Shimano 10/11S Dura Ace&Ultegra.



Rear derailleur adaptor

- ◆ AL7075
- ◆ For Shimano XT-M781 to upgrade cassette up to 42T cogs

Cranksets	Chainring sets	ROAD bars	Road&MTB brake calipers	Jockey wheels & bolt	Apparels
Cassettes	Headsets	Seatposts	Brake shoes & Pads	Components	KCNC distributors
Pedals	Stems	Seatpost Clamps	Disc brake systems & Mount adaptors	Screws & Bolts	
Bottom Brackets	Handlebars	Cables / Housing	Quick Release Skewer	Bearings	



X7 Ultra light disk brake

- ◆ Hydraulic system rated to 8000 psi.
 - ◆ Reinforced Kevlar fiber/internal mesh braided hose.
 - ◆ Ceramic-metallic mix compound brake pads.
 - ◆ F+R calipers: PM/IS or PM/PM mounting at option.
 - ◆ Consistent reliable performance in all weather conditions.
 - ◆ Oil observe window design on reservoir tank.
 - ◆ 160mm stainless steel rotorsx2, Ti caliper mounting bolt*4 and washers included.
 - ◆ Low maintenance design.
- *Disc rotor bolts not provided*
- *Use hydraulic mineral oil only*

DISC BRAKE SYSTEMS & MOUNT ADAPTORS



CNC disk brake adaptors

AL7075 CNC machined with SUS bolts, washers, designed for X7 disc brake.

- ◆ Fork IS160->PM 160 adaptor)
- ◆ Fork IS 160->PM 180 adaptor)
- ◆ Fork IS 160->PM 203 adaptor)
- ◆ Fork PM160->PM180 adaptor)
- ◆ Fork PM160->PM203 adaptor)



IS/IS adaptor

- ◆ Fork IS 160mm rotor to IS 180mm adaptor.
- ◆ Fork IS 160mm rotor to IS 203mm adaptor.



PM/IS adaptors

- ◆ Allows your IS mount disc brake to use on PM system.
- ◆ Fork PM 160mm to IS 160mm adaptor.
- ◆ Fork PM 160mm to IS 180mm adaptor.
- ◆ Fork PM 160mm to IS 203mm adaptor.

Cranksets	Chainring sets	ROAD bars	Road&MTB brake calipers	Jockey wheels & bolt	Apparels
Cassettes	Headsets	Seatposts	Brake shoes & Pads	Components	KCNC distributors
Pedals	Stems	Seatpost Clamps	Disc brake systems & Mount adaptors	Screws & Bolts	
Bottom Brackets	Handlebars	Cables / Housing	Quick Release Skewer	Bearings	



Disk brake center lock

- ♦ Fully CNC machined.
- ♦ Material: AL7075 / AL6061
- ♦ Precise, safe alignment and locking.
- ♦ Standard QR12 or QR20 lock ring available.



Disk brake pad

- ♦ Compatible with KCNC DB2
- ♦ HAYES HFX-Mag/HFX-9 HYD.

X7 Disk brake pad

- ♦ Compatible with Shimano XTR / XT / KCNC X7



X7 disc brake pad-for Titor titanium rotor

- ♦ Specifically developed metallic compound to work and gain best braking performance on KCNC Titor or other titanium rotors.
- ♦ Compatible with KCNC X7 disc brake or Shimano XTR caliper.
 - ♦ Not recommended for SUS rotors.


Cranksets	Chainring sets	ROAD bars	Road&MTB brake calipers	Jockey wheels & bolt	Apparels
Cassettes	Headsets	Seatposts	Brake shoes & Pads	Components	KCNC distributors
Pedals	Stems	Seatpost Clamps	Disc brake systems & Mount adaptors	Screws & Bolts	
Bottom Brackets	Handlebars	Cables / Housing	Quick Release Skewer	Bearings	

JOCKEY WHEELS & BOLT.




Titanium Jockey wheels

- ◆ 6-4 TI wheel with DLC finish, full ceramic bearing.
- ◆ Almpoved low noise teeth profile.
- ◆ Teeth:10,11,12,13T



Jockey wheel

- ◆ AL7075 wheel cage available in SS or ceramic bearing.
- ◆ Tooth range available: 10T, 11T, 12T, 13T, 15T.
- ◆ Compatible with Shimano,Campagnolo and SRAM X-0, FORCE, RED.
- ◆ Increased lateral rigidity over plastic wheels.
- ◆ Full CNC machined.



Jockey wheel-Ultra light version

- ◆ AL7075 wheel cage available in SS bearing.
- ◆ Tooth range available: 10T, 11T, 12T, 13T.
- ◆ Compatible with Shimano,Campagnolo and SRAM X-0, FORCE, RED.
- ◆ Improved anti-dust bearing cap.
- ◆ Full CNC machined.



Jockey wheel bolts

- ◆ Material: AL 7075
- ◆ Size: 7.8x7.8x15.5mm.

A close-up photograph of a bicycle's quick release skewer mechanism. The skewer is black with silver-colored metal components. The brand name 'KCNC' is visible on the black plastic housing. The skewer is inserted into a blue and black braided cable. The background is a solid blue color.


QUICK RELEASE SKEWERS



KQR10 Through-axle skewer

- ◆ The skewer lever can turn 180 degrees back and forth to tight and lock position.
- ◆ Spec: Ø12x142; Ø12x148 BOOST, Length varies compatible with Shimano/Sram/Syntace through axles.
 - ◆ Material: AL7075
 - ◆ Color: Black, Blue, Gold, Red, Green, Silver

Cranksets	Chainring sets	ROAD bars	Road&MTB brake calipers	Jockey wheels & bolt	Apparels
Cassettes	Headsets	Seatposts	Brake shoes & Pads	Components	KCNC distributors
Pedals	Stems	Seatpost Clamps	Disc brake systems & Mount adaptors	Screws & Bolts	
Bottom Brackets	Handlebars	Cables / Housing	Quick Release Skewer	Bearings	



Grooving-QR skewer

- ♦ Titanium skewer center axle with unique four groove cuts design.
- ♦ Durable nylon fiber shim on cam lever side brass nut.
- ♦ Material: AL 7075 lever and nuts.
- ♦ 6/4 Ti axle with stainless springs.
- ♦ ROAD set: Front-100mm, Rear-130mm.
- ♦ MTB set: Front-100mm, Rear-135mm.



KQR-skewer

- ♦ Material: AL 7075 lever and nuts, lever side with self-lubricating brass.
- ♦ 6/4 Ti axle with stainless springs coils.
- ♦ ROAD set: Front-100mm, Rear-130mm.
- ♦ MTB set: Front-100mm, Rear-135mm.
- ♦ FR set: Front-100mm, Rear-210mm.



Z6 KQR skewer

- ♦ Material: AL 6061 lever and nuts, lever side with self-lubricating brass.
- ♦ Stainless axle with spring coils.
- ♦ ROAD set: Front-100mm, Rear-130mm.
- ♦ MTB set: Front-100mm, Rear-135mm

QUICK RELEASE SKEWERS



QR through axle skewers-KQR06

- ◆ Quick release cam lever open/close design, hollow axle.
- ◆ Material: AL7075 axle/cam lever.
- ◆ Compatibility:
 - Ø 15mm/100mm for Shimano E-Thru (Front)
 - Ø 15mm/100mm for RockShox Maxle (Front)
 - Ø 12mm/142mm for X12 (Rear)
 - Ø 12mm/142mm for Shimano E-thru (Rear)
 - Ø 12mm/142mm for RockShox Maxle (Rear)
- ◆ Color: Black, Red, Gold, Blue, Green, Silver anodized.



Through axle skewers-KQR07

- ◆ Designed for 12mm/15mm through axle hub with KCNC unique lever position setting, Quick&Easy press down RED button can release locking and allows lever's spin movement at desire position.
- ◆ Material: AL6061 axle & lever.
- ◆ Compatibility:
 - Ø 15mm axle for RockShox Maxle(Front), 15x100 mm.
 - Ø 15mm axle for Shimano E-thru/Fox racing(Front), 15x100 mm.
 - Ø 12mm axle for Syntace X-12 system (Rear), 12x142 mm.
 - Ø 12mm axle for Shimano E-Thru/Fox racing (Rear), 12x142 mm.
 - Ø 12mm axle for RockShox Maxle(Rear), 12x142 mm
- ◆ Lever color option: Black, Blue, Green, Gold, Red, Silver.



Cranksets	Chainring sets	ROAD bars	Road&MTB brake calipers	Jockey wheels & bolt	Apparels
Cassettes	Headsets	Seatposts	Brake shoes & Pads	Components	KCNC distributors
Pedals	Stems	Seatpost Clamps	Disc brake systems & Mount adaptors	Screws & Bolts	
Bottom Brackets	Handlebars	Cables / Housing	Quick Release Skewer	Bearings	





Through axle skewer- KQR08

- ◆ AL6061 material
- ◆ Color: Black/Blue/Red/Gold/Green/Silver.
- ◆ Compatibility:
 - Ø15mmx100mm(Front) RockShox Maxle.
 - Ø15mmx100mm(Front) Shimano E-Thru/Fox racing.
 - Ø12mmx142mm(Rear) RockShox Maxle.
 - Ø12mmx142mm(Rear) Shimano E-Thru/Fox racing.
 - Ø12mmx142mm(Rear) Syntace X-12 system.
- ◆ Boost Ø12mmx148mm/Ø15x110mm



Through axle skewer- KQR09

- ◆ AL7075 material
- ◆ Color: Black/Blue/Red/Gold/Green/Silver.
- ◆ Compatibility:
 - Ø15mmx100mm(Front) RockShox Maxle.
 - Ø15mmx100mm(Front) Shimano E-Thru/Fox racing.
 - Ø12mmx142mm(Rear) RockShox Maxle.
 - Ø12mmx142mm(Rear) Shimano E-Thru/Fox racing.
 - Ø12mmx142mm(Rear) Syntace X-12 system.
- ◆ Boost Ø12mmx148mm/Ø15x110mm



COMPONENTS

A mountain biker wearing a blue and white jersey and a white helmet is riding a trail bike on a rocky, dirt path. The biker is leaning forward, and the bike is angled towards the right. In the background, there is a stone wall made of large, irregular rocks. The scene is set in a natural, outdoor environment with some greenery and a hazy sky. The image is framed by a large orange triangle on the right side.



MTB jockey wheel system for SR Eagle 12s

- ◆ AL7075 cage& jockey wheel
- ◆ Jockey wheel size set 14+16T
- ◆ Compatible with SR Eagle 12s rear derailleur.
- ◆ Optional SUS or full ceramic bearing
- ◆ Black anodized only



MTB jockey wheel system for Shimano XT

- ◆ AL7075 cage& jockey wheel
- ◆ Jockey wheel size set 14+16T
- ◆ Compatible with Shimano 11S Deore XT M8000 rear derailleur.
- ◆ Optional SUS or full ceramic bearing
- ◆ Black anodized only



Cranksets	Chainring sets	ROAD bars	Road&MTB brake calipers	Jockey wheels & bolt	Apparels
Cassettes	Headsets	Seatposts	Brake shoes & Pads	Components	KCNC distributors
Pedals	Stems	Seatpost Clamps	Disc brake systems & Mount adaptors	Screws & Bolts	
Bottom Brackets	Handlebars	Cables / Housing	Quick Release Skewer	Bearings	



MTB D-type chain guide

- ◆ Direct mount chain guide, prevents the chain dropping off from the front chainring. For 1x11 speed drive train with plastic upper guard
- ◆ Material: AL6061, SUS screw.



KOT34 chain guide

- ◆ Seat tube clamp chain guide, prevents the chain dropping off from the front chainring. For MTB 1x11 speed drive train with plastic upper guard
- ◆ For seat tube clamp size 34.9mm
- ◆ Material: AL6061, SUS screw.



Derailleur cable pulley

- ◆ Material: AL7075
- ◆ Compatibility: XX1/XX1 Eagle/X01/X01 Eagle



Asymmetric jockey wheel

- ◆ Unique design allows you to set jockey wheel position approach to rear cassette cogs, resulting in more contact surface area with cogs, brings better stability & traction. It has three optional mounting holes of 3/4/5mm offset from the center.

Titanium jockey wheel

- ◆ Ti-6AL/4V wheel
- ◆ 12/14/16T Narrow wide tooth
- ◆ Full ceramic bearing or SUS bearing(optional)
- ◆ Titanium raw color
- ◆ 11/12s compatible



Rear derailleur hanger extender

- ◆ Fits to your current derailleur hanger to extend the hanger further allowing use of much larger cassettes.
- ◆ Material: AL6061

Cranksets	Chainring sets	ROAD bars	Road&MTB brake calipers	Jockey wheels & bolt	Apparels
Cassettes	Headsets	Seatposts	Brake shoes & Pads	Components	KCNC distributors
Pedals	Stems	Seatpost Clamps	Disc brake systems & Mount adaptors	Screws & Bolts	
Bottom Brackets	Handlebars	Cables / Housing	Quick Release Skewer	Bearings	



Smart mount ECO

- ◆ Simplified&Economical design compare to KCNC KOT03 Smart mount.
- ◆ AL6061 bridges&31.8 → 25.4shims x 2
- ◆ Two ends comes with 25.4mm/31.8mm clamp size.
- ◆ 90mm extension
- ◆ Black anodized only



Frone shifter clamp

- ◆ For sram shifter clamp
- ◆ AL 6061





Light mounting bracket for through axle

- ♦ Fits KCNC Ø12 through axle which has 6mm allen key socket at the end, you may install a flash light onto the round barrel.



Tubeless valve lock nut

- ♦ For KCNC Presta tubeless valve replacement or other brands at 5V2 spec.
 - ♦ Material: AL6061

Cranksets	Chainring sets	ROAD bars	Road&MTB brake calipers	Jockey wheels & bolt	Apparels
Cassettes	Headsets	Seatposts	Brake shoes & Pads	Components	KCNC distributors
Pedals	Stems	Seatpost Clamps	Disc brake systems & Mount adaptors	Screws & Bolts	
Bottom Brackets	Handlebars	Cables / Housing	Quick Release Skewer	Bearings	



Rear derailleur guard

- ♦ It is suggested to install it along with KCNC light mounting bracket to protect rear derailleur from impact.



CO2 cartridge inflator head-Locky


- ◆ Ergonomically designed fingers holding position, push the head downward allows CO2 to inflate tires.
- ◆ Specially selected sealing O-ring against aging due to low temperature while inflating.
- ◆ Presta valve use only
- ◆ Material: AL6061



Direct mount front derailleur cover plate

- ◆ Designed to decorate or cover the empty unused front derailleur mount seat, come along with the bottle opening function.
- ◆ Material: AL6061 body, SUS bolt.

Cranksets	Chainring sets	ROAD bars	Road&MTB brake calipers	Jockey wheels & bolt	Apparels
Cassettes	Headsets	Seatposts	Brake shoes & Pads	Components	KCNC distributors
Pedals	Stems	Seatpost Clamps	Disc brake systems & Mount adaptors	Screws & Bolts	
Bottom Brackets	Handlebars	Cables / Housing	Quick Release Skewer	Bearings	



Valve core extension driver

- ◆ We offer an ideal solution for carbon rim wheels owners who are having a pumping problem. This patent pending designed allows you to open& close a presta valve where hidden inside the rim at pumping stage.
 - ◆ Material: fiber plastic.
- ◆ Valve extension is not included in the package.



Valve core adaptor

- ◆ We offer an ideal solution for carbon rim wheels owners who are having a pumping problem. This patent pending designed allows you to remove the original presta valve core(if detach able) installed on a tire and allows you to reinstall the core on top of valve extension.
 - ◆ Material: AL6061.
- ◆ Valve extension&core are not included in the package.



Chain guide

- ◆ Chain guide for raising the chain tension in order to prevent the chain from falling down or knocking around suitable for 1-3-speed chainwheel sets.
- ◆ High quality stainless steel pulley applied ensure smooth chain running.
- ◆ Mounting: At cable guide or chain stay.
- ◆ Material: Fiber nylon, stainless pulley.



Direct mount chain guide

- ◆ For ISCG05 mounting.
- ◆ Range: 30/32/34/36/38/40/42T
 - ◆ Material: AL7075
 - ◆ Color: Black/Red/Gold



Shifter clamp I-SPEC II

- ◆ Compatibility: XTR-M9000, XTM8000 shifters
- ◆ AL6061 material
- ◆ Color: Black / Red / Blue / Yellow Green

Cranksets	Chainring sets	ROAD bars	Road&MTB brake calipers	Jockey wheels & bolt	Apparels
Cassettes	Headsets	Seatposts	Brake shoes & Pads	Components	KCNC distributors
Pedals	Stems	Seatpost Clamps	Disc brake systems & Mount adaptors	Screws & Bolts	
Bottom Brackets	Handlebars	Cables / Housing	Quick Release Skewer	Bearings	



Aluminum tubeless valve

- ◆ Designed for tubeless wheel supplied with different rubber bases to fit on most rims on the market.
- ◆ AL7075 material.
- ◆ Color: Black/Blue/Red/Pink/Green/Silver.



Headset cap w/ star nut&expander

- ◆ AL6061 material
- ◆ Diameter: 28.6mm
- ◆ Length: 38mm for carbon steerer tube.
- ◆ Star nut version available.
- ◆ Color: Black/Blue/Red/Gold/Yellow Green/Silver.





Go Pro mount — for seatpost

- ◆ Allows Go-Pro camera installed on seatpost.
- ◆ Material: AL7075
- ◆ Clamp size: 27.2/30.9/31.8/34.9mm
- ◆ Color: Black/Blue/Red/Gold/ Green/Silver.



Go Pro&Garmin mount- for Handlebar

- ◆ Allows Go-Pro camera installed on handlebar with Garmin mount.
- ◆ Material: AL7075
- ◆ Color: Black/Blue/Red/Gold/ Green/Silver.

Cranksets	Chainring sets	ROAD bars	Road&MTB brake calipers	Jockey wheels & bolt	Apparels
Cassettes	Headsets	Seatposts	Brake shoes & Pads	Components	KCNC distributors
Pedals	Stems	Seatpost Clamps	Disc brake systems & Mount adaptors	Screws & Bolts	
Bottom Brackets	Handlebars	Cables / Housing	Quick Release Skewer	Bearings	



Cycling computer holder-for Garmin

- ◆ CNC precision made holder allows free angle/reach(3.5cm) adjustment, only for Garmin meters.
- ◆ Material: AL6061
- ◆ Ø 31.8mm clamp dia. on handle bar.
- ◆ Anodize color option: Black, Blue, Gold, Green, Red, Silver.



Carbon fiber saddle-Streamer

- ◆ Full carbon fiber saddle for Road/TT bikes with gloss finish.
 - ◆ Material: UD carbon fiber, 3K wrapping on seat surface.
 - ◆ Oval shape rails(7*9mm)
 - ◆ L270xW132.6xH60 mm
- Please note the center art decal maybe changed from the photo displayed.



KCNC TPR Grips

- ◆ Crosshatched grids offer superior grip control yet comfortable TPR rubber on wide palm support. Plastic insert shim inside grips along with simple & secure bolt lock on design for easy installation.
- ◆ Material: TPR rubber, AL6061 barend.
- ◆ Width: 138.5 mm; 130.5mm; Barbore: 22.5mm
- ◆ Barend length: 90mm.
- ◆ Color: Black/Grey; Cork brown color.



EVA lock-on grip

- ◆ High density EVA form grip with plastic shim/insert, featuring water resistance and shock absorb advantages, optional alloy color lock rings.
- ◆ Material: EVA grip, nylon shim/insert
- ◆ Barbore diameter: Ø 22mm



KBE04-MTB TPR barend

- ◆ Ergonomically curve to fit your palm, TPR rubber with anti-slip bump offers comfort handling.
- ◆ Material: TPR rubber wrapping, plastic body, alloy lockring, SUS bolts.
- ◆ Barbore diameter: Ø 22mm



Cranksets	Chainring sets	ROAD bars	Road&MTB brake calipers	Jockey wheels & bolt	Apparels
Cassettes	Headsets	Seatposts	Brake shoes & Pads	Components	KCNC distributors
Pedals	Stems	Seatpost Clamps	Disc brake systems & Mount adaptors	Screws & Bolts	
Bottom Brackets	Handlebars	Cables / Housing	Quick Release Skewer	Bearings	



Suspension Fork/Shock pump

- ◆ Professional high pressure pumps for Shocks or suspension fork, fits Schrader valve, capable of pumping 450 or 600 PSI. Secure screw to lock on valves threads.



KCNC mini pump bracket

- ◆ Designed for KCNC mini pumps, optional purchase accessory for user to mount besides water bottle cage.
 - ◆ Material: Plastic fiber
 - ◆ Valve adaptor(presta to schrader) included.
 - ◆ Height: 12.5 mm
- ◆ Color: Bracket Black only, valve adaptor: Black, Red, Gold, Blue, Green, Silver.



KCNC BB wrenches

- ◆ KBB386 Designed for KCNC KBB386 BB set.
- ◆ KTL-FC32 Designed for Shimano/K-type BB set.
- ◆ Length: 20cm
- ◆ Material: AL7075



Presta valve extender spanner

- ◆ Designed for KCNC or other brands valve extension, can be used on core or barrel, installation/removal purpose.
- ◆ 4.2mm side for core, 5mm side for barrel.
- ◆ Material: SUS420
- ◆ Presta valve extender shown only as demonstration



Cranksets	Chainring sets	ROAD bars	Road&MTB brake calipers	Jockey wheels & bolt	Apparels
Cassettes	Headsets	Seatposts	Brake shoes & Pads	Components	KCNC distributors
Pedals	Stems	Seatpost Clamps	Disc brake systems & Mount adaptors	Screws & Bolts	
Bottom Brackets	Handlebars	Cables / Housing	Quick Release Skewer	Bearings	




Presta valve extenders

- ◆ CNC precision made valve extender with 5mm user friendly tool cut.
- ◆ Anti-Air leak O-ring seals provided installed at the bottom.
- ◆ Material: AL6061 barrel, brass.
- ◆ Size: L*52/85/100mm, Ø6mm barrel, Ø5mm groove cut for tool installation.
- ◆ Anodize color option: Black, Blue, Gold, Green, Red, Silver.



Valve adaptor

- ◆ CNC precision made valve adaptor converts Presta valve to Schrader usage.
- ◆ Material: AL6061



Patented hex keys

- ◆ Special patent design asynchronous end tip unlike normal hex keys, this unique design is capable of solving problem when you unable to extract the bolt once the hex socket worn out.
- ◆ Ergonomically designed T grip profile for comfort handling.
- ◆ Hex key size available: 4mm, 5mm, 6mm and 8mm; 4pcs set.
- ◆ Metal part using industrial high quality hardened S2 carbon steel.
- ◆ Painted mini wall stand included.

Cranksets	Chainring sets	ROAD bars	Road&MTB brake calipers	Jockey wheels & bolt	Apparels
Cassettes	Headsets	Seatposts	Brake shoes & Pads	Components	KCNC distributors
Pedals	Stems	Seatpost Clamps	Disc brake systems & Mount adaptors	Screws & Bolts	
Bottom Brackets	Handlebars	Cables / Housing	Quick Release Skewer	Bearings	



Hex/Allen key set

- ◆ Material: Industrial high quality hardened S3 carbon steel.
- ◆ L shape hex keys with anti-rust coating with chamfered tips.
- ◆ Assortment size: 1.5mm, 2mm, 2.5mm, 3mm, 4mm, 5mm, 6mm, 8mm, 10mm; 9pcs set.



Torx key set

- ◆ Material: Industrial high quality hardened S3 carbon steel.
- ◆ L shape Torx keys with anti-rust coating.
- ◆ Assortment size: T10, T15, T20, T25, T27, T30, T40, T45, T50; 9pcs set.



Smart phone holder

- ◆ The smart phone holder is designed to secure a phone or GPS device on a handlebar while riding; four strong screwing adjustable clamping arms are guaranteed to hold your valuable devices coping with vibration during riding.
 - ◆ Device size compatibility from either 5cm~8.5cm wide; 11cm~15cm tall.
 - ◆ Handlebar size compatibility: 25.4/26mm or 31.8mm.
 - ◆ Hex keys tool required: 2.5mm / 3mm(included in the package).
 - ◆ Material: AL6061 body& protective rubber on clamping arms.
 - ◆ Color option: Black, Blue, Gold, Green, Red, Silver

Cranksets	Chainring sets	ROAD bars	Road&MTB brake calipers	Jockey wheels & bolt	Apparels
Cassettes	Headsets	Seatposts	Brake shoes & Pads	Components	KCNC distributors
Pedals	Stems	Seatpost Clamps	Disc brake systems & Mount adaptors	Screws & Bolts	
Bottom Brackets	Handlebars	Cables / Housing	Quick Release Skewer	Bearings	



Mini hand pump(KOT07)

- ◆ Simple&Compact outlook, easy to carry in a pocket, comprised if three alloy barrels which capable of pumping power 120 psi (max) on a road bike tires.
- ◆ Height: 11cm (carrying status), Ø24mm.
- ◆ Extension hose provided (20cm).
- ◆ Material: AL6061 barrels.
- ◆ Compatible with Schrader&Presta valves without changing pump head.
- ◆ Anodize color option: Black, Blue, Gold, Green, Red, Silver.



Mini hand pump(KOT08)

- ◆ Simple&Compact outlook, easy to carry in a pocket, comprised if three alloy barrels which capable of pumping power 120 psi (max) on a road bike tires.
- ◆ Height: 12.2cm (carrying status), Ø24mm.
- ◆ Extension hose provided (20cm).
- ◆ Material: AL6061 barrels.
- ◆ Compatible with Schrader&Presta valves without changing pump head.
- ◆ Anodize color option: Black, Blue, Gold, Green, Red, Silver.



Disk brake rotor lockring

- ◆ We offer color and weight saving option for Shimano disk brake lockring as spare part.
- ◆ Compatibility: Shimano BR-M975(disc brake)/SM-RT97(disc rotor)
 - ◆ Material: AL6061
 - ◆ Color: Black, Blue, Gold, Green, Red, Silver



Cable housing clips

- ◆ Alloy housing clips compatible with shifter/brake housings.
 - ◆ Material: AL6061.
- ◆ Anodize color option: Black, Blue, Gold, Green, Red, Silver.

Cranksets	Chainring sets	ROAD bars	Road&MTB brake calipers	Jockey wheels & bolt	Apparels
Cassettes	Headsets	Seatposts	Brake shoes & Pads	Components	KCNC distributors
Pedals	Stems	Seatpost Clamps	Disc brake systems & Mount adaptors	Screws & Bolts	
Bottom Brackets	Handlebars	Cables / Housing	Quick Release Skewer	Bearings	



SP6 Ti Pro Lite seatpost carbon rail support kit

- ◆ The new designed Ti Pro Lite yokes, shell with wider contact surface area with saddle rails, especially carbon rails saddles. Wider contact surface area can reduce the stress and improve the carbon rail scratching/damaging problem.
- *Please follow the printed arrow sign showing forward direction on two yokes when installing*
- ◆ Material: AL7075
- ◆ Color: Black, Blue, Gold, Red, Silver
- ◆ Content: yokex2, shellx1.
- ◆ KIT-A support 27.2mm SP6 Ti Pro Lite seatpost
- ◆ KIT-B support 30.9/31.6/34.9mm SP6 Ti Pro Lite seatpost



Bottle cage screw

- ◆ Torx 25 slim bolt head to avoid scratch on water bottle.
- ◆ Material: AL7075
- ◆ Color: Black, Blue, Gold, Green, Red, Silver

MINI BIKE TOOL



8 pcs tool/12 pcs tool

- ◆ Durable SUJ2 cold forging steel with ED-coating surface.
- ◆ Two options of sandblasted side bracket and curved shape high polish side bracket.



Mini chain tool

- ◆ Tire lever & chain tool function.
- ◆ Can be attached to existing KCNC bike mini tool.
- ◆ Black, Red, Gold, Blue, Green

Cranksets	Chainring sets	ROAD bars	Road&MTB brake calipers	Jockey wheels & bolt	Apparels
Cassettes	Headsets	Seatposts	Brake shoes & Pads	Components	KCNC distributors
Pedals	Stems	Seatpost Clamps	Disc brake systems & Mount adaptors	Screws & Bolts	
Bottom Brackets	Handlebars	Cables / Housing	Quick Release Skewer	Bearings	



Smart mount

- ◆ Install on existing 25.4/26&31.8mm handlebar allows you to place a flash light, MP3 player, GPS navigator on the extension tube.
- ◆ Bridge extension of 60mm&90mm; Dia. 24.4/26mm & 31.8mm short tubes provided(120mm width).
- ◆ Handlebar not included, shown only as demonstration.

CHAIN CATCHERS



MTB Chain catcher

- ◆ Prevents drive chains from falling.
- ◆ Use on Shimano/KCNC external bearing system MTB cranksets.
Fits inner chainring tooth range from 20-24T, 25-27T, 28-30T.



ROAD chain catcher

- ◆ Prevents drive chains from falling.
- ◆ Use on Shimano/KCNC external bearing system ROAD cranksets.



Bottle cage stem support

- ◆ Allows you to install a bottle cage on top of the stem.
- ◆ Material: AL7075 body, SUS bolts.

Cranksets	Chainring sets	ROAD bars	Road&MTB brake calipers	Jockey wheels & bolt	Apparels
Cassettes	Headsets	Seatposts	Brake shoes & Pads	Components	KCNC distributors
Pedals	Stems	Seatpost Clamps	Disc brake systems & Mount adaptors	Screws & Bolts	
Bottom Brackets	Handlebars	Cables / Housing	Quick Release Skewer	Bearings	



VALVE CAP

- ◆ Available in Schrader or Presta
- ◆ Material: AL 6061

Crank bolt

- ◆ AL6061, for Shimano DuraAce, XTR, XT crankset left arm.



Bottle cage bolts

- ◆ Material: AL 7075

Valve extenders

- ◆ Material: AL 6061
- ◆ Length: 50/85/100mm





Hollow design headset spacer

- ◆ Diameter: For 1 1/8" steerer.
- ◆ Material: AL 6061
- ◆ KCNC patent hollow design.
- ◆ Lower weight than carbon fiber spacer at the same size.



Headset spacer

- ◆ Diameter: For 1 1/8" steerer.
- ◆ Material: AL 6061

Headset top cap

- ◆ Material: AL 6061
- ◆ Diameter: 28.6mm
- ◆ Length: 38mm for carbon steerer tube.
- ◆ Star-nut version is also available.



Cranksets	Chainring sets	ROAD bars	Road&MTB brake calipers	Jockey wheels & bolt	Apparels
Cassettes	Headsets	Seatposts	Brake shoes & Pads	Components	KCNC distributors
Pedals	Stems	Seatpost Clamps	Disc brake systems & Mount adaptors	Screws & Bolts	
Bottom Brackets	Handlebars	Cables / Housing	Quick Release Skewer	Bearings	



KCNC drive chain

- ◆ Features: Hollow pin, noiseless function, inner plate chamfering, bushingless construction, chromized treatment.
- ◆ Specification: 1/2"x11/128"
- ◆ Pin length: 6mm
- ◆ Pin strength: 200kgf kgf
- ◆ Tensile strength: 920kgf kgf.
- ◆ 9&10;11&12 speed.
- ◆ Color available: Gold.




KCNC chain tool

- ◆ Comprise of high quality alloy and durable SUS accessories.
- ◆ Easy handling grip
- ◆ Install/Breaking chain pivots.



Pump Connectors- For floor pump hose

- ◆ Design for Presta valve
- ◆ Chamber: AL7075
- ◆ Spindle: Stainless Steel
- ◆ Bearings: Durable stainless steel balls
- ◆ For floor pump hose without a clamp.



Pump Connectors- For air-compressor pump hose

- ◆ Design for Presta valve
- ◆ Chamber: AL7075
- ◆ Spindle: Stainless Steel
- ◆ Bearings: Durable stainless steel balls
- ◆ For air-compressor pump hose with a sus clamp
- ◆ With stainless steel clamp(adjustable)



Handlebar grips

- ◆ Material: EVA form
- ◆ KCNC pressed stamp logo
- ◆ Black, Red, Yellow, Blue, White.



Front derailleur clamp

- ◆ Material: AL6061
- ◆ Size: 0°, 34.9mm only
3°, 28.6(w/alloy shim)/31.8/34.9mm
- ◆ Clamp on design, bolt not included.



V brake pivot bolt

- ◆ Material: AL6061
- ◆ Size: M8 or M10
- ◆ Fits unused V brake mounting holes on a fork/frame



Light mounting bracket

- ◆ Material: AL6061
- ◆ Allows you install a flashlight on side of hub skewer.

A photograph of a cyclist in a black and red jersey and a red helmet, riding a muddy cross-country bike. The cyclist is in a dynamic pose, leaning forward. The background is a blurred outdoor setting with green grass and trees. The image is framed by a dark blue border with diagonal cuts on the top-left and bottom-right corners.

SCREWS & BOLTS



K-TYPE BB bolts

- ◆ AL 7075 hard anodized.
- ◆ M11.5 x 35mm
- ◆ M12 x 35mm
- ◆ M14 x 35mm
- ◆ M16 x 35mm
- ◆ M18 x 35mm

Straight through hollow design



Scandium bolts

- ◆ M8 x 16mm
- ◆ M8 x 18mm
- ◆ M10 x 16mm
- ◆ M10 x 22mm

Straight through hollow design



Titanium bolts

- ◆ M5 x 8mm
- ◆ M5 x 15.5mm
- ◆ M5 x 18mm
- ◆ M5 x 35mm
- ◆ M6 x 14mm
- ◆ M6 x 37mm
- ◆ M6 x 47mm
- ◆ M7 x 22mm



Jockey wheel bolt for Shimano&Sram derailleur

- ◆ Spec01: M5xP0.8x15.5mm alloy bolt. (AL05-3)
- ◆ Spec02: M5xP0.8x12mm alloy bolt. (AL05-7)
- ◆ Spec03: M5xP0.8x14mm alloy bolt. (AL05-8)


Cranksets	Chainring sets	ROAD bars	Road&MTB brake calipers	Jockey wheels & bolt	Apparels
Cassettes	Headsets	Seatposts	Brake shoes & Pads	Components	KCNC distributors
Pedals	Stems	Seatpost Clamps	Disc brake systems & Mount adaptors	Screws & Bolts	
Bottom Brackets	Handlebars	Cables / Housing	Quick Release Skewer	Bearings	

BEARINGS



Bearing S-6805/Bearing C-6805

- ♦ For K-type BB.
 - ♦ Stainless steel balls.
- Ceramic balls



Bearing S-689/Bearing C-689

- ♦ For KCNC jockey wheel
 - ♦ Stainless steel balls.
- Ceramic balls.



Bearing S-215317/Bearing C-215317

- ♦ For ISIS BB.
 - ♦ Stainless steel balls.
- Ceramic balls.



APPARELS



Jersey&Short

- ◆ Material: High quality 100% flycool
- ◆ Color: Grey/Red
- ◆ Size: XS/S/M/L/XL



T-shirt pink

- ◆ High quality 100% super soft cotton T-shirt



T-shirt white

- ◆ Color: Black/White/Pink



T-shirt black

- ◆ Size: XS/S/M/L/XL/XXL




KCNC DISTRIBUTORS

EUROPE

COOOLsport HandelsgmbH

Feistritz 29, AT-8843 St. Peter am Kammerberg, Austria
email: kcnc@cooolsport.com central@cooolsport.com
Tel: +43 3536 70905



Exclusive distributor Germany/Austria/Slovenia/Switzerland/Italy/Poland

Fun Sport Express S.L.

c/ Estany de Llanos 2, 08186 Llica de Munt, BARCELONA, SPAIN
email: info@funsportexpress.com
<http://www.funsportexpress.com>
Tel: +34 93 864 4900
Fax: +34 93 864 3803



Exclusive distributor Spain/Andorra/Portugal/France

HORTEN SYKKELSPORT AS

THRANESGT 4, 3187 HORTEN, Norway
email: sykkel@sykkel.com
<http://www.sykkel.com>
Tel: +47-3304-2913
Fax: +47-3304-5911



Exclusive distributor Norway

JT-Import Co. LTD

Vassingerodvej 85 B, 3540 Lyngby, Denmark
email: jt@jtimport.dk
<http://www.jtimport.dk/>
Tel: +45 48188487
Fax: +45 48188486



Exclusive distributor Denmark/Sweden

Cranksets	Chainring sets	ROAD bars	Road&MTB brake calipers	Jockey wheels & bolt	Apparels
Cassettes	Headsets	Seatposts	Brake shoes & Pads	Components	KCNC distributors
Pedals	Stems	Seatpost Clamps	Disc brake systems & Mount adaptors	Screws & Bolts	
Bottom Brackets	Handlebars	Cables / Housing	Quick Release Skewer	Bearings	

EUROPE

LUDO NV. GURU-SPORT

Leuvensesteenweg 173 3070 Kortenberg, Belgium

<http://www.guru-sport.com>

Tel: 0032.2.752.17.56



Exclusive distributor BeNeLux

SOUTH AMERICA

Macris Ltda

Aristóteles 1125, block 62, Dpto 13, Ñuñoa, Santiago, Chile

<http://www.macrisltda.com>

Tel: 56-2386044, 56-2-4929337 Fax: 56-2386044



Exclusive distributor Chile

Royal Bicycles

Mans de Guaynabo, A4 Calle 1, Guaynabo, PR 00969-5222, PUERTO RICO

email: info@royalbicycles.com

Tel: (787)240-3777



Exclusive distributor Central America/Caribbean

CICLO GIANT COM.ART.P/ESP/LTDA.

Rua Glicerio 700, Liberdade Sao Paulo, SP-CEP 01514-001, Brazil

email: kuruma@terra.com.br

<http://www.kuruma.com.br>

Tel: 11-32080477 Fax: 11-32077378



Exclusive distributor Brazil

AFRICA

Paragon Technologies



P O Box 38653 Pinelands 7430 Cape town
email:info@paragontech.co.za
<http://www.paragontech.co.za>
Tel: +27215319756

Exclusive distributor South Africa

ASIA

SooHo Sports Inc.



B-101, #5, JOWONRO-23GIL, GWANKAK-KU, 151-874, SEOUL, KOREA
email:sooho@1004helmet.co.kr
Tel: +82-2-884-3475 Fax: +82-2-884-3479

Exclusive distributor Korea

Gilad Import



Gilad- Import,Marketing,Distribution Hamaapilim Blvd 34 Tel Aviv 61190, ISRAEL
email:gilad_b46@hotmail.com
<http://www.gbike.co.il>
Tel: +972 3 6872391 Fax: +972 3 6872873

Exclusive distributor Israel

KT Cyclone SDN BHD



No 26&28, Jalan Perda Timur, Distripark, Bandar Perda, 14000 Bukit Mertajam, Penang, Malaysia.
email:gilad_b46@hotmail.com kt_cycletron@yahoo.com
<http://www.ktcyclone.com/>
Tel: +604-539 9289 +604-539 0289 Fax: +604-539 6289

Exclusive distributor Malaysia/Thailand/Indonesia/Brunei

Cranksets	Chainring sets	ROAD bars	Road&MTB brake calipers	Jockey wheels & bolt	Apparels
Cassettes	Headsets	Seatposts	Brake shoes & Pads	Components	KCNC distributors
Pedals	Stems	Seatpost Clamps	Disc brake systems & Mount adaptors	Screws & Bolts	
Bottom Brackets	Handlebars	Cables / Housing	Quick Release Skewer	Bearings	

ASIA

Marechal International Co.,LTD 英友达国际企业有限公司



No.9, Sinmin Lane, Nantun District, Taichung City 40871, Taiwan

email:asia@marechal.com.tw

http://www.marechal.com.tw

Tel: 886-4 2479 3208 Fax: 886-4 2479 3209

Exclusive distributor China/Hong Kong/Macao

QUAADLIFE INC.



8F-9, No.46, Sec.2, Jhongshan N. Rd., Taipei 10448, Taiwan

email:giantind@ms21.hinet.net

http://www.kurbike.com

Tel: 886-2-25318330 Fax: 886-2-25718690

Exclusive distributor South America region

愛克有限公司



台中市南屯區嶺東路46 號

電話: 04-23823648 (徐浚斌) 行動電話: 0931-480504

Tel: 04-23823648 Mobile Phone: 0931-480504

台灣總代理 Taiwan

RITWAY PRODUCTS JAPAN



102 Ikebukuro City-Hights Toshima-Ku, Tokyo, 171-0022

email:rj-info@riteway-jp.com

http://www.riteway-jp.com

Tel: +81-3-5950-6002 Fax: +813-5956-8028

Exclusive distributor Japan